

DAFTAR PUSTAKA

- Ajibola-James, O. O., Awotoye, O. O., Sonibare, J. A., & Oroboade, J. G. (2024). Assessing the ecological impact of industrial noise pollution on wildlife behavior in Okomu Forest Reserve, Nigeria. *Discover Environment*, 2(1), 58.
- Allen, L. C., Hristov, N. I., Rubin, J. J., Lightsey, J. T., & Barber, J. R. (2021). Noise distracts foraging bats. *Proceedings of the Royal Society B*, 288(1944), 20202689.
- Altringham, J. D. (1996). Bats: biology and behaviour. *Oxford University Press*.
- Amdarsyah, R. A. F., Rohim, R., Syakirah, T. L., & Umami, M. (2025). Pengaruh evolusi terhadap perkembangan skapula, sesamoid, tengkorak, serta kemampuan ekolokasi chiroptera. *Zoologi: Jurnal Ilmu Peternakan, Ilmu Perikanan, Ilmu Kedokteran Hewan*, 3(1), 52-62.
- Amirullah, A., & Bakkareng, S. W. A. (2023). Species diversity and cave-bat conservation efforts in Aoma Village, Wolasi District-Southeast Sulawesi. *Jurnal Ilmiah Biologi Eksperimen dan Keanekaragaman Hayati (J-BEKH)*, 10(1), 61-68.
- Ayu, A. P. (2019). Peran ruang terbuka hijau dalam citra kota studi kasus: Taman Suropati, Jakarta. *Jurnal Ilmiah Desain & Konstruksi*, 18(1), 53-66.
- Aziz, S. A., Olival, K. J., Bumrungsri, S., Richards, G. C., & Racey, P. A. (2016). The conflict between pteropodid bats and fruit growers: species, legislation and mitigation. *Bats in the Anthropocene: Conservation of bats in a changing world*, 377-426.
- Baier, A. L., Baier, A. L., Stelzer, K.-J., & Wiegbe, L. (2018). Flutter sensitivity in FM bats. Part II: amplitude modulation. *Journal of Comparative Physiology A-Neuroethology Sensory Neural and Behavioral Physiology*, 204(11), 941-951.
- Balirante, M., Lefrandt, L. I., & Kumaat, M. (2020). Analisa tingkat kebisingan lalu lintas di jalan raya ditinjau dari tingkat baku mutu kebisingan yang diizinkan. *Jurnal Sipil Statik*, 8(2).
- Bednarz, P. A. (2021). Do decibels matter? a review of effects of traffic noise on terrestrial small mammals and bats. *Polish Journal of Ecology*, 68(4), 323-333.
- Brumm, H., & Horn, A. G. (2019). Noise pollution and conservation (pp. 254-259). *Elsevier, Academic Press*.
- Browning, E., Gibb, R., Glover-Kapfer, P., & Jones, K. E. (2017). Passive acoustic monitoring in ecology and conservation. Woking, UK, WWF-UK, 76pp. (WWF Conservation Technology Series 1(2)).

- Bonsen, G., Law, B., & Ramp, D. (2015). Foraging strategies determine the effect of traffic noise on bats. *Acta Chiropterologica*, 17(2), 347-357.
- Bunkley, J. P., & Barber, J. R. (2015). Noise reduces foraging efficiency in pallid bats (*Antrozous pallidus*). *Ethology*, 121(11), 1116–1121.
- Chaverri, G., Ancillotto, L., Russo, D., & Russo, D. (2018). Social communication in bats. *Biological Reviews of The Cambridge Philosophical Society*, 93(4), 1938–1954.
- Chou, C.-H., & Cheng, H.-C. (2012). Echolocation calls of the eleven insectivorous bats of taiwan. 14, 33–62.
- Clemens, J., Kössl, M., Poeppel, D., Hechavarría, J., & Kiai, A. (2023). Flexible control of vocal timing in bats enables escape from acoustic interference.
- Coutant, M., Villain, A. S., & Briefer, E. F. (2024). A scoping review of the use of bioacoustics to assess various components of farm animal welfare. *Applied Animal Behaviour Science*, 106286.
- Daniati, N., & Atifah, Y. (2023). Identifikasi perbedaan sub-ordo megachiroptera dan sub-ordo microchiroptera berdasarkan habitat. In *Prosiding Seminar Nasional Biologi* (Vol. 3, No. 2, pp. 1007-1013).
- Denzinger, A., & Schnitzler, H. U. (2013). Bat guilds, a concept to classify the highly diverse foraging and echolocation behaviors of microchiropteran bats. *Frontiers in physiology*, 4, 164.
- Doser, J. W., Hannam, K. M., & Finley, A. O. (2020). Characterizing functional relationships between anthropogenic and biological sounds: a western New York state soundscape case study. *Landscape Ecology*, 35(3), 689–707.
- Eddington, V. M., White, E., & Kloepper, L. (2023). Estimating populations of dense animals using acoustics. *The Journal of the Acoustical Society of America*, 153(3_supplement), A184-A184.
- Erbe, C., Dent, M. L., Gannon, W. L., McCauley, R. D., Römer, H., Southall, B. L., Stansbury, A. L., Stoeger, A. S., & Thomas, J. A. (2022). The effects of noise on animals. In *Exploring animal behavior through sound: volume 1: methods* (pp. 459-506). Cham: Springer International Publishing.
- Erdianto, A., Irwan, S. N. R., & Kastono, D. (2019). Fungsi ekologis vegetasi taman dengung sleman sebagai pengendali iklim mikro dan peredam kebisingan. *Vegetalika*, 8(3), 139-152.
- Fenton, B., & Russo, D. (2024). Bat foraging: The next steps. In *A Natural History of Bat Foraging* (pp. 327-328). Academic Press.

- Fleming, G. M., Ramsay, E. E., Nurdin, M. R. T. J. P., Duffy, G. A., Faber, P. A., & Chown, S. L. (2024). Sensitivity of insectivorous bat foraging guilds to urbanization and implications for sustainable development. *Glob Ecol Conserv* 51.
- Francis, Charles. (2019). Field guide to the mammals of south-east asia (2nd Edition) (P. Barret, R. Budden, S. Doyle, B. Edwards, W. Oliver, & L. Wells, Eds.; Second). *Bloomsbury Publishing Plc*.
- Frank, T. M., Gabbert, W. C., Chaves-Campos, J., & LaVal, R. K. (2019). Impact of artificial lights on foraging of insectivorous bats in a Costa Rican cloud forest. *Journal of Tropical Ecology*, 35(1), 8-17.
- Frick, W. F., de Wit, L. A., Ibarra, A., Lear, K., & O'Mara, M. T. (2024). Conserving bats and their foraging habitats. In *A Natural History of Bat Foraging* (pp. 305-325). *Academic Press*.
- Fu, Z.-Y., Xu, N., Xu, N., Zhang, G., Zhou, D., Liu, L., Tang, J., Jen, P. H.-S., & Chen, Q.-C. (2019). Evoked potential study of the inferior collicular response to constant frequency-frequency modulation (CF-FM) sounds in FM and CF-FM bats. *Journal of Comparative Physiology A-Neuroethology Sensory Neural and Behavioral Physiology*, 205(2), 239–252.
- Gakaev, R. A. (2022). Problems of ecology and safety of the urban environment. In *AIP Conference Proceedings* (Vol. 2657, No. 1). *AIP Publishing*.
- Gibb, R., Browning, E., Glover-Kapfer, P., & Jones, K. E. (2019). Emerging opportunities and challenges for passive acoustics in ecological assessment and monitoring. *Methods in Ecology and Evolution*, 10(2), 169-185.
- Gilmour, L. R., Holderied, M. W., Pickering, S. P., & Jones, G. (2021). Acoustic deterrents influence foraging activity, flight and echolocation behaviour of free-flying bats. *Journal of Experimental Biology*, 224(20), jeb242715.
- Gonzaga, J. L. de A., Lins, E. A. M., Camboim, E. D., Silva, R. F. da, & Gonzaga, A. B. de. (2022). An analysis of urban noise and its impacts - case study. *International Journal of Advanced Engineering Research and Science*, 9(11), 282–287.
- Gomes, L., & Bernard, E. (2024). Listening to the bats of Carajás: Applied bioacoustics for species inventory and environment use in a mosaic of forests, savannas, and industrial mining in the Brazilian Amazonia. *BioRxiv*, 2024-08.
- Gregorin, R., Tahara, A., Mancini, M., Lobão, K., Oliveira, L., & Tavares, V. (2022). Mixed sampling methods reveal elevated bat richness in a semideciduous Atlantic forest remnant. *Acta Chiropterologica*, 24(1), 139-150.

- Guo, D., Ding, J., Liu, H., Zhou, L., Feng, J., Luo, B., & Liu, Y. (2021). Social calls influence the foraging behavior in wild big-footed myotis. *Frontiers in zoology*, 18(1), 3.
- Håkansson, J., Mikkelsen, C., Jakobsen, L., & Elemans, C. P. (2022). Bats expand their vocal range by recruiting different laryngeal structures for echolocation and social communication. *PLoS Biology*, 20(11), e3001881.
- Hase, K., & Hiryu, S. (2019). Mitigation of signal jamming in bat echolocation. *Japanese Journal of Animal Psychology*, 69(2), 55–67.
- Hasibuan, M. M., Maryanto, I., & Kartono, A. P. (2021). Suara kelelawar (Microchiroptera) dari Gua Gudawang, Bogor [Bats Calls (Microchiroptera) from Gudawang Cave, Bogor]. *Jurnal Biologi Indonesia*, 17(1), 1-10.
- Hooker, J., Daley, E., Stone, E., & Lintott, P. (2023). Assessing the impact of festival music on bat activity. *Ecological Solutions and Evidence*, 4(2), e12250.
- iNaturalist contributors, iNaturalist (2025). iNaturalist Research-grade Observations. iNaturalist.org. Occurrence dataset <https://doi.org/10.15468/ab3s5x> accessed via GBIF.org on 2025-08-03. <https://www.gbif.org/occurrence/4903828012>
- Jacobs, D. S., & Bastian, A. (2016). Bat echolocation: adaptations for prey detection and capture (pp. 13–30). *Springer, Cham*.
- Kohles, J. E., & Dechmann, D. K. (2024). Social foraging and information transfer. In *A Natural History of Bat Foraging* (pp. 123-138). *Academic Press*.
- Korine, C., Oelbaum, P. J., & Muñoz-Garcia, A. (2023). Stress physiology, foraging, and ecophysiology of bats in urban environments. In *Urban Bats: Biology, Ecology, and Human Dimensions* (pp. 3-18). Cham: *Springer International Publishing*.
- Kugler, K., Luksch, H., Peremans, H., Vanderelst, D., Wiegerebe, L., & Firzlaff, U. (2019). Optic and echo-acoustic flow interact in bats. *Journal of Experimental Biology*, 222(6), jeb195404.
- Kumar, P., & Reddi, V. (2023). Significance of spearman's rank correlation coefficient. *International Journal For Multidisciplinary Research*. <https://doi.org/10.36948/ijfmr.2023.v05i04.5203>
- Lauren, M., Wirawati, S., & Tjung, L. J. (2021). Rencana pengelolaan Taman Hutan Kota Penjaringan, Jakarta Utara. *Jurnal Sains, Teknologi, Urban, Perancangan, Arsitektur (Stupa)*, 3(2), 3509-3522.
- Lehrer, E. W., Gallo, T., Fidino, M., Kilgour, R. J., Wolff, P. J., & Magle, S. B. (2021). Urban bat occupancy is highly influenced by noise and the location

- of water: Considerations for nature-based urban planning. *Landscape and Urban Planning*, 210, 104063.
- Leiser-Miller, L. B., Kaliszewska, Z. A., Lauterbur, M. E., Mann, B., Riffell, J. A., & Santana, S. E. (2020). A fruitful endeavor: scent cues and echolocation behavior used by *Carollia castanea* to find fruit. 2(1).
- Lima, C. S., Varzinczak, L. H., Oliveira, R. D., & Passos, F. C. (2017). New records on the use of man-made constructions as diurnal roosts by bats from the southern Amazon in central Brazil. *Acta Amazonica*, 47, 79-82.
- Luo, J., Siemers, B. M., & Koselj, K. (2015). How anthropogenic noise affects foraging. *Global Change Biology*, 21(9), 3278-3289.
- MacAodha, O., Gibb, R., Barlow, K. E., Browning, E., Firman, M., Freeman, R., ... & Jones, K. E. (2018). Bat detective—Deep learning tools for bat acoustic signal detection. *PLoS computational biology*, 14(3), e1005995.
- Malau, N. D., Manao, G. R. S., & Kewa, A. (2017). Analisa tingkat kebisingan lalu lintas di jalan raya. *EduMatSains: Jurnal Pendidikan, Matematika dan Sains*, 2(1), 89-98.
- Manek, Y., Elu, A., Hendrik, A. C., Blegur, W. A., & Bulu, N. I. (2020). Identifikasi jenis-jenis dan karakteristik morfometrik kelelawar di gua Fatubaun desa Manufui Kecamatan Santian Kabupaten Timor Tengah Selatan. *Jurnal Saintek Lahan Kering*, 3(2), 42-46.
- Marchal, J., Fabianek, F., Scott, C., Corben, C., & Wilson, P. (2020). Bioacoustics: analyse audio recordings and automatically extract animal vocalizations. *R package version 0.2*, 8.
- Mendenhall, I. H., Wen, D. L. H., Jayakumar, J., Gunalan, V., Wang, L.-F., Mauer-Stroh, S., Mauer-Stroh, S., Su, Y. C. F., Smith, G. J. D., & Smith, G. J. D. (2019). Diversity and evolution of viral pathogen community in cave nectar bats (*Eonycteris spelaea*). *Viruses*, 11(3), 250.
- Mulyono, T., Rochadi, D., & Wideasanti, I. (2021). Noise mapping in campus a Rawamangun-Jakarta State University environment and its effect on academic atmosphere. In *IOP Conference Series: Materials Science and Engineering* (Vol. 1098, No. 4, p. 042116). *IOP Publishing*.
- Nasihin, I., Nurdin, N., Hendrayana, Y., Chandra, R., Kristanto, M. A., & Suswanto, S. (2024). Keanekaragaman jenis kelelawar di areal pertambangan PT. Indocement Tunggal Prakarsa Unit Pelimanan. *Logika: Jurnal Penelitian Universitas Kuningan*, 15(01), 49-56.
- Nurhasan, A. U., & Damayanti, V. (2021). Evaluasi fungsi ekologis taman kota dalam upaya peningkatan kualitas ruang perkotaan. *Jurnal Riset Perencanaan Wilayah dan Kota*, 149-158.

- Octarina, D., Ingkadijaya, R., Oktadiana, H., & Arafah, W. (2024). The beautiful city of Jakarta, Indonesia. *Journal of Economics, Finance And Management Studies*, 7(09).
- Parsons, M., Lin, T.-H., Mooney, T. A., Erbe, C., Juanes, F., Lammers, M. O., Li, S., Linke, S., Looby, A., Nedelec, S. L., van Opzeeland, I., Radford, C. A., Rice, A. N., Sayigh, L. S., Stanley, J. A., Urban, E., & Di Iorio, L. (2022). Sounding the call for a global library of underwater biological sounds. *Frontiers in Ecology and Evolution*, 10.
- Patriquin, K. J. (2022). The Handbook of acoustic bat detection. *Bioacoustics-the International Journal of Animal Sound and Its Recording*, 31(6), 740–742.
- Prakarsa, T. B. P., Putri, R. A., & Pertiwi, K. R. (2024). Scoping review of the bats and their ecosystem services in Indonesia. In *BIO Web of Conferences* (Vol. 94, p. 04005). *EDP Sciences*.
- Pratama, B. A. (2019). Buku ajar: analisis statistik dan implementasinya.
- Safira, I. A. (2017). Peran polusi suara terhadap kesehatan mental warga ibukota di Provinsi DKI Jakarta. *Berita Kedokteran Masyarakat*, 33(5).
- Saha, A., Hasan, M. K., & Feeroz, M. M. (2015). Diversity and morphometry of chiropteran fauna in Jahangirnagar University campus, Savar, Dhaka, Bangladesh. *Bangladesh Journal of Zoology*, 43(2), 201-212.
- Saiful, M., Febrina, H. S., Fauzan, M., Maisa, D. R. V., Maolani, A., Suryanda, A., & Dewahrani, Y. R. (2021). Studi literatur perbandingan keanekaragaman kelelawar di Pulau Kalimantan dan Jawa. *BIO-EDU: Jurnal Pendidikan Biologi*, 6(3), 185-197.
- Saputra, Y., Sukandar, P., & Suryanda, A. (2016). Studi keanekaragaman jenis kelelawar (Chiroptera) pada beberapa tipe ekosistem di Camp Leakey Kawasan Taman Nasional Tanjung Puting (TNTP), Kalimantan Tengah. *Bioma*, 12(1), 53-58.
- Savrasova, E., Savrasova, N. A., & Agapov, A. M. (2022). Physical principles for determining noise pollution in cities. *Materials of the international scientific and methodological seminar "Physical Basis of Modern Science-Intensive Technologies"*, 80-84.
- Schnitzler, H. U., & Denzinger, A. (2024). Foraging strategies of echolocating bats. In *A Natural History of Bat Foraging* (pp. 83-107). *Academic Press*.
- Sella, S., Prayogo, H., & Erianto, E. (2019). Keanekaragaman jenis kelelawar (Chiroptera) di Kebun Raya Sambas Kabupaten Sambas Kalimantan Barat. *Jurnal Hutan Lestari*, 7(4).

- Sheherazade, S., Yasman, Y., Pradana, D. H., & Tsang, S. M. (2017). The role of fruit bats in plant community changes in an urban forest in Indonesia. *Raffles Bulletin of Zoology*, 65, 497–505.
- Smotherman, M. S., Simmons, A. M., & Simmons, J. A. (2021). How noise affects bats and what it reveals about their biosonar systems. *50 years of bat research: foundations and new frontiers*, 61-76.
- Song, S., Lin, A., Jiang, T., Zhao, X., Metzner, W., & Feng, J. (2018). Bats adjust temporal features of echolocation calls but not those of communication calls in response to traffic noise. *BioRxiv*, 354845.
- Stidsholt, L., Hubancheva, A., Greif, S., Goerlitz, H. R., Johnson, M., Yovel, Y., & Madsen, P. T. (2023). Echolocating bats prefer a high risk-high gain foraging strategy to increase prey profitability. *Elife*, 12, e84190.
- Sumarni, S., & Fathurrachman, S. (2019). Studi jenis kelelawar (Chiroptera) di gua kelelawar pada kawasan bukit beluan kecamatan hulu gunung kabupaten kapuas hulu. *PIPER*, 15(29).
- Syafei, A. D., Azizah, N. N., & Nabila, N. A. (2024). Analysis of reduction pm 2.5 emissions with the shift from private local transportation to pedestrian and bike sharing in Central Jakarta City: MH Thamrin area. *Jurnal Purifikasi*, 23(2), 74-80.
- Syamsi, F., Ramses, R., Alfajri, D., Ashari, E., & Efendi, Y. (2024). Ketersediaan tempat roosting kelelawar vampir palsu (*Megaderma spasma*) di Pulau Kecil Kota Batam. *SIMBIOSA*, 13(2), 112-119.
- Tamasuki, K., Wijayanti, F., & Fitriana, N. (2015). Komunitas kelelawar (ordo chiroptera) di beberapa gua karst gunung kendeng kabupaten pati Jawa Tengah. *Al-Kauniyah: Jurnal Biologi*, 8(2), 88-100.
- Taofik, A., Setiati, Y., & Purnama, L. (2019). Kombinasi guano kelelawar dengan pupuk urea dalam budidaya buncis, *Phaseolus vulgaris*. In *Seminar Nasional Pembangunan Pertanian Berkelanjutan Berbasis Sumber Daya Lokal* (pp. 156-168).
- Tena, E., Fandos, G., de Paz, Ó., de La Peña, R., & Tellería, J. L. (2020). Size does matter: passive sampling in urban parks of a regional bat assemblage. *Urban Ecosystems*, 23(2), 227-234.
- Trixy, A., Yulinawati, H., & Iswanto, B. (2018). Kajian tingkat kebisingan di kawasan pendidikan SD Negeri 06 Tanjung Duren, Jakarta Barat (study of noise level in education areas SD Negeri 06 Tanjung Duren, West Jakarta). In *Seminar Nasional Kota Berkelanjutan* (pp. 61-75).
- Vlaschenko, A., Rodenko, O., Hukov, V., Kovalov, V., Prylutska, A., & Kravchenko, K. (2023). Do bats avoid the urban core in the breeding season? a case study from temperate latitudes. *Diversity*.

- Vosbigian, R., Wardle, R., Rempel, H. S., Brauer, E., Huggins, M., West, S., ... & Francis, C. D. (2024). Natural and anthropogenic noise shape bat activity and sonar behavior. *Ecosphere*, 15(12), e70106.
- Wijayanti, F. (2023). Kelelawar di ekosistem perkotaan. *Rajawali Pers*. PT. RajaGrafindo Persada.
- Wilson, D. E. (2025, January 27). Bat. *Encyclopedia Britannica*. <https://www.britannica.com/animal/bat-mammal>
- Yoh, N., Kingston, T., McArthur, E., Aylen, O. E., Huang, J. C. C., Jinggong, E. R., ... & Struebig, M. J. (2022). A machine learning framework to classify Southeast Asian echolocating bats. *Ecological Indicators*, 136, 108696.

