

DAFTAR PUSTAKA

- Abdullah, M. H., Yulianda, F., & Kurnia, R. (2025). Analisis Kondisi Terumbu karang dan Biodiversitas ikan di Pulau Tidung Kepulauan Seribu. *Jurnal Kelautan Tropis*, 28(2), 235–246.
- Adiningsih, W. L., Semedi, B., & ... (2018). Analisis Laju Pertumbuhan Karang Porites Sp Di Perairan Sumatera Barat Dengan Coral X-Radiograph Densitometry System. *Fakultas ...*, September, 87–102. [http://repository.unitomo.ac.id/1402/1/PROSIDING SEMNAS IV 2018 %281%29.pdf#page=96](http://repository.unitomo.ac.id/1402/1/PROSIDING_SEMNAS_IV_2018_%281%29.pdf#page=96)
- Afkar, Barus, T. A., John, A. H., & Sarong, M. A. (2024). Christmas tree worm *Spirobranchus* spp. (Annelida: Serpulidae) as indicators of coral health at Weh Island, Aceh Province, Indonesia. *Biodiversitas*, 25(4), 1743–1753.
- Aguirre, E. G., Million, W. C., Bartels, E., Krediet, C. J., & Kenkel, C. D. (2022). Host-specific epibiomes of distinct *Acropora cervicornis* genotypes persist after field transplantation. *Coral Reefs*, 41(2), 265–276. <https://doi.org/10.1007/s00338-022-02218-x>
- Allchurch, A., Mehrotra, R., Carmody, H., Monchanin, C., Scott, C.M., 2022. Competition and epibiosis by the sponge *Pseudoceratina purpurea* (Carter, 1880) on scleractinian corals at a tourism hotspot in the Gulf of Thailand. *Reg. Stud. Mar. Sci.* 49, 102131.
- Barton, J.A., Bourne, D.G., Humphrey, C., Hutson, K.S., 2020. Parasites and coral-associated invertebrates that impact coral health. *Rev. Aquacult.* 12, 2284–2303.
- Ben-Tzvi, O., Einbinder, S., & Brokovich, E. (2006). A beneficial association between a polychaete worm and a scleractinian coral?. *Coral Reefs*, 25(1), 98–98.
- Bertness, M. D., Cavieres, L. A., Lortie, C. J., & Callaway, R. M. (2024). Positive interactions and interdependence in communities. *Trends in Ecology & Evolution*.
- Bilong, C. F. B., Oyono, M. G., Fosso, S., & Lehman, L. G. (2021). Ecological characterization of interspecific relationships between human parasites: conflict, cooperation or independence?. *Cameroon Journal of Experimental Biology*, 15(1), 9–15.
- Blainville, H. D. (1818). Mémoire sur la classe des Sétipodes, partie des Vers à sang rouge de M. Cuvier, et des Annélides de M. de Lamarck. *Bulletin des Sciences, par la Société Philomatique de Paris*, 1818(3), 78–85.

- Böhm, T., & Hoeksema, B. W. (2017). Habitat selection of the coral-dwelling spinyhead blenny, *Acanthemblemaria spinosa*, at Curaçao, Dutch Caribbean. *Marine Biodiversity*, 47(1), 17–25. <https://doi.org/10.1007/s12526-016-0543-9>
- Borger, J. L. (2005). Dark spot syndrome: a scleractinian coral disease or a general stress response?. *Coral reefs*, 24(1), 139-144.
- Boughton, D. A., Gibbons, M. J., & von der Meden, C. E. (2023). Negatif and positif interspecific interactions involving jellyfish polyps in marine sessile communities. *PeerJ*, 11, e14846.
- Brandão, I. C., & Dos Santos Brasil, A. C. (2020). On a new species of *Spirobranchus* Blainville, 1818 (Annelida: Serpulidae) and considerations on the genus along the Brazilian coast. *Papeis Avulsos de Zoologia*, 60, 0–4.
- Buddemeier, R. W., & Kinzie, R. A. (1976). Coral growth. *Oceanography and Marine Biology an Annual Review*, 14, 183-225.
- Burke, L., Reyntar, K., Spalding, M., & Perry, A. (2012). Menengok kembali terumbu karang yang terancam di segitiga terumbu karang. *World Resources Institute*, 10.
- Cheng, T. C., & Dai, C. F. (2009). The parasitic copepod *Xarifia obesa* (Poecilostomatoida, Xarifiidae) infecting the coral *Stylophora pistillata* (Scleractinia, Pocilloporidae): mode of infection and host response. *Zoological Studies*, 48(5), 629-637.
- Cindewiyani, & Herdiansyah, H. (2019). The health of coral reefs and underwater ecosystems in shallow waters: Study on Tidung Island. *AIP Conference Proceedings*, 2120(December). <https://doi.org/10.1063/1.5115655>
- Clarke, R. D., & Tyler, J. C. (2003). Differential space utilization by male and female spinyhead blennies, *Acanthemblemaria spinosa* (Teleostei: Chaenopsidae). *Copeia*, 8511(2), 241–247.
- Dahuri, R. (2003). *Keanekaragaman Hayati Laut*. PT. Gramedia Pustaka Utama. Jakarta.
- De Bakker, D. M., Webb, A. E., van den Bogaart, L. A., Van Heuven, S. M. A. C., Meesters, E. H., & van Duyl, F. C. (2018). Quantification of chemical and mechanical bioerosion rates of six Caribbean excavating sponge species found on the coral reefs of Curaçao. *PLoS ONE*, 13(5), 1–22.
- DeVantier, L. M., Reichelt, R. E., & Bradbury, R. H. (1986). Does *Spirobranchus giganteus* protect host *Pontes* from predation by *Acanthaster planci*: predator pressure as a mechanism of coevolution?. *Marine Ecology Progress Series*, 32, 307-310.
- Djohar Maknun. (2017). *Ekologi: Populasi, Komunitas, Ekosistem Mewujudkan Kampus Hijau, Asri, Islami, Ilmiah*.

- Dubinsky, Z., Stambler, N., Ben-Zion, M., McCloskey, L. R., Muscatine, L., & Falkowski, P. G. (1990). The effect of external nutrient resources on the optical properties and photosynthetic efficiency of *Stylophora pistillata*. *Proceedings of the Royal Society of London. B. Biological Sciences*, 239(1295), 231-246.
- Garcia-Herrera, N., Ferse, S. C. A., Kunzmann, A., & Genin, A. (2017). Mutualistic damselfish induce higher photosynthetic rates in their host coral. *Journal of Experimental Biology*, 220(10), 1803–1811.
- Glynn, P. W., & Manzello, D. P. (2015). Bioerosion and coral reef growth: a dynamic balance. In *Coral reefs in the Anthropocene* (pp. 67-97). Dordrecht: Springer Netherlands.
- Gosselin, L. A., & Sewell, M. A. (2013). Reproduction, larval development and settlement of the intertidal serpulid polychaete *Spirobranchus cariniferus*. *Journal of the Marine Biological Association of the United Kingdom*, 93(5), 1249–1256
- Hariyanto, S., Rahman, I., & Himawan, M. R. (2023). Survival Rate and Growth Rate of Transplant *Acropora* sp and *Porites* sp Corals in Kecinan, North Lombok. *Jurnal Biologi Tropis*, 23(2), 456–463.
- Herrán N., Narayan G.R., Doo S.S., Klicpera A., Freiwald A., Westphal H. 2022. Resolution imaging sheds new light on a multi- tier symbiotic partnership between a “walking” solitary coral, a sipunculan, and a bivalve from East Africa. January, 1–13.
- Hoeksema B W, Wels D, Schoot R J V D and Hove H A T. 2019. *Marine Biology* 166: 60.
- Hoeksema BW, ten Hove HA. 2014. First record of a Christmas tree worm in a mushroom coral (Loyalty Islands, Southwest Pacific). *Coral Reefs* 33:717
- Hove HA. 1970. Serpulinae (*Polychaeta*) from the Caribbean: I The genus *Spirobranchus*. *Stud Fauna Curaçao* 32:1–57
- Hove, H. A. T., Elena K. Kupriyanova, 2009. Taxonomy of Serpulidae (Annelida, *Polychaeta*): The state of affairs. *Zootaxa* 2036. 126 pp. Magnolia Press: New Zeland
- Hunte W, Conlin BE, Marsden JR. 1990. Habitat selection in the tropical polychaete *Spirobranchus giganteus*. Distribution on corals. *Mar Biol* 104:87–9
- Hoeksema, B. W., & ten Hove, H. A. (2017). The invasive sun coral *Tubastraea coccinea* hosting a native Christmas tree worm at Curaçao, Dutch Caribbean. *Marine Biodiversity*, 47(1), 59–65. <https://doi.org/10.1007/s12526-016-0472-7>

- Hoeksema, B. W., & Ten Hove, H. A. (2017). Attack on a Christmas tree worm by a Caribbean sharpnose pufferfish at St. Eustatius, Dutch Caribbean. *Bulletin of Marine Science*, 93(4), 1023–1024.
- Hutchings PA. 2011. Bioerosion. In: Hopley D (ed) Encyclopedia of modern coral reefs-structure, form and processes. Springer, Berlin, pp 139–156
- Idris, I., Mohd-Salleh, N. A., & Ahmad Fadzil, N. D. N. (2022). Host Preferences and Colouration of Christmas Tree Worms, *Spirobranchus corniculatus* (Grube, 1862) from Bidong Island, South China Sea. In O. M. Chuan *et al.* (Eds.), *Bidong Island, Geography of the Physical Environment, Human Activity, and Ecosystems* (pp. 177–194). Springer Nature Switzerland AG.
- Ilyas, M. 2008. Studi Awal Penerapan Teknologi Terumbu Buatan di Sekitar Pulau Kelapa Kepulauan Seribu. Universitas Indonesia. Jakarta.
- Kordi, M. G. H. K. 2018. Mengenal dan Mengelola Terumbu Karang. Penerbit Indeks. Jakarta.
- Kusuma, A.H., Arifin T., Kusumantoro, B. W. 2023. Growth Rate of Coral Transplantation of *Acropora formosa* in Tidung Island, Kepulauan Seribu Regency, Province of DKI Jakarta. *Jurnal Biologi Tropis*, 23 (4): 164 – 170.
- Longo GO, Hay ME. 2017. Seaweed allelopathy to corals: are active compounds on, or in, seaweeds? *Coral Reefs* 36:247–253.
- Ludwig, J.A. dan Reynold, J.F. 1988. Statistical Ecology, A Premier on Methods and Computing. John Wiley and Sons. New York.
- Luthfi, O. M., Isdianto, A., & Akbar, D. (2024). Reef-Dwelling Christmas Tree Worms (*Spirobranchus*, *Serpulidae*, *Polychaeta*), on *Porites* Corals: Densities and Age Structure. *Polish Journal of Ecology*, 71(4), 115-125.
- Luthfi, O. M., Yulianto, F., Pangaribuan, S. P. C., Putranto, D. B. D., Alim, D. S., & Sasmita, R. D. (2018). Kondisi Substrat Dasar Perairan Cagar Alam Pulau Sempu, Kabupaten Malang. *Journal of Marine and Aquatic Sciences*, 5(1), 77.
- Mahi, A. K. 2016. Pengembangan Wilayah : Teori dan Aplikasi. Kencana. Jakarta
- Maihaiti, N., & Zhang, W. (2014). Interspecific associations of dominant plant species in temperate desert steppe. *Journal of Arid Land*, 6(4), 438-446.
- Mangi. (2009). Asosiasi burung julang sulawesi (*Rhyticeros cassidix*) dengan pohon eboni (*Diospyros celebica bakh*) di cagar alam pangi binangga desa pangi kabupaten parigi moutong. Skripsi. Fakultas Kehutanan Universitas Tadulaku Palu. ISSN: 2579-6267.
- Martin D, Britayev TA .2018. Symbiotic polychaetes revisited: an update of the known species and relationships (1998–2017). *Oceanogr Mar Biol Annu Rev* 56:371–448

- Nishi E, Kikuchi T. 1996. Preliminary observation of the tropical serpulid *Spirobranchus giganteus corniculatus* Pallas. *Publ Amakusa Mar Biol Lab Kyushu Univ* 12:45–54
- Nishi E, Nishihira M. 1996. Age-estimation of the Christmas tree worm *Spirobranchus giganteus* (Polychaeta, Serpulidae) living buried in the coral skeleton from the coral-growth band of the host coral. *Fish Sci* 62:400–403
- Noviana L., Arifin Hadi M., Adrianto L., dan Kholil. 2018. Study of Coral Reef Ecosystem in Taman Nasional Kepulauan Seribu. *Journal of Natural Resources and Environmental Management*. 9(2) hal 352-365
- Nygren A, Norlinder E, Panova M, Pleijel F (2011) Colour polymorphism in the polychaete *Harmothoe imbricata* (Linnaeus, 1767). *Mar Biol Res* 7(1):54–62
- Odum, E. P. 1971. *Fundamentals of Ecology*. Saunders Company. Philadelphia, London, Toronto
- Otaya, L. G. (2016). Probabilitas bersyarat, independensi dan teorema Bayes dalam menentukan peluang terjadinya suatu peristiwa. *TADBIR: Jurnal Manajemen Pendidikan Islam*, 4(1).
- Pamungkas, J., 2011. Cacing Laut dan Keindahannya. *Oseana*. Vol. 36 No.2: 21–29.
- Paryono. 2018. Pengembangan Destinasi Wisata Pulau Tidung; Communities Base Tourism. *Journal of Applied Business and Economics* Vol. 5 No. 1
- Pechenik. 2005. *Biology of The Invertebrates*, Fifth Edition. The McGraw-Hill Companies. ISBN 0-07-111175-1. America: New York.
- Perry O, Bronstein O, Simon-Blecher N, Atkins A, Kupriyanova E, ten Hove H, Levy O, Fine M. 2018b. On the genus *Spirobranchus* (Annelida, Serpulidae) from the northern Red Sea, and a description of a new species. *Invertebr Syst* 32:605–626
- Perry O, Sapir Y, Perry G, ten Hove H, Fine M. 2018a. Substrate selection of Christmas tree worms (*Spirobranchus spp.*) in the Gulf of Eilat, Red Sea. *Journal Mar Biol Assoc UK* 98:791–799
- Perry, O., Sapir, Y., Perry, G., Ten Hove, H., Fine, M., 2017. Substrate Selection of Christmas tree worms (*Spirobranchus spp.*) in the Gulf of Eilat, Red Sea. *Journal of the Marine Biological Association of the United Kingdom*. Vol. 98: 791–799.
- Peters, E. C., Gassman, N. J., Firman, J. C., Richmond, R. H., & Power, E. A. (1997). Ecotoxicology of tropical marine ecosystems. *Environmental Toxicology and Chemistry*, 16(1), 12–40.
- Pezner AK, Lim AR, Kang JJ, Armenta TC, Blumstein DT. 2017. Hiding behavior in Christmas tree worms on diferent time scales. *Behav Ecol* 28:154–16

- Purnomo, S., Bratawinata, A., Simarangkir, B., & Matius, P. (2014). Asosiasi Jenis-Jenis Pohon Dominan Utama Pada Hutan Bekas Terbakar Berat Tahun 1997/1998 Di Bukit Soeharto Kalimantan Timur. *Jurnal Forest Sains*, 11(2), 9–25.
- Raharinirina, N.A., Brandt, G., Merico A. 2017. A Trait-Based Model for Describing the Adaptive Dynamics of Coral-Algae Symbiosis. *Frontiers in Ecology and Evolution (Frontiers)* - Vol. 5
- Rahmitha, I. A., Ruswahyuni, & Suryanti. (2015). Laju sedimentasi pada karang massive dan karang bercabang di perairan Pulau Panjang Jepara. *Management of Aquatic Resources Journal (MAQUARES)*, 4(2), 9–16. <http://ejournal-s1.undip.ac.id/index.php/maquares>
- Randall, J. E., Allen, G. R., & Steene, R. C. (1998). *Fishes of the great barrier reef and coral sea*. University of Hawaii Press.
- Rani, C. 2003. Perikanan dan Terumbu Karang yang Rusak: Bagaimana Mengelolanya?. *Jurnal Bionature* 5(2): 97-111.
- Rifa'i, M. A. (2013). Indeks Mitotik Simbion Alga Zooxanthellae pada Anemon Laut Stichodactyla gigantean Hasil Reproduksi Aseksual. *Ilmu Kelautan*, 18(1), 7–13.
- Rippy, M., & Kelleher, J. (2004). *The Defense Mechanisms and Reproductive Barriers of Spirobranchus giganteus*. 1–15. <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=61c9a7ed1b93e879c4f1c7e9596a3071bc55c206>
- Rodriguez, S. R., Ojeda, F. P., & Inestrosa, N. C. (1993). Settlement of benthic marine invertebrates. *Marine ecology progress series*, 97, 193-207.
- Rowley, S. (2008). *Spirobranchus giganteus* (Pallas, 1766). In R. Froese & D. Pauly (Eds.), *SeaLifeBase*. Retrieved May 9, 2025, from <https://www.sealifebase.ca/summary/Spirobranchus-giganteus.html>
- Safuan CDM, Roseli NH, Bachok Z, Akhir MF, Xia C, Qiao F (2020) First record of tropical storm (Pabuk—January 2019) damage on shallow water reef in Pulau Bidong, south of South China Sea. *Region Stud Mar Sci* 35101216
- Samini Namin K, Risk MJ, Hoeksema BW, Zohari Z, Rezai H. 2010. Coral mortality and serpulid infestations associated with red tide, in the Persian Gulf. *Coral Reefs* 29:509
- Samsuri, A.N., Kikuzawa, Y.P., Taira, D., Sam, S.Q., Sim, W.T., Ng, C.S.L., Afiq-Rosli, L., Wee, T.W.D., Ng, N.K., Toh, T.C., Chou, L.M., 2018. The effectiveness of *Trapezia cymodoce* in defending its host coral *Pocillopora acuta* against corallivorous *Drupella*. *Mar. Biol.* 165, 70.

- Sanchez, JP., Benitez F. And J. R. Bastida. 2021. Early development of two species of *Spirobranchus blainville*, 1818 (*Polychaeta*: *Serpulidae*) from the Southern Mexican Pacific. *Invertebrate Reproduction & Development* Vol 65.
- Scaps P (2011) Associations between the Scallop *Pecten spondyloideum* (Bivalvia, Pteriomorpha, Pectinidae) and Hard Corals on the West Coast of Thailand. *Zool Stud* 50(4):466–474
- Schoepf V., Stat M., Falter J.L., Mcculloch M.T. 2015. Limits to the thermal tolerance of corals adapted to a highly fluctuating, naturally extreme temperature environment. *Nature Publishing Group, May*, 1–14.
- Song DS (2006) Christmast Colors: Colormorph distribution of *Spirobranchus giganteus* Pallas, 1766 on Moorea, French Polynesia
- Stella JS, Pratchett MS, Hutchings PA, Jones GP. 2011. Coral associated invertebrates: diversity, ecological importance and vulnerability to disturbance. *Oceanogr Mar Biol Annu Rev* 49:43–104
- Suciyono, Anggara, D. P., Azhar, M. H., Ulkhaq, M. F., & Fasya, A. H. (2020). Characteristics of *Acropora divaricata* and *Acropora nobilis* on different transplantation depths based on growth rate and zooxanthellae density. *AACL Bioflux*, 13(1), 241–249.
- Syamsu Budiyantri. (2015). ANALISIS PEMETAAN SOSIAL, EKONOMI DAN KEBUTUHAN MASYARAKAT Studi Kasus: Sistem Zonasi Taman Nasional Laut Kepulauan Seribu (TNKpS) pada Masyarakat Kepulauan Seribu Utara, Provinsi DKI Jakarta. *Journal of Sociology*, 8(1). [http://digilib.unila.ac.id/4949/15/BAB II.pdf](http://digilib.unila.ac.id/4949/15/BAB%20II.pdf)
- Turicchia, E., Hoeksema, B. W., & Ponti, M. (2018). The coral-killing sponge *Chalinula nematifera* as a common substrate generalist in Komodo National Park, Indonesia. *Marine Biology Research*, 14(8), 827–833. <https://doi.org/10.1080/17451000.2018.154442>
- Tomascik, T., A. J. Mah, A. Nontji, dan M.K. Moosa. 1997. The Ecology of Indonesia Seas. Part I. *Periplus Editions Ltd*. Singapore.
- van der Schoot R, Scott CM, ten Hove HA, Hoeksema BW. 2016. Christmas tree worms as epibionts of giant clams at Koh Tao, Gulf of Thailand. *Journal Mar Biodivers* 46:751–752
- Wagner, M. S., Yeakley, K. P., & Dalman, N. E. (2018). Coral host preferences of Christmas tree worms, *Spirobranchus giganteus*, in Calabash Caye, Belize. *Georgia Journal of Science*, 76(1), Article 102. Retrieved from <https://digitalcommons.gaacademy.org/gjs/vol76/iss1/102/>

- Willette DA, Iñiguez AR, Kupriyanova EK, Starger CJ, Vartman T, Toha AH, Maralit BA, Barber PH. 2014. Christmas tree worms of Indo-Pacific coral reefs: untangling the *Spirobranchus corniculatus* (Grube, 1862) complex. *Coral Reefs* 34:899–9.
- Wulff, J. L., & Buss, L. W. (1979). Do sponges protect corals from predation by hermit crabs?. *Journal of Experimental Marine Biology and Ecology*, 41(3), 295–303.
- Zhang, X. (2020). Biotic interactions and ecosystem functioning: From microbes to macroorganisms. (Doctoral dissertation, University of Zurich).

