

DAFTAR PUSTAKA

- Aamir, M., Tolouei-Rad, M., Giasin, K., dan Nosrati, A. (2019). Recent Advances in Drilling of Carbon Fiber-Reinforced Polymers for Aerospace Applications: A Review. *The International Journal of Advanced Manufacturing Technology*, 105, 2289-2308.
- Abdua, A. N. F., dan Nik Ibrahim, N. N. I. (2025). The effect of fibre orientation on the density and tensile properties of basalt fibre/epoxy composites. *Journal of Mechanical Engineering (JMechE)*, 22(1), 46-57.
- Ahmed, O. S., Aabid, A., Mohamed Ali, J. S., Hrairi, M., dan Yatim, N. M. (2023). Progresses and Challenges of Composite Laminates in Thin-Walled Structures: A Systematic Review. *ACS omega*, 8(34), 30824-30837.
- Akhmadi, A. N., dan Wulandari, R. (2021). Pengaruh Variasi Putaran Mesin terhadap Waktu Pengeboran dengan Material Aluminium AL 6063 pada Mesin Bor Duduk. *Nozzle: Journal Mechanical Engineering*, 10(1), 11-15.
- Amirullah, R., Kusuma, P. M., dan Sari, N. K. (2025). The Effect of Particle Size and Time in the Ashing Process on the Yield of Rice Husk Silica Extraction. *G-Tech: Jurnal Teknologi Terapan*, 9(1), 60-67.
- Anugraha, R. A., Wiraditya, M. Y., Iqbal, M., dan Darmawan, N. M. (2019). Application of Taguchi Method for Optimization of Parameter in Improving Soybean Cracking Process on Dry Process of tempeh Production. *IOP Conference Series: Materials Science and Engineering*, 528(1), 012070. <https://doi.org/10.1088/1757-899X/528/1/012070>
- Arief, R. K. (2016). *Bahan Ajar Mata Kuliah Proses Pemesinan*.
- Babu L, S., R, B. M., S, S. H., A, M., dan Singh, I. (2022). Studies on effect of drilling parameters on CFRP laminates using HSS, HSCO and solid carbide drills. *AIP Conference Proceedings*,
- Bagherpour, S. (2012). Fibre Reinforced Polyester Composites. In *Polyester*. IntechOpen.
- Barreira-Pinto, R., Carneiro, R., Miranda, M., dan Guedes, R. M. (2023). Polymer-Matrix Composites: Characterising the Impact of Environmental Factors on Their Lifetime. *materials*, 16(11), 3913.

- Barreiro, L., Araújo, P., dan Teles, J. (2019). Structural Analysis of Carbon Fiber-reinforced Thermoset Composite. *International Journal of Engineering and Management Sciences*, 4(4), 36-46.
- Basmacı, G., Yoruk, A. S., Koklu, U., dan Morkavuk, S. (2017). Impact of Cryogenic Condition and Drill Diameter on Drilling Performance of CFRP. *Applied Sciences*, 7(7), 667.
- Bellisario, D., dan Iorio, L. (2023). Application of UPR in aerospace sector. In S. Thomas dan C. J. Chirayil (Eds.), *Applications of Unsaturated Polyester Resins* (pp. 247-266). Elsevier. <https://www.sciencedirect.com/science/article/pii/B9780323994668000022>
- Biçen, A., dan Güvenç, N. (2021). The Identification and Characterization of Unsaturated Polyester Resins Used in the Coating Industry. *Erzincan University Journal of Science and Technology*, 14(3), 1077-1086.
- Bolat, Ç., Karakılınç, U., Yalçın, B., Öz, Y., Yavaş, Ç., Ergene, B., Ercetin, A., dan Akkoyun, F. (2023). Effect of Drilling Parameters and Tool Geometry on the Thrust Force and Surface Roughness of Aerospace Grade Laminate Composites. *Micromachines*, 14(7), 1427.
- Caggiano, A. (2018). Machining of Fibre Reinforced Plastic Composite Materials. *materials*, 11(3), 442.
- Callister, W. D., dan Rethwisch, D. G. (1999). *Materials Science and Engineering: an Introduction*. Wiley New York.
- Campbell, F. C. (2010). *Structural Composite Materials*. ASM International.
- Campos Rubio, J. C., Abrão, A. M., Eustaquio Faria, P., Correia, A. E., dan Davim, J. P. (2008). Delamination in High Speed Drilling of Carbon Fiber Reinforced Plastic (CFRP). *Journal of composite materials*, 42(15), 1523-1532.
- Davim, J. P., dan Reis, P. (2003a). Drilling Carbon Fiber Reinforced Plastics Manufactured by Autoclave—Experimental and Statistical Study. *Materials and Design*, 24.

- Davim, J. P., dan Reis, P. (2003b). Study of Delamination in Drilling Carbon Fiber Reinforced Plastics (CFRP) using Design Experiments. *Composite Structures*, 59(4), 481-487.
- Davim, J. P., Rubio, J. C., dan Abrao, A. M. (2007). A Novel Approach Based on Digital Image Analysis to Evaluate the Delamination Factor After Drilling Composite Laminates. *Composite Science and Technology*, 67, 1939-1945.
- Dewadi, F. M., Wibowo, C., Mulyadi, D., Dahlan, M., dan Nanda, R. A. (2023). Proses Produksi Manufaktur. *Fiantika, FR* (2022), 1.
- Durão, L. M. P., Gonçalves, D. J. S., Tavares, J. M. R. S., Albuquerque, V. H. C. d., Vieira, A. A., dan Marques, A. T. (2010). Drilling Tool Geometry Evaluation for Reinforced Composite Laminates. *Composite Structures*, 92, 1545-1550.
- Faizah, F. A. (2024). *Pengaruh Silika (SiO₂) dari Abu Sekam Padi terhadap Ketahanan Termal Material Komposit CFRP (Carbon Fiber Reinforced Polymer) Dengan Metode Vacuum Bag* University State of Jakarta].
- Fard, M. G., Baseri, H., Azami, A., dan Zolfaghari, A. (2024). Prediction of Delamination Defects in Drilling of Carbon Fiber Reinforced Polymers Using a Regression-Based Approach. *Machines*, 12(11), 783.
- Gaitonde, V., Karnik, S., Rubio, J. C., Correia, A. E., Abrão, A., dan Davim, J. P. (2008). Analysis of Parametric Influence on Delamination in High-Speed Drilling of Carbon Fiber Reinforced Plastic Composites. *journal of materials processing technology*, 203(1-3), 431-438.
- Geier, N., Davim, J. P., dan Szalay, T. (2019). Advanced Cutting Tools and Technologies for Drilling Carbon Fibre Reinforced Polymer (CFRP) Composites: A Review. *Composites Part A: Applied Science and Manufacturing*, 125. <https://doi.org/10.1016/j.compositesa.2019.105552>
- Gomes, G. M. F., Philipssen, C., Bard, E. K., Dalla Zen, L., dan de Souza, G. (2016). Rice Husk Bubbling Fluidized Bed Combustion For Amorphous Silica Synthesis. *Journal of Environmental Chemical Engineering*, 4(2), 2278-2290.
- Grilo, T. J., Paulo, R. M. F., Silva, C. R. M., dan Davim, J. P. (2013). Experimental Delamination Analyses of CFRPs Using Different Drill Geometries. *Composite: Part B*, 45, 1344-1350.

- Heisel, U., dan Pfeifroth, T. (2012). Influence of Point Angle on Drill Hole Quality and Machining Forces when Drilling CFRP. *Procedia CIRP*, 1, 471-476.
- Hisam, M. W., Dar, A. A., Elrasheed, M. O., Khan, M. S., Gera, R., dan Azad, I. (2024). The Versatility of the Taguchi Method: Optimizing Experiments Across Diverse Disciplines. *Journal of Statistical Theory and Applications*, 23(4), 365-389.
- Ho-Cheng, H., dan Dharan, C. (1990). Delamination During Drilling in Composite Laminates.
- Hossain, S. S., Mathur, L., dan Roy, P. (2018). Rice Husk/Rice Husk Ash as an Alternative Source of Silica in Ceramics: A Review. *Journal of Asian Ceramic Societies*, 6(4), 299-313.
- Husaini, L. N. (2024). *Pengaruh Variasi Silika (SiO₂) dari Abu Sekam Padi terhadap Sifat Mekanis Material Komposit CFRP (Carbon Fiber Reinforced Polymer) Dengan Metode Hand Lay-up dan Vacuum Bag* [University State of Jakarta].
- Hussin, T., dan Parasuraman, J. (2018). Partial Replacement of Cement with Commercial Availabe Rice Husk Ash in Concrete. *Infrastruct. Univ. Kuala Lumpur Res. J*, 1, 1-9.
- J.Barbero, E. (2017). *Introduction to Composite Materials Design : Third Edition*.
- Karataş, M. A., dan Gökkaya, H. (2018). A Review on Machinability of Carbon Fiber Reinforced Polymer (CFRP) and Glass Fiber Reinforced Polymer (GFRP) Composite Materials. *Defence Technology*, 14(4), 318-326.
- Karnik, S., Gaitonde, V., Rubio, J. C., Correia, A. E., Abrão, A., dan Davim, J. P. (2008). Delamination Analysis in High Speed Drilling of Carbon Fiber Reinforced Plastics (CFRP) using Artificial Neural Network Model. *Materials & Design*, 29(9), 1768-1776.
- Khairusshima, M. N., Aqella, A. N., dan Sharifah, I. (2017). Optimization of Milling Carbon Fibre Reinforced Plastic using RSM. *Procedia Engineering*, 184, 518-528.
- Krishnamoorthy, A., Boopathy, S. R., dan Palanikumar, K. (2009). Delamination Analysis in Drilling of CFRP Composites Using Response Surface Methodology. *Journal of composite materials*, 43(24), 2885-2902.

- Latha, B., Senthilkumar, V., dan Palanikumar, K. (2011). Influence of Drill Geometry on Thrust Force in Drilling GFRP Composites. *Journal of reinforced plastics and composites*, 30(6), 463-472.
- Liu, D., Tang, Y., dan Cong, W. L. (2012). A Review of Mechanical Drilling for Composite Laminates. *Composite Structures*, 94.
- Mallick, P. K. (2007). *Fiber-reinforced composites: materials, manufacturing, and design*. CRC press.
- Masannan, V., Anbalagan, C., Lakshmaiya, N., dan Kumar, P. (2024). Experimental Investigation on the Drilling Characteristics of Kenaf/PLA-based Laminates. *Engineering Proceedings*, 61(1), 9.
- Michael, G. (2017). Optimization of Drilling Parameters on CFRP Composites. *Int. J. Sci. Dev*, 8, 33-43.
- Miskolczi, N. (2013). Polyester Resins as a Matrix Material in Advanced Fibre-Reinforced Polymer (FRP) Composites. *Advanced fibre-reinforced polymer (FRP) composites for structural applications*, 44-68.
- Mohamed, Y. S., dan Abdelbary, A. (2023). Theoretical and experimental study on the influence of fiber orientation on the tensile properties of unidirectional carbon fiber/epoxy composite. *Alexandria Engineering Journal*, 67, 693-705.
<https://www.sciencedirect.com/science/article/pii/S1110016822008420>
- Molina-Moya, M. Á., García-Martínez, E., Miguel, V., Coello, J., dan Martínez-Martínez, A. (2023). Experimental Analysis and Application of a Multivariable Regression Technique to Define the Optimal Drilling Conditions for Carbon Fiber Reinforced Polymer (CFRP) Composites. *polymers*, 15(18), 3710.
- Montgomery, D. C. (2017). *Design and Analysis of Experiments*. John wiley & sons.
- Mulyadi, I. K. I. H. (2019). Pengaruh Parameter Menggurdi Bertahap Terhadap Terbentuknya Rasio Delaminasi Baik Pada Sisi Masuk Maupun Sisi Keluar Lubang. *INOVTEK POLBENG*, 9(2), 245-254.
- Norcahyo, R. (2017). *Optimasi Multi Respon Proses Gurdi Carbon Fiber Reinforced Polymer (CFRP) Dengan Metode Backpropagation Neural*

Network–Particle Swarm Optimization (BPNN-PSO) Institut Teknologi Sepuluh Nopember].

- Ogunleye, R. O., Rusnakova, S., Zaludek, M., dan Emebu, S. (2022). The influence of ply stacking sequence on mechanical properties of carbon/epoxy composite laminates. *polymers*, 14(24), 5566.
- Ong, G. L. R., Simon, J. M. A., Chan, J. M. T., dan Benito, W. M. G. (2023). Use of Taguchi Method-Based Design of Experiments (DOE) in the Optimization of the Drilling Parameters of Structural A572 Steel. *Proceedings of the International Conference on Industrial Engineering and Operations Management*.
- Paliling, F. (2021). Analisa Permukaan Delaminasi Material carbon Fiber Reinforced Polymer dengan Variasi Permesinan Menggunakan Metode Taguchi.
- Patel, D., dan Verma, R. (2015). Analysis of Drilling Tool Life-a Review. *International Journal of Mechanical Engineering and Robotics Research*, 4(1), 523.
- Quan, Y. M., dan Sun, L. H. (2010). Investigation on Drilling-Induced Delamination of CFRP with Infiltration Method. *Advanced Materials Research*, 139, 55-58.
- Rahman, Z., dan Talib, F. (2008). A Study of Optimization of Process by Using Taguchi's Parameter Design Approach. *The Icfai University Journal of Operations Management*, 7(3), 6-17.
- Rahmatullah, Bahri, S., Ginting, Z., Suryati, dan Nurlaila, R. (2022). Pengaruh Suhu dan Waktu Pembakaran Terhadap Kadar Silika dari Abu Sekam Padi.
- Raj, M. K. A., Rathanasamy, R., Rathinasamy, P., Kumar, P. M., Periyasamy, S., Alahmadi, A. A., Alwetaishi, M., Rajendran, P., dan Lee, I. E. (2025). Analysis of Thrust Force Generation during the Drilling of Natural Fiber based Hybrid Composite. *Scientific Reports*, 15(1), 15382.
- Ramakrishnan, T., Mohan Gift, M., Chitradevi, S., Jegan, R., Hency Jose, P. S., Nagaraja, H., Sharma, R., Selvakumar, P., dan Hailegiorgis, S. M. (2022).

- Study of Numerous Resins Used in Polymer Matrix Composite Materials. *Advances in Materials Science and Engineering*, 2022(1), 1088926.
- Research, G. v. (2024). *Carbon Fiber Market Size, Share & Trends Analysis Report By Raw Material (PAN-based, Pitch-based), By Tow Size, By Application (Automotive, Aerospace & Defence), By Region, And Segment Forecasts, 2025 - 2030*. Grand view Research. <https://www.grandviewresearch.com/industry-analysis/carbon-fiber-market-analysis>
- Ross, P. J. (1996). Taguchi Techniques for Quality Engineering. In: McGraw-Hill.
- Roy, R. K. (2010). *A Primer on the Taguchi Method*. Society of manufacturing engineers.
- Seyhan, A. T. (2003). *Processing and Characterization of Polymer Based Composites With Superior Impact Resistance*. Izmir Institute of Technology (Turkey).
- Shyha, I., Aspinwall, D., Soo, S. L., dan Bradley, S. (2009). Drill Geometry and Operating Effects when Cutting Small Diameter Holes in CFRP. *International Journal of Machine Tools and Manufacture*, 49(12-13), 1008-1014.
- Sorrentino, L., Turchetta, S., dan Bellini, C. (2017). A New Method to Reduce Delaminations During Drilling of FRP Laminates by Feed Rate Control. *Composite Structures*.
- Su, F., Zheng, L., Sun, F., Wang, Z., Deng, Z., dan Qiu, X. (2018). Novel Drill Bit based on the Step-Control Scheme for Reducing the CFRP Delamination. *journal of materials processing technology*, 262, 157-167.
- Sugiyono, D. (2013). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*.
- Sutanto, A. (2024). *Teknik Manufaktur I : Proses-Proses Pemesinan*.
- Sutrisno, H. H., Sari, Y., dan Hanif, H. (2017). Experimental Study of Fire spreading CFRP Based on the Addition of Rice Husk Ash Silica for Automotive Component. *Journal of Mechatronics, Electrical Power, and Vehicular Technology*.

- Tsao, C., dan Hocheng, H. (2007). Effect of tool wear on delamination in drilling composite materials. *International journal of mechanical sciences*, 49(8), 983-988.
- Tsao, C. C. (2012). Experimental Study of Drilling Carbon Fiber-Reinforced Plastic (CFRP) with Candlestick Drill Using the Taguchi Method. *Advanced Materials Research*, 472, 945-948.
- Tsao, C. C., dan Hocheng, H. (2004). Taguchi Analysis of Delamination Associated with Various Drill Bits in Drilling of Composite Material. *International Journal of Machine Tools & Manufacture*, 44, 1085-1090.
- Vispute, M., Kumar, N., Taufik, M., dan Jain, P. K. (2024). Improving Surface Finish of Extrusion Based Additive Manufactured Parts using Novel Triangle Based Toolpath Approach. *International Journal on Interactive Design and Manufacturing (IJIDeM)*, 18(1), 433-452.
- Wang, H. F., Li, H. Z., Lu, L. S., Xie, Y. X., dan Xiao, Y. (2015). Delamination Analysis in Drilling Carbon Fiber-Reinforced Composites. *Applied Mechanics and Materials*, 697, 62-66.
- Widarto. (2008a). Teknik Pemesinan Jilid 1. In.
- Widarto. (2008b). Teknik Pemesinan Jilid 2. In.
- Xu, J., Geier, N., Shen, J., Krishnaraj, V., dan Samsudeensadham, S. (2023). A Review on CFRP Drilling: Fundamental Mechanisms, Damage Issues, and Approaches toward High-Quality Drilling. *Journal of Materials Research and Technology*, 24, 9677-9707.
- Xu, J., Li, C., Mi, S., An, Q., dan Chen, M. (2018). Study of Drilling-Induced Defects for CFRP Composites using New Criteria. *Composite Structures*.
- Xu, J., Lin, T., Chen, M., dan Davim, J. P. (2021). Machining Responses of High-Strength Carbon/Epoxy Composites using Diamond-Coated Brad Spur Drills. *Materials and Manufacturing Processes*, 36(6), 722-729.
- Yalçın, B., Bolat, Ç., Ergene, B., Karakılınç, U., Yavaş, Ç., Öz, Y., Ercetin, A., Maraş, S., dan Der, O. (2024). Effect of Drilling Parameters and Tool Diameter on Delamination and Thrust Force in the Drilling of High-Performance Glass/Epoxy Composites for Aerospace Structures with a New Design Drill. *polymers*, 16(21), 3011.

- Yaşar, N., Korkmaz, M. E., dan Günay, M. (2017). Investigation on Hole Quality of Cutting Conditions in Drilling of CFRP Composite. MATEC web of conferences,
- Zayendra, S., dan Yozza, H. (2016). Penerapan Metode Taguchi Untuk Optimalisasi Hasil Produksi Roti di Usaha Roti Meyza Bakery, Padang Sumatera Barat. *Jurnal Matematika UNAND*, 5(2), 113-121.
- Ze, G. K., Pramanik, A., Basak, A., Prakash, C., Shankar, S., dan Radhika, N. (2023). Challenges Associated with Drilling of Carbon Fiber Reinforced Polymer (CFRP) Composites-A Review. *Composites Part C: Open Access*, 11, 100356.

