

DAFTAR PUSTAKA

- Abellán-Nebot, J. V., Vila Pastor, C., & Siller, H. R. (2024). A review of the factors influencing surface roughness in machining and their impact on sustainability. *Sustainability*, 16(5), 1917. <https://doi.org/10.3390/su16051917>
- Abidin, M. (2025). Desain implan superior midshaft clavicle berbahan magnesium AZ31 untuk tulang klavikula manusia Indonesia [Skripsi sarjana, Universitas Negeri Jakarta]. <http://repository.unj.ac.id/52928/>
- Alla, R. K., Ginjupalli, K., Upadhya, N., Shammash, M., Ravi, R. K., & Sekhar, R. (2011). *Surface roughness of implants: A review*. *Trends in Biomaterials & Artificial Organs*, 25(3), 112–118.
- Altintas, Y. (2012). *Manufacturing automation: Metal cutting mechanics, machine tool vibrations, and CNC design* (2nd ed.). Cambridge University Press.
- ASM International. (1990). *ASM handbook, volume 2: Properties and selection: Nonferrous alloys and special-purpose materials*. ASM International.
- Chen, C. H., Lin, Y. C., & Hung, J. P. (2021). *Prediction and analysis of surface roughness in CNC milling using back-propagation neural network*. *Applied Sciences*, 12(1), 393 <https://doi.org/10.3390/app12010393>
- Choi, B.K., & Jerard, B.R. (2012). Sculptured Surface Machining: Theory and applications. *Computer-Aided Design*, 30(9), 673–687.
- Davim, J. P. (2011). *Machining of light alloys: Aluminum, titanium and magnesium*. Springer. <https://link.springer.com/book/10.1007/978-3-642-17241-6>
- Davis, J. R. (Ed.). (1999). *Aluminum and aluminum alloys*. ASM International.
- Denkena, B., Köhler, J., & Bergmann, B. (2015). Development of cutting edge geometries for hard milling operations. *CIRP Journal of Manufacturing Science and Technology*, 8, 4352 <https://doi.org/10.1016/j.cirpj.2014.10.002>

- Feng, H. Y., & Wang, Y. (2002). A new approach for generating machining tool paths for free-form surfaces. *Computer-Aided Design*, 34(3), 213–224. [https://doi.org/10.1016/S0010-4485\(01\)00079-6](https://doi.org/10.1016/S0010-4485(01)00079-6)
- Fictiv. (2024). *CNC machining design guidelines: Toolpath strategies and surface finish*. Fictiv Manufacturing Resources.
- Groover, M. P. (2016). *Fundamentals of modern manufacturing: Materials, processes, and systems* (6th ed.). John Wiley & Sons.
- ISO 4287:1997. (1997). *Geometrical product specifications (GPS)—Surface texture: Profile method—Terms, definitions and surface texture parameters*. International Organization for Standardization.
- JIS B 0601:1994. (1994). *Surface roughness—Definitions and designation*. Japanese Standards Association.
- Kalpajian, S., & Schmid, S. R. (2014). *Manufacturing processes for engineering materials* (5th ed.). Pearson Education.
- Kim, B. H., Choi, J. W., & Lee, C. M. (2016). Tool path strategies for free-form surface machining. *Journal of Mechanical Science and Technology*, 30(5), 2295–2303. <https://doi.org/10.1007/s12206-016-0446-3>
- Kim, J. D., & Kim, D. S. (2015). Effect of step-over and tool geometry on surface roughness in ball-end milling. *International Journal of Precision Engineering and Manufacturing*, 16(8), 1733–1740. <https://doi.org/10.1007/s12541-015-0226-6>
- Li, X., Zhao, H., & Wang, J. (2020). Comparative study of 3-axis and 5-axis CNC machining strategies. *International Journal of Advanced Manufacturing Technology*, 109(1–4), 113–125. <https://doi.org/10.1007/s00170-020-05623-9>
- Mali, R. A. (2021). *A comprehensive review of free-form surface milling*. *Computer-Aided Design*, 138, 103052. <https://doi.org/10.1016/j.jmapro.2020.12.014>

- Mastercam. (2024). *Mastercam milling user guide*. CNC Software, LLC.
- Mladenović, G. M., Tanović, L. M., & Ehmann, K. F. (2015). Tool path generation for milling of free form surfaces with feedrate scheduling. *FME Transactions*, 43(1), 9–15. <https://doi.org/10.5937/fmet1501009M>
- Muthukrishnan, N., Davim, J. P., & Anandakrishnan, V. (2011). Optimization of machining parameters in CNC milling of aluminium alloy. *Materials and Manufacturing Processes*, 26(7), 1012–1018. <https://doi.org/10.1080/10426914.2010.503192>
- Soltan, I. M. A.-R. (2008). *Surface roughness prediction in end-milling process* (Master's thesis, Assiut University, Egypt).
- Soori, M. (2024). Toolpath strategies and surface finish optimization in CNC milling. *Journal of Manufacturing Processes*, 92, 34–45. <https://doi.org/10.1016/j.rsufi.2024.100208>
- Sun, Y., Guo, D., & Wang, H. (2019). Influence of machining parameters on surface integrity in ball-end milling. *Surface Topography: Metrology and Properties*, 7(2), 025012. <https://doi.org/10.1088/2051-672X/ab0a3e>
- VMT CNC. (2025). *CNC machining surface finish and toolpath optimization*. VMT CNC Technical Resources.
- Vyboishchik, A. V. (2016). Modelling topology of freeform surfaces with ball-end milling. *Procedia Engineering*, 150, 761–767. <https://doi.org/10.1016/j.proeng.2016.07.103>
- Wennerberg, A., & Albrektsson, T. (2011). *Effects of titanium surface topography on bone integration: A systematic review*. Trends in Biomaterials & Artificial Organs, 25(3), 112–118. [10.1111/j.1600-0501.2009.01775.x](https://doi.org/10.1111/j.1600-0501.2009.01775.x)
- Zhang, Y., Li, J., & Wang, Y. (2019). CNC tool path generation for freeform surface machining based on preferred feed direction field. *International Journal of*

Advanced Manufacturing Technology, 103(5–8), 2301–2314.

<https://doi.org/10.1007/s00170-019-03638-9>



Intelligentia - Dignitas