

DAFTAR PUSTAKA

- Aburas, M. M., Ahamad, M. S. S., & Omar, N. Q. (2019). Spatio-temporal simulation and prediction of land-use change using conventional and machine learning models: a review. *Environmental Monitoring and Assessment*, 191(4). <https://doi.org/10.1007/s10661-019-7330-6>
- Aburas, M. M., Ho, Y. M., Ramli, M. F., & Ash'aari, Z. H. (2017a). Improving the capability of an integrated CA-Markov model to simulate spatio-temporal urban growth trends using an Analytical Hierarchy Process and Frequency Ratio. *International Journal of Applied Earth Observation and Geoinformation*, 59. <https://doi.org/10.1016/j.jag.2017.03.006>
- Aburas, M. M., Ho, Y. M., Ramli, M. F., & Ash'aari, Z. H. (2017b). Improving the capability of an integrated CA-Markov model to simulate spatio-temporal urban growth trends using an Analytical Hierarchy Process and Frequency Ratio. *International Journal of Applied Earth Observation and Geoinformation*, 59. <https://doi.org/10.1016/j.jag.2017.03.006>
- Alam, N., Saha, S., Gupta, S., & Chakraborty, S. (2021). Prediction modelling of riverine landscape dynamics in the context of sustainable management of floodplain: a Geospatial approach. *Annals of GIS*, 27(3). <https://doi.org/10.1080/19475683.2020.1870558>
- Amiri, R., Weng, Q., Alimohammadi, A., & Alavipanah, S. K. (2009). Spatial-temporal dynamics of land surface temperature in relation to fractional vegetation cover and land use/cover in the Tabriz urban area, Iran. *Remote Sensing of Environment*, 113(12). <https://doi.org/10.1016/j.rse.2009.07.021>
- Anantwar, S. G., & Shelke, R. R. (2012). Simplified Approach of ANN : Strengths and Weakness. *International Journal of Engineering and Innovative Technology (IJEIT)*, 1(4).
- Aneesha Satya, B., Shashi, M., & Deva, P. (2020). Future land use land cover scenario simulation using open source GIS for the city of Warangal, Telangana, India. *Applied Geomatics*, 12(3). <https://doi.org/10.1007/s12518-020-00298-4>

- Anne, J., Gharaibeh, A., Jaradat, R. A., Okour, Y. F., & Al-Rawabdeh, A. M. (2017). Landscape Perception and Landscape Change for the City of Irbid. *Journal of Architecture and Planning*, 29(1).
- Arifwidodo, S. D., Chandrasiri, O., Abdulharis, R., & Kubota, T. (2019). Exploring the effects of urban heat island: A case study of two cities in Thailand and Indonesia. *APN Science Bulletin*, 9(1). <https://doi.org/10.30852/sb.2019.539>
- Arsanjani, J. J., Helbich, M., Kainz, W., & Boloorani, A. D. (2013). Integration of logistic regression, Markov chain and cellular automata models to simulate urban expansion. *International Journal of Applied Earth Observation and Geoinformation*, 21(1). <https://doi.org/10.1016/j.jag.2011.12.014>
- Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. In *ISPRS Journal of Photogrammetry and Remote Sensing* (Vol. 114). <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- Benali, A., Carvalho, A. C., Nunes, J. P., Carvalhais, N., & Santos, A. (2012). Estimating air surface temperature in Portugal using MODIS LST data. *Remote Sensing of Environment*, 124. <https://doi.org/10.1016/j.rse.2012.04.024>
- Boori, M. S. (2015). A Comparison of Land Surface Temperature, Derived from AMSR-2, Landsat and ASTER Satellite Data. *Journal of Geography and Geology*, 7(3). <https://doi.org/10.5539/jgg.v7n3p61>
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1). <https://doi.org/10.1023/A:1010933404324>
- Budiyantini, Y., & Alviany, S. (2022). The Socio-economic Transformations in the Peri-urban of Bandung Metropolitan Area. *Journal of Infrastructure & Facility Asset Management*, 4(1). <https://doi.org/10.12962/jifam.v4i1.14299>
- Bunyanga, J., Majaliwa, M. J. G., Muthumbi, A. W., Gichuki, N. N., & Egeru, A. (2021). Past and future land use/land cover changes from multi-temporal Landsat imagery in Mpologoma catchment, eastern Uganda. *Egyptian Journal of Remote Sensing and Space Science*, 24(3). <https://doi.org/10.1016/j.ejrs.2021.02.003>
- Cao, L., Li, P., Zhang, L., & Chen, T. (2008). Remote sensing image-based analysis

- of the relationship between urban heat island and vegetation fraction. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 37.
- Chander, G., Markham, B. L., & Helder, D. L. (2009). Summary of current radiometric calibration coefficients for Landsat MSS, TM, ETM+, and EO-1 ALI sensors. *Remote Sensing of Environment*, 113(5). <https://doi.org/10.1016/j.rse.2009.01.007>
- Clarke, K. C., & Gaydos, L. J. (1998). Loose-coupling a cellular automaton model and GIS: Long-term urban growth prediction for San Francisco and Washington/Baltimore. *International Journal of Geographical Information Science*, 12(7). <https://doi.org/10.1080/136588198241617>
- Clinton, N., & Gong, P. (2013). MODIS detected surface urban heat islands and sinks: Global locations and controls. *Remote Sensing of Environment*, 134. <https://doi.org/10.1016/j.rse.2013.03.008>
- DE Africa. (2020). *Digital Earth Africa Unlocking the Promise of Tomorrow from Patterns of the Past*.
- DPRD Kota Bandung. (2024, November 27). *Bandung Menanam Capai Jilid Ke-6, DPRD Dorong Program Penghijauan Berkelanjutan*. Humas DPRD Kota Bandung.
- Eastman, J. R. (2006). *idrisi Andes*.
- Eastman, J. R. (2012). *Idrisi Selva Tutorial*.
- Farah, N., Khan, I. A., Maan, A. A., Shahbaz, B., & Cheema, J. M. (2019). Driving Factors of Agricultural Land Conversion at Rural- Urban Interface in Punjab, Pakistan. *Journal of Agricultural Research*, 57(1).
- Firman, T. (2009). The continuity and change in mega-urbanization in Indonesia: A survey of Jakarta-Bandung Region (JBR) development. *Habitat International*, 33(4). <https://doi.org/10.1016/j.habitatint.2008.08.005>
- Firozjaei, M. K., Kiavarz, M., Alavipanah, S. K., Lakes, T., & Qureshi, S. (2018). Monitoring and forecasting heat island intensity through multi-temporal image analysis and cellular automata-Markov chain modelling: A case of Babol city, Iran. *Ecological Indicators*, 91. <https://doi.org/10.1016/j.ecolind.2018.03.052>

- Fortuniak, K. (2009). Global environmental change and urban climate in Central European cities. *The Southern Baltic Region*, 65–68.
- Franklin, S. E., Hall, R. J., Moskal, L. M., Maudie, A. J., & Lavigne, M. B. (2000). Incorporating texture into classification of forest species composition from airborne multispectral images. *International Journal of Remote Sensing*, 21(1). <https://doi.org/10.1080/014311600210993>
- Gandharum, L., Hartono, D. M., Karsidi, A., & Ahmad, M. (2022). Monitoring Urban Expansion and Loss of Agriculture on the North Coast of West Java Province, Indonesia, Using Google Earth Engine and Intensity Analysis. *Scientific World Journal*, 2022. <https://doi.org/10.1155/2022/3123788>
- Gao, B. C., & Kaufman, Y. J. (1998). *The MODIS near-IR water vapor algorithm*.
- García-Cueto, O. R., Jáuregui-Ostos, E., Toudert, D., & Tejeda-Martinez, A. (2007). Detection of the urban heat island in Mexicali, B. C., México and its relationship with land use. *Atmosfera*, 20(2).
- Gatrell, J. D., & Jensen, R. R. (2008). Sociospatial Applications of Remote Sensing in Urban Environments. *Geography Compass*, 2(3). <https://doi.org/10.1111/j.1749-8198.2008.00106.x>
- Gharaibeh, A. A., Esra'a, E. M., & Abuhassan, L. B. (2019). Amman (City of Waters); policy, land use, and character changes. *Land*, 8(12). <https://doi.org/10.3390/LAND8120195>
- Gharaibeh, A. A., Shaamala, A. H., & Ali, M. H. (2020). Multi-Criteria Evaluation for Sustainable Urban Growth in An-Nuayyimah, Jordan; Post War Study. *Procedia Manufacturing*, 44. <https://doi.org/10.1016/j.promfg.2020.02.217>
- Gharaibeh, A., Shaamala, A., Obeidat, R., & Al-Kofahi, S. (2020). Improving land-use change modeling by integrating ANN with Cellular Automata-Markov Chain model. *Heliyon*, 6(9). <https://doi.org/10.1016/j.heliyon.2020.e05092>
- Gill, S. E., Handley, J. F., Ennos, A. R., & Pauleit, S. (2007). Adapting cities for climate change: The role of the green infrastructure. *Built Environment*, 33(1). <https://doi.org/10.2148/benv.33.1.115>
- Guan, D. J., Li, H. F., Inohae, T., Su, W., Nagaie, T., & Hokao, K. (2011). Modeling urban land use change by the integration of cellular automaton and Markov

- model. *Ecological Modelling*, 222(20–22).
<https://doi.org/10.1016/j.ecolmodel.2011.09.009>
- Guan, Q., Wang, L., & Clarke, K. C. (2005). An artificial-neural-network-based, constrained CA model for simulating urban growth. *Cartography and Geographic Information Science*, 32(4).
<https://doi.org/10.1559/152304005775194746>
- Hamad, R., Balzter, H., & Kolo, K. (2018). Predicting land use/land cover changes using a CA-Markov model under two different scenarios. *Sustainability (Switzerland)*, 10(10). <https://doi.org/10.3390/su10103421>
- Han-qiu, X. U., & Ben-qing, C. (2004). Remote sensing of the urban heat island and its changes in Xiamen City of SE China. *Journal of Environmental Sciences*, 16(2).
- Hardin, P. J., Jackson, M. W., & Otterstrom, S. M. (2007). Mapping, measuring, and modeling Urban growth. In *Geo-Spatial Technologies in Urban Environments (Second Edition): Policy, Practice, and Pixels*.
https://doi.org/10.1007/978-3-540-69417-5_8
- Hiemstra, J. A., Saaroni, H., & Amorim, J. H. (2017). *The Urban Heat Island: Thermal Comfort and the Role of Urban Greening*.
https://doi.org/10.1007/978-3-319-50280-9_2
- Hosseini, A., Pourahmad, A., & Pajooan, M. (2016). Assessment of Institutions in Sustainable Urban-Management Effects on Sustainable Development of Tehran: Learning from a Developing Country. *Journal of Urban Planning and Development*, 142(2). [https://doi.org/10.1061/\(asce\)up.1943-5444.0000301](https://doi.org/10.1061/(asce)up.1943-5444.0000301)
- Huang, Y., Yang, B., Wang, M., Liu, B., & Yang, X. (2020). Analysis of the future land cover change in Beijing using CA–Markov chain model. *Environmental Earth Sciences*, 79(2). <https://doi.org/10.1007/s12665-019-8785-z>
- Jensen, J. R. (2005). Introductory Digital Image Processing: A Remote Sensing Perspective, Fourth Edition. Keith, C.C., Ed.; *Prentice Hall Series in Geographic Information Science: Saddle River, NJ, USA*.
- Jimenez-Munoz, J. C., Cristobal, J., Sobrino, J. A., Sòria, G., Ninyerola, M., & Pons, X. (2009). Revision of the single-channel algorithm for land surface

- temperature retrieval from landsat thermal-infrared data. *IEEE Transactions on Geoscience and Remote Sensing*, 47(1).
<https://doi.org/10.1109/TGRS.2008.2007125>
- Jiménez-Munoz, J. C., & Sobrino, J. A. (2003). A generalized single-channel method for retrieving land surface temperature from remote sensing data. *Journal of Geophysical Research: Atmospheres*, 108(22).
<https://doi.org/10.1029/2003jd003480>
- Jimenez-Munoz, J. C., Sobrino, J. A., Skokovic, D., Mattar, C., & Cristobal, J. (2014). Land surface temperature retrieval methods from landsat-8 thermal infrared sensor data. *IEEE Geoscience and Remote Sensing Letters*, 11(10).
<https://doi.org/10.1109/LGRS.2014.2312032>
- Jin, G., Li, Z., Lin, Q., Shi, C., Liu, B., & Yao, L. (2015). Land Use Suitability Assessment in Low-Slope Hilly Regions under the Impact of Urbanization in Yunnan, China. *Advances in Meteorology*, 2015.
<https://doi.org/10.1155/2015/848795>
- Karayiannis, N. B. (1999). Reformulated radial basis neural networks trained by gradient descent. *IEEE Transactions on Neural Networks*, 10(3).
<https://doi.org/10.1109/72.761725>
- Karimi, H., Jafarnezhad, J., Khaledi, J., & Ahmadi, P. (2018). Monitoring and prediction of land use/land cover changes using CA-Markov model: a case study of Ravansar County in Iran. *Arabian Journal of Geosciences*, 11(19).
<https://doi.org/10.1007/s12517-018-3940-5>
- Kiggundu, N., Anaba, L. A., Banadda, N., Wanyama, J., & Kabenge, I. (2018). Assessing Land Use and Land Cover Changes in the Murchison Bay Catchment of Lake Victoria Basin in Uganda. *Journal of Sustainable Development*, 11(1). <https://doi.org/10.5539/jsd.v11n1p44>
- Koko, A. F., Yue, W., Abubakar, G. A., Hamed, R., & Alabsi, A. A. N. (2020). Monitoring and predicting spatio-temporal land use/land cover changes in Zaria City, Nigeria, through an integrated cellular automata and markov chain model (CA-Markov). *Sustainability (Switzerland)*, 12(24).
<https://doi.org/10.3390/su122410452>

- Kong, F., Yin, H., Wang, C., Cavan, G., & James, P. (2014). A satellite image-based analysis of factors contributing to the green-space cool island intensity on a city scale. *Urban Forestry and Urban Greening*, 13(4). <https://doi.org/10.1016/j.ufug.2014.09.009>
- Li, Z. L., Tang, B. H., Wu, H., Ren, H., Yan, G., Wan, Z., Trigo, I. F., & Sobrino, J. A. (2013). Satellite-derived land surface temperature: Current status and perspectives. In *Remote Sensing of Environment* (Vol. 131). <https://doi.org/10.1016/j.rse.2012.12.008>
- Liu, L., & Zhang, Y. (2011). Urban heat island analysis using the landsat TM data and ASTER Data: A case study in Hong Kong. *Remote Sensing*, 3(7). <https://doi.org/10.3390/rs3071535>
- Liu, Y., & Yamauchi, F. (2014). Population density, migration, and the returns to human capital and land: Insights from Indonesia. *Food Policy*, 48. <https://doi.org/10.1016/j.foodpol.2014.05.003>
- Lu, D., Mausel, P., Brondizio, E., & Moran, E. (2004). Change detection techniques. *International Journal of Remote Sensing*, 25(12). <https://doi.org/10.1080/0143116031000139863>
- Maithani, S. (2009). A neural network based urban growth model of an Indian city. *Journal of the Indian Society of Remote Sensing*, 37(3). <https://doi.org/10.1007/s12524-009-0041-7>
- Memarian, H., Kumar Balasundram, S., Bin Talib, J., Teh Boon Sung, C., Mohd Sood, A., & Abbaspour, K. (2012). Validation of CA-Markov for Simulation of Land Use and Cover Change in the Langat Basin, Malaysia. *Journal of Geographic Information System*, 04(06). <https://doi.org/10.4236/jgis.2012.46059>
- Mitsova, D., Shuster, W., & Wang, X. (2011). A cellular automata model of land cover change to integrate urban growth with open space conservation. *Landscape and Urban Planning*, 99(2). <https://doi.org/10.1016/j.landurbplan.2010.10.001>
- Mohamadi, B., Chen, S., Balz, T., Gulshad, K., & McClure, S. C. (2019). Normalized method for land surface temperature monitoring on coastal

- reclaimed areas. *Sensors (Switzerland)*, 19(22).
<https://doi.org/10.3390/s19224836>
- Mohammady, S., Delavar, M. R., & Pahlavani, P. (2014). Urban growth modeling using an Artificial Neural Network a case study of Sanandaj city, Iran. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 40(2W3).
<https://doi.org/10.5194/isprsarchives-XL-2-W3-203-2014>
- Naf, M. Z. T., & Hernawati, R. (2018). Analisis Fenomena UHI (Urban Heat Island) Berdasarkan Hubungan Antara Kerapatan Vegetasi Dengan Suhu Permukaan (Studi Kasus: Kota Bandung, Jawa Barat). *ITB Indonesian Journal of Geospatial*, 05(1).
- Nouri, J., Gharagozlou, A., Arjmandi, R., Faryadi, S., & Adl, M. (2014a). Predicting Urban Land Use Changes Using a CA-Markov Model. *Arabian Journal for Science and Engineering*, 39(7). <https://doi.org/10.1007/s13369-014-1119-2>
- Nouri, J., Gharagozlou, A., Arjmandi, R., Faryadi, S., & Adl, M. (2014b). Predicting urban land-use changes using a CA-Markov model. *Arabian Journal for Science and Engineering*, 39, 5565–5573.
- ODC. (2021). *Open Data Cube*.
- Otukei, J. R., & Blaschke, T. (2010). Land cover change assessment using decision trees, support vector machines and maximum likelihood classification algorithms. *International Journal of Applied Earth Observation and Geoinformation*, 12(SUPPL. 1). <https://doi.org/10.1016/j.jag.2009.11.002>
- Panah, S. K. A., Mogaddam, M. K., & Firozjaei, M. K. (2017). Monitoring spatiotemporal changes of heat island in Babol city due to land use changes. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(4W4).
<https://doi.org/10.5194/isprs-archives-XLII-4-W4-17-2017>
- Park, S., Jeon, S., Kim, S., & Choi, C. (2011). Prediction and comparison of urban growth by land suitability index mapping using GIS and RS in South Korea. *Landscape and Urban Planning*, 99(2).

<https://doi.org/10.1016/j.landurbplan.2010.09.001>

- Perović, V., Jakšić, D., Jaramaz, D., Koković, N., Čakmak, D., Mitrović, M., & Pavlović, P. (2018). Spatio-temporal analysis of land use/land cover change and its effects on soil erosion (Case study in the Oplenac wine-producing area, Serbia). *Environmental Monitoring and Assessment*, 190(11).
<https://doi.org/10.1007/s10661-018-7025-4>
- Pijanowski, B. C., Brown, D. G., Shellito, B. A., & Manik, G. A. (2002). Using neural networks and GIS to forecast land use changes: A Land Transformation Model. *Computers, Environment and Urban Systems*, 26(6).
[https://doi.org/10.1016/S0198-9715\(01\)00015-1](https://doi.org/10.1016/S0198-9715(01)00015-1)
- Pontius, R. G., & Millones, M. (2011). Death to Kappa: Birth of quantity disagreement and allocation disagreement for accuracy assessment. In *International Journal of Remote Sensing* (Vol. 32, Issue 15).
<https://doi.org/10.1080/01431161.2011.552923>
- Prasada, I. Y., & Masyhuri. (2019). The Conversion of Agricultural Land in Urban Areas (Case Study of Pekalongan City, Central Java). *Agraris*, 5(2).
<https://doi.org/10.18196/agr.5280>
- Prihodko, L., & Goward, S. N. (1997). Estimation of air temperature from remotely sensed surface observations. *Remote Sensing of Environment*, 60(3).
[https://doi.org/10.1016/S0034-4257\(96\)00216-7](https://doi.org/10.1016/S0034-4257(96)00216-7)
- Prishchepov, A. V., Schierhorn, F., Dronin, N., Ponkina, E. V., & Müller, D. (2020). 800 Years of Agricultural Land-use Change in Asian (Eastern) Russia.
https://doi.org/10.1007/978-3-030-15927-6_6
- Perdana, P. P., & Susanti, R. (2025, December 30). *RTH di Kota Bandung Baru 17 Persen, Farhan: Berat Untuk Sampai 30 Persen Sumber: https://bandung.kompas.com/read/2025/12/30/184612978/rth-di-kota-bandung-baru-17-persen-farhan-berat-untuk-sampai-30-persen. Membership: https://kmp.im/plus6 Download aplikasi: https://kmp.im/app6. Kompas.Com*.
- Qiao, Z., Tian, G., Zhang, L., & Xu, X. (2014). Influences of urban expansion on urban heat island in Beijing during 1989-2010. *Advances in Meteorology*,

2014. <https://doi.org/10.1155/2014/187169>

- Rahman, M. T. U., Tabassum, F., Rasheduzzaman, M., Saba, H., Sarkar, L., Ferdous, J., Uddin, S. Z., & Zahedul Islam, A. Z. M. (2017). Temporal dynamics of land use/land cover change and its prediction using CA-ANN model for southwestern coastal Bangladesh. *Environmental Monitoring and Assessment*, 189(11). <https://doi.org/10.1007/s10661-017-6272-0>
- Rahman, S., Azizah, Z. N., Djati, T. S. S., & Rahman, M. F. (2024). Exploring the Relationship of Vegetation Density and Land Cover on the Urban Heat Island Phenomenon in Coblong, Bandung. *The Indonesian Journal of Planning and Development*, 9(2), 76–84.
- Rizwan, A. M., Dennis, L. Y. C., & Liu, C. (2008). A review on the generation, determination and mitigation of Urban Heat Island. *Journal of Environmental Sciences*, 20(1). [https://doi.org/10.1016/S1001-0742\(08\)60019-4](https://doi.org/10.1016/S1001-0742(08)60019-4)
- Rodriguez-Galiano, V. F., Ghimire, B., Rogan, J., Chica-Olmo, M., & Rigol-Sanchez, J. P. (2012). An assessment of the effectiveness of a random forest classifier for land-cover classification. *ISPRS Journal of Photogrammetry and Remote Sensing*, 67(1). <https://doi.org/10.1016/j.isprsjprs.2011.11.002>
- Rogan, J., Franklin, J., Stow, D., Miller, J., Woodcock, C., & Roberts, D. (2008). Mapping land-cover modifications over large areas: A comparison of machine learning algorithms. *Remote Sensing of Environment*, 112(5). <https://doi.org/10.1016/j.rse.2007.10.004>
- Rosleine, D., & Irfan, M. (2021). Analyzing the Changes in Land Cover and Land Surface Temperature (LST) in the North Bandung Area (NBA). *3BIO: Journal of Biological Science, Technology and Management*, 3(2). <https://doi.org/10.5614/3bio.2021.3.2.6>
- Rumelhart, D. E., Hinton, G. E., & Williams, R. J. (2013). Learning Internal Representations by Error Propagation. In *Readings in Cognitive Science: A Perspective from Psychology and Artificial Intelligence*. <https://doi.org/10.1016/B978-1-4832-1446-7.50035-2>
- Saha, P., Bandopadhyay, S., Kumar, C., & Mitra, C. (2020). Multi-approach synergic investigation between land surface temperature and land-use land-

- cover. *Journal of Earth System Science*, 129(1).
<https://doi.org/10.1007/s12040-020-1342-z>
- Santé, I., García, A. M., Miranda, D., & Crecente, R. (2010). Cellular automata models for the simulation of real-world urban processes: A review and analysis. *Landscape and Urban Planning*, 96(2).
<https://doi.org/10.1016/j.landurbplan.2010.03.001>
- Satir, O. (2016). Mapping the Land-Use Suitability for Urban Sprawl Using Remote Sensing and GIS Under Different Scenarios. In *Sustainable Urbanization*.
<https://doi.org/10.5772/63051>
- Seto, K. C., Güneralp, B., & Hutyra, L. R. (2012). Global forecasts of urban expansion to 2030 and direct impacts on biodiversity and carbon pools. *Proceedings of the National Academy of Sciences of the United States of America*, 109(40). <https://doi.org/10.1073/pnas.1211658109>
- Shafizadeh Moghadam, H., & Helbich, M. (2013). Spatiotemporal urbanization processes in the megacity of Mumbai, India: A Markov chains-cellular automata urban growth model. *Applied Geography*, 40.
<https://doi.org/10.1016/j.apgeog.2013.01.009>
- Shafizadeh-Moghadam, H., Tayyebi, A., Ahmadi, M., Delavar, M. R., & Hasanlou, M. (2017). Integration of genetic algorithm and multiple kernel support vector regression for modeling urban growth. *Computers, Environment and Urban Systems*, 65.
<https://doi.org/10.1016/j.compenvurbsys.2017.04.011>
- Shafizadeh-Moghadam, H., Tayyebi, A., & Helbich, M. (2017). Transition index maps for urban growth simulation: application of artificial neural networks, weight of evidence and fuzzy multi-criteria evaluation. *Environmental Monitoring and Assessment*, 189(6). <https://doi.org/10.1007/s10661-017-5986-3>
- Shorabeh, S. N., Hamzeh, S., Zanganeh Shahraki, S., Firozjaei, M. K., & Jokar Arsanjani, J. (2020). Modelling the intensity of surface urban heat island and predicting the emerging patterns: Landsat multi-temporal images and Tehran as case study. *International Journal of Remote Sensing*, 41(19).

<https://doi.org/10.1080/01431161.2020.1759841>

- Silva, H. R., Bhardwa, R., Phelan, P. E., Golden, J. S., & Grossman-Clarke, S. (2009). Development of a zero-dimensional mesoscale thermal model for urban climate. *Journal of Applied Meteorology and Climatology*, 48(3). <https://doi.org/10.1175/2008JAMC1962.1>
- Simwanda, M., Murayama, Y., & Ranagalage, M. (2020). Modeling the drivers of urban landuse changes in Lusaka, Zambia using multi-criteria evaluation: an analytic network process approach. *Land Use Policy*, 92, 104441.
- Singh, S. K., Mustak, S., Srivastava, P. K., Szabó, S., & Islam, T. (2015). Predicting Spatial and Decadal LULC Changes Through Cellular Automata Markov Chain Models Using Earth Observation Datasets and Geo-information. *Environmental Processes*, 2(1). <https://doi.org/10.1007/s40710-015-0062-x>
- Sobrino, J. A., Jiménez-Muñoz, J. C., & Paolini, L. (2004). Land surface temperature retrieval from LANDSAT TM 5. *Remote Sensing of Environment*, 90(4). <https://doi.org/10.1016/j.rse.2004.02.003>
- Sobrino, J. A., Jiménez-Muñoz, J. C., Sòria, G., Romaguera, M., Guanter, L., Moreno, J., Plaza, A., & Martínez, P. (2008). Land surface emissivity retrieval from different VNIR and TIR sensors. *IEEE Transactions on Geoscience and Remote Sensing*, 46(2). <https://doi.org/10.1109/TGRS.2007.904834>
- Sun, T., Sun, R., & Chen, L. (2020). The trend inconsistency between land surface temperature and near surface air temperature in assessing Urban heat island effects. In *Remote Sensing* (Vol. 12, Issue 8). <https://doi.org/10.3390/RS12081271>
- Tang, F., Xu, H., 唐菲, & 徐涵秋. (2011). The Relationship Between Urban Reconstruction and Urban Heat Island Effect Based on Remote Sensing Technology: Cangxia District of Fuzhou City, China. *Scientia Geographica Sinica*, 31(10).
- Tarigan, A. K. M., Sagala, S., Samsura, D. A. A., Fiisabiilillah, D. F., Simarmata, H. A., & Nababan, M. (2016). Bandung City, Indonesia. *Cities*, 50, 100–110. <https://doi.org/10.1016/J.CITIES.2015.09.005>
- Tucker, C. J. (1979). Red and photographic infrared linear combinations for

- monitoring vegetation. *Remote Sensing of Environment*, 8(2).
[https://doi.org/10.1016/0034-4257\(79\)90013-0](https://doi.org/10.1016/0034-4257(79)90013-0)
- United Nations. (2018). *World Urbanization Prospects: The 2018 revision*.
- Valor, E., & Caselles, V. (1996). Mapping land surface emissivity from NDVI: Application to European, African, and South American areas. *Remote Sensing of Environment*, 57(3). [https://doi.org/10.1016/0034-4257\(96\)00039-9](https://doi.org/10.1016/0034-4257(96)00039-9)
- Vancutsem, C., Ceccato, P., Dinku, T., & Connor, S. J. (2010). Evaluation of MODIS land surface temperature data to estimate air temperature in different ecosystems over Africa. *Remote Sensing of Environment*, 114(2).
<https://doi.org/10.1016/j.rse.2009.10.002>
- Varnier, M., & Weber, E. J. (2025). Evaluating the Accuracy of Land-Use Change Models for Predicting Vegetation Loss Across Brazilian Biomes. *Land*, 14(3), 560.
- Vlassova, L., Perez-Cabello, F., Nieto, H., Martín, P., Riaño, D., & Riva, J. D. La. (2014). Assessment of methods for land surface temperature retrieval from landsat-5 TM images applicable to multiscale tree-grass ecosystem modeling. *Remote Sensing*, 6(5). <https://doi.org/10.3390/rs6054345>
- Voogt, J. A., & Oke, T. R. (2003). Thermal remote sensing of urban climates. *Remote Sensing of Environment*, 86(3). [https://doi.org/10.1016/S0034-4257\(03\)00079-8](https://doi.org/10.1016/S0034-4257(03)00079-8)
- Wagner, W., Bauer-Marschallinger, B., Navacchi, C., Reuß, F., Cao, S., Reimer, C., Schramm, M., & Briese, C. (2021). A sentinel-1 backscatter datacube for global land monitoring applications. *Remote Sensing*, 13(22).
<https://doi.org/10.3390/rs13224622>
- Walawender, J. P., Szymanowski, M., Hajto, M. J., & Bokwa, A. (2014). Land Surface Temperature Patterns in the Urban Agglomeration of Krakow (Poland) Derived from Landsat-7/ETM+ Data. *Pure and Applied Geophysics*, 171(6). <https://doi.org/10.1007/s00024-013-0685-7>
- Wang, S. Q., Zheng, X. Q., & Zang, X. B. (2012). Accuracy assessments of land use change simulation based on Markov-cellular automata model. *Procedia Environmental Sciences*, 13. <https://doi.org/10.1016/j.proenv.2012.01.117>

- Wellington, M. J., & Renzullo, L. J. (2021). High-dimensional satellite image compositing and statistics for enhanced irrigated crop mapping. *Remote Sensing*, 13(7). <https://doi.org/10.3390/rs13071300>
- Weng, Q. (2001). A remote sensing/GIS evaluation of urban expansion and its impact on surface temperature in the Zhujiang Delta, China. *International Journal of Remote Sensing*, 22(10). <https://doi.org/10.1080/713860788>
- Xu, H., Chen, B., 徐涵秋, & 陈本清. (2003). An Image Processing Technique for the Study of Urban Heat Island Changes Using Different Seasonal Remote Sensing Data. *Remote Sensing Technology and Application*, 18(3).
- Xu, H., Chen, Y., Dan, S., & Qiu, W. (2011). Dynamical monitoring and evaluation methods to Urban Heat Island Effects based on RS&GIS. *Procedia Environmental Sciences*, 10(PART B). <https://doi.org/10.1016/j.proenv.2011.09.197>
- Xu, H., Wen, X., & Ding, F. (2009). Urban Expansion and Heat Island Dynamics in the Quanzhou Region, China. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 2(2). <https://doi.org/10.1109/JSTARS.2009.2023088>
- Yang, J., Su, J., Chen, F., Xie, P., & Ge, Q. (2016). A local land use competition cellular automata model and its application. *ISPRS International Journal of Geo-Information*, 5(7). <https://doi.org/10.3390/ijgi5070106>
- Yang, Q., Huang, X., & Li, J. (2017). Assessing the relationship between surface urban heat islands and landscape patterns across climatic zones in China. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-09628-w>
- Yu, X., Guo, X., & Wu, Z. (2014). Land surface temperature retrieval from landsat 8 TIRS-comparison between radiative transfer equation-based method, split window algorithm and single channel method. *Remote Sensing*, 6(10). <https://doi.org/10.3390/rs6109829>
- Yuan, C., & Chen, L. (2011). Mitigating urban heat island effects in high-density cities based on sky view factor and urban morphological understanding: A study of Hong Kong. In *Architectural Science Review* (Vol. 54, Issue 4). <https://doi.org/10.1080/00038628.2011.613644>

- Yuan, F., & Bauer, M. E. (2007). Comparison of impervious surface area and normalized difference vegetation index as indicators of surface urban heat island effects in Landsat imagery. *Remote Sensing of Environment*, 106(3). <https://doi.org/10.1016/j.rse.2006.09.003>
- Zareie, S., Khosravi, H., Nasiri, A., & Dastorani, M. (2016). Using Landsat Thematic Mapper (TM) sensor to detect change in land surface temperature in relation to land use change in Yazd, Iran. *Solid Earth*, 7(6). <https://doi.org/10.5194/se-7-1551-2016>
- Zhang, D., Liu, X., Wu, X., Yao, Y., Wu, X., & Chen, Y. (2019). Multiple intra-urban land use simulations and driving factors analysis: a case study in Huicheng, China. *GIScience and Remote Sensing*, 56(2). <https://doi.org/10.1080/15481603.2018.1507074>
- Zhang, H., Xu, H., Li, L., & Fan, Y. (2014). Analysis of the Relationship between Urban Heat Island Effect and Urban Expansion in Chengdu, China. *Journal of Geo-Information Science*, 16(1).
- Zhang, Q., Ban, Y., Liu, J., & Hu, Y. (2011). Simulation and analysis of urban growth scenarios for the Greater Shanghai Area, China. *Computers, Environment and Urban Systems*, 35(2). <https://doi.org/10.1016/j.compenvurbsys.2010.12.002>
- Zhang, Z., & He, G. (2013). Generation of Landsat surface temperature product for China, 2000-2010. *International Journal of Remote Sensing*, 34(20). <https://doi.org/10.1080/01431161.2013.820368>
- Zhang, Zhaoming., He, G., Wang, M., Long, T., Wang, G., & Zhang, X. (2016). Validation of the generalized single-channel algorithm using landsat 8 imagery and SURFRAD ground measurements. *Remote Sensing Letters*, 7(8). <https://doi.org/10.1080/2150704X.2016.1190475>
- Zhou, Q., Shao, Q., Zhang, X., & Chen, J. (2020). Do housing prices promote total factor productivity? Evidence from spatial panel data models in explaining the mediating role of population density. *Land Use Policy*, 91. <https://doi.org/10.1016/j.landusepol.2019.104410>
- Zhou, W. (1999). Verification of the nonparametric characteristics of

backpropagation neural networks for image classification. *IEEE Transactions on Geoscience and Remote Sensing*, 37(2 1).
<https://doi.org/10.1109/36.752193>

Zomlot, Z., Verbeiren, B., Huysmans, M., & Batelaan, O. (2017). Trajectory analysis of land use and land cover maps to improve spatial–temporal patterns, and impact assessment on groundwater recharge. *Journal of Hydrology*, 554.
<https://doi.org/10.1016/j.jhydrol.2017.09.032>

