

DAFTAR PUSTAKA

- Agrawal, R., Mushtaq, K., Pedrajas, D. L., Irfan, I., & Pato-Doldán, B. (2026). Nano-Enhanced Binary Eutectic PCM with SiC for Solar HDH Desalination Systems. *Nanoenergy Advances*, 6(1), 4. <https://doi.org/10.3390/nanoenergyadv6010004>
- Al-Amin, K., Kawsar, M., Mamun, M. T. R. B., & Sahadat Hossain, M. (2025). Fourier transform infrared spectroscopic technique for analysis of inorganic materials: a review. *Nanoscale Advances*, 6677–6702. <https://doi.org/10.1039/d5na00522a>
- Almoselhy, R. I. M. (2020). Applications of Differential Scanning Calorimetry (DSC) in Oils and Fats Research. A Review. *American Research Journal of Agriculture*, 6(1), 1–9. <https://doi.org/10.21694/2378-9018.20002>
- Araujo, J. A., Cortese, Y. J., Mojicevic, M., Brennan Fournet, M., & Chen, Y. (2021). Composite Films of Thermoplastic Starch and CaCl₂ Extracted from Eggshells for Extending Food Shelf-Life. *Polysaccharides*, 2(3), 677–690. <https://doi.org/10.3390/polysaccharides2030041>
- Awal, M. A. R., Raihan, M., Jaya, A., Naim, Y., & Syarifuddin, A. (2025). Audit Energi Listrik Pada Bangunan Gedung 2 PT. Japfa Comfeed Indonesia Unit Hatchery Tanralili. *Jurnal LOGITECH Logika Technology*, 8(2), 106–116. <https://doi.org/10.64109/qmstz246>
- Bahosin Sihombing, Zamsiswaya, & Sawaluddin. (2024). Model Pengembangan 4D (Define, Design, Develop, dan Disseminate) dalam Pembelajaran Pendidikan Islam. *Journal of Islamic Education El Madani*, 4(1), 11–19. <https://doi.org/10.55438/jiee.v4i1.135>
- Boggale, W. (2025). Extraction and Characterization of Calcium Chloride from Waste. *American Journal of Applied and Industrial Chemistry*, 9(2), 68–73. <https://doi.org/10.11648/j.ajaic.20250902.14>

- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. *Critical Reviews in Analytical Chemistry*, 45(4), 289–299. <https://doi.org/10.1080/10408347.2014.949616>
- Cao, S., Luo, X., Han, X., Lu, X., & Zou, C. (2022). Development of a New Modified $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ Composite Phase Change Material. *Energies*, 15(3), 824. <https://doi.org/10.3390/en15030824>
- Caramitu, A. R., & Lungu, M. V. (2024). An Overview of Thermal Energy Storage (TES) Materials and Systems for Storage Applications. *EEA - Electrotehnica, Electronica, Automatica*, 72(4), 28–42. <https://doi.org/10.46904/eea.24.72.4.1108003>
- Diab, E., Motawa, I., & Elshikh, M. (2025). Improving the performance of phase-change microcapsules for application in single spaces in hot climates. *International Journal of Building Pathology and Adaptation*, 44(2), 467–482. <https://doi.org/10.1108/IJBPA-09-2024-0203>
- Elgayyar, T., Azzolina-Jury, F., & Thibault-Starzyk, F. (2025). Infrared spectroscopy at the surface of carbonates. *Physical Chemistry Chemical Physics*, 27(43), 22871–22879. <https://doi.org/10.1039/d5cp02197a>
- Fitriani, F., Fauzi, M., & Hasniah, H. (2024). Karakterisasi Kalsium Karbonat Dari Cangkang Telur Bebek Alabio Dengan Analisis Ft-Ir Dan Sem Sebagai Pendekatan Aspek Morfologi. *Jurnal Kesehatan Tambusai*, 5(4), 13854–13861. <https://doi.org/10.31004/jkt.v5i4.35828>
- Fu, L., Wang, Q., Ye, R., Fang, X., & Zhang, Z. (2017). A calcium chloride hexahydrate/expanded perlite composite with good heat storage and insulation properties for building energy conservation. *Renewable Energy*, 114, 733–743. <https://doi.org/10.1016/j.renene.2017.07.091>
- Garnjanagoonchorn, W., & Changpuak, A. (2007). Preparation and partial characterization of eggshell calcium chloride. *International Journal of Food Properties*, 10(3), 497–503. <https://doi.org/10.1080/10942910600919484>

- Hamouda, M. A., Sheta, S. M., Sheha, R. R., Kandil, A. T., Ali, O. I., & El-Sheikh, S. M. (2022). A novel strontium-based MOF: synthesis, characterization, and promising application in removal of ^{152}Eu and ^{154}Eu from active waste. *RSC Advances*, 12(21), 13103–13110. <https://doi.org/10.1039/d2ra01159j>
- Harjanto, D., & Musthafa, A. (2026). Peningkatan Kinerja Water Flow-Cooling pada Chiller Thermo 5000 untuk Pengukuran yang Lebih Baik pada XRD FMIPA UNS. *Jurnal Pengelolaan Laboratorium Pendidikan*, 8(1), 63–72. <https://doi.org/10.14710/jplp.8.1.63-72>
- He, M., Yang, L., & Zhang, Z. (2017). Supercooling characteristics of inorganic phase change material $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$. *Huagong Xuebao/CIESC Journal*, 68(11), 4016–4024. <https://doi.org/10.11949/j.issn.0438-1157.20170490>
- He, M., Yang, L., & Zhang, Z. (2018). Experimental studies on cycling stable characteristics of inorganic phase change material inorganic phase change material $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ - $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$. *IOP Conference Series: Earth and Environmental Science*, 108(2). Experimental studies on cycling stable characteristics of inorganic phase change material $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ - $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$ modified with $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$ and CMC - IOPscience
- Jensen, A. C. S., Imberti, S., Parker, S. F., Schneck, E., Politi, Y., Fratzl, P., Bertinetti, L., & Habraken, W. J. E. M. (2018). Hydrogen Bonding in Amorphous Calcium Carbonate and Molecular Reorientation Induced by Dehydration. *Journal of Physical Chemistry C*, 122(6), 3591–3598. <https://doi.org/10.1021/acs.jpcc.7b10459>
- Joshua M. Charles. (2019). Performance and Stability of $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ -Based Phase Change Materials. *Animal Genetics*, 39(5), 561–563. <http://www.pqdtcn.com/thesisDetails/53177FB87B9398DB0B4B09DC6163972C>
- Karunadasa, K. S. P. (2019). Dehydration of Calcium Chloride as Examined by High-temperature X-ray Powder Diffraction. *International Multidisciplinary Research Journal*, (July), 37–43.

- Kinaytürk, N. K., Tunali, B., & Türköz Altuğ, D. (2021). Eggshell as a biomaterial can have a sorption capability on its surface: A spectroscopic research. *Royal Society Open Science*, 8(6). <https://doi.org/10.1098/rsos.210100>
- Kiryakova, D., & Kolchakova, G. (2023). PREPARATION AND CHARACTERIZATION OF EGGSHELLS POWDERS TREATED WITH HYDROCHLORIC ACID AND SODIUM HYDROXIDE. *Advanced Engineering Letters*, 2(3), 81–87.
- Kousksou, T., Bruel, P., Jamil, A., El Rhafiki, T., & Zeraouli, Y. (2014). Energy storage: Applications and challenges. *Solar Energy Materials and Solar Cells*, 120(PART A), 59–80. <https://doi.org/10.1016/j.solmat.2013.08.015>
- Laafer, A., Hammouma, T., Hmida, A., & Bourouis, M. (2026). Comprehensive Review of Phase Change Materials for Building Applications: Passive, Active, and Hybrid Systems (2022–2025). *Energies*, 19(5), 1–33. <https://doi.org/10.3390/en19051151>
- Lappi, S. E., Smith, B., & Franzen, S. (2004). Infrared spectra of H₂16O, H₂18O and D₂O in the liquid phase by single-pass attenuated total internal reflection spectroscopy. *Spectrochimica Acta - Part A*, 60(11), 2611–2619. <https://doi.org/10.1016/j.saa.2003.12.042>
- Leclaire, A., & Borel, M. M. (1977). Le dichlorure de calcium dihydraté. *Acta Cryst.*, 33(5), 1608–1610. <https://doi.org/10.1107/s0567740877006645>
- Li, C., Li, M., & Li, Y. (2022). Tailored calcium chloride hexahydrate as a composite phase change material for cold storage. *Journal of Energy Storage*, 56(October), 105798. <https://doi.org/10.1016/j.est.2022.105798>
- Liang, L., & Chen, X. (2018). Preparation and Thermal Properties of Eutectic Hydrate Salt Phase Change Thermal Energy Storage Material. *International Journal of Photoenergy*, 2018, 9 pages. <https://doi.org/10.1155/2018/6432047>
- Liu, Y., Li, X., Xu, Y., Xie, Y., Hu, T., & Tao, P. (2024). Carbon-Enhanced Hydrated Salt Phase Change Materials for Thermal Management Applications. *Nanomaterials*, 14(13). <https://doi.org/10.3390/nano14131077>

- Liu, Z., Teng, R., & Sun, H. (2022). APPLICATION OF PHASE CHANGE ENERGY STORAGE IN BUILDINGS Classification of Phase Change Materials and Packaging Methods. *Thermal Science*, 26(5), 4315–4332. <https://doi.org/10.2298/TSCI211122045L>
- Luna, F. S. M., Alves, A. E., & Holanda, J. N. F. (2025). Evaluating the Use of Chicken Eggshell Waste for Synthesizing Nano-Sized Calcium Aluminate Powder by Combining High-Energy Milling and Calcination. *Powders*, 4(4), 31. <https://doi.org/10.3390/powders4040031>
- Ma, H., Ji, M., Chen, J., Ahmad, A., Meng, D., & Ding, Y. (2025). Experimental investigation of $\text{SrBr}_2 \cdot 6\text{H}_2\text{O}$ -based composite thermochemical material for low-temperature thermochemical heat storage . *IOP Conference Series: Materials Science and Engineering*, 1331(1), 012003. <https://doi.org/10.1088/1757-899x/1331/1/012003>
- Maydiantoro, A. (2020). Model Penelitian Pengembangan (Research and Development). *Chemistry Education Review (CER)*, 3(2), 185.
- Miliozzi, A., Nicolini, D., Napoli, G., Giorgi, G., & Liberatore, R. (2025). Experimental Evaluation of a Combined Sensible and Latent Heat Thermal Energy Storage System. *Energies*, 18(21). <https://doi.org/10.3390/en18215808>
- Mukminov, I., Pysarevskyi, I., Volgusheva, N., Boshkova, I., Verkhivker, Y., & Altman, E. (2026). Study of Low-Temperature Heat Accumulation in Sensible and Latent Thermal Energy Storage Systems for Greenhouse Applications. *Problems of the Regional Energetics*, 1(1(69)), 71–83. <https://doi.org/10.52254/1857-0070.2026.1-69.07>
- O.A.A.Eletta, O.A.Ajayi, O.O.Ogunleye, I. C. A. (2016). Adsorption of cyanide from aqueous solution using calcinated eggshells: Equilibrium and optimisation studies. In *Journal of Environmental Chemical Engineering* (Vol. 4, Number 1). Elsevier B.V. <https://doi.org/10.1016/j.jece.2016.01.020>
- Prates, P. B., Moraes, E. G. de, Cesconeto, F. R., Vicente, F. A., Boca Santa, R. A. A., Schabbach, L. M., Riella, H. G., & Fredel, M. C. (2022). Evaluation of

- magnesium chloride waste recovery: A case study in nanofertilizers. *Revista Brasileira de Gestão Ambiental e Sustentabilidade*, 9(21), 419–437. [https://doi.org/10.21438/rbgas\(2022\)092127](https://doi.org/10.21438/rbgas(2022)092127)
- Rajagopalan, K. K., & Sukhishvili, S. A. (2025). Temperature- and creep-resistant Diels-Alder salogels for shape stabilization of salt hydrate phase change materials. *Journal of Materials Chemistry A*, 13(11), 8157–8170. <https://doi.org/10.1039/d4ta07157c>
- Rathod, M. K., & Banerjee, J. (2013). Thermal stability of phase change materials used in latent heat energy storage systems: A review. *Renewable and Sustainable Energy Reviews*, 18, 246–258. <https://doi.org/10.1016/j.rser.2012.10.022>
- Schmit, H., Rudaleviciene, D., Rathgeber, C., & Hiebler, S. (2019). Calorimetric Investigation of Two Factors Influencing the Maximum Storage Capacity of Calcium Chloride Hexahydrate. *IOP Conference Series: Materials Science and Engineering*, 660(1), 0–8. <https://doi.org/10.1088/1757-899X/660/1/012076>
- Schmit, H., Rudaleviciene, D., Rathgeber, C., & Hiebler, S. (2020). Influence of basic raw materials on the maximum storage capacity of the phase change material calcium chloride hexahydrate. *Journal of Energy Storage*, 27(November 2019), 101064. <https://doi.org/10.1016/j.est.2019.101064>
- Sharma, A., Tyagi, V. V., Chen, C. R., & Buddhi, D. (2009). Review on thermal energy storage with phase change materials and applications. *Renewable and Sustainable Energy Reviews*, 13(2), 318–345. <https://doi.org/10.1016/j.rser.2007.10.005>
- Sharma, J., Polizos, G., Jafta, C. J., Datta, S., Gluesenkamp, K. R., & Nawaz, K. (2025). A Novel Approach for Microencapsulating Salt Hydrate-Based Phase Change Materials. *Polymers*, 17(10), 1–15. <https://doi.org/10.3390/polym17101322>
- Silva, J. K. de O., Bittencourt, C., Simões, A. Z., & Alves, A. P. R. (2026). Determination of the Processing Route for Obtaining Calcium Acetate from

- Eggshell Waste. *Sustainability (Switzerland)*, 18(3), 1–21.
<https://doi.org/10.3390/su18031448>
- Sunarsip. (2022). Progam Aksi Untuk Mewujudkan Ketahanan Energi Di Masa Transisi Energi. *Pertamina Energy Institute*, 8(July), 106–122.
- Tatzber, M., Stemmer, M., Spiegel, H., Katzlberger, C., Haberhauer, G., & Gerzabek, M. H. (2007). An alternative method to measure carbonate in soils by FT-IR spectroscopy. *Environmental Chemistry Letters*, 5(1), 9–12.
<https://doi.org/10.1007/s10311-006-0079-5>
- Thakkar, J., Annavajjala, S. B., Sobkowicz, M. J., & Kosny, J. (2024). Influence of Carboxymethyl Cellulose as a Thickening Agent for Glauber's Salt-Based Low Temperature PCM. *Materials*, 17(10).
<https://doi.org/10.3390/ma17102442>
- Thakkar, J., Bowen, N., Chang, A. C., Horwath, P., Sobkowicz, M. J., & Kośny, J. (2022). Optimization of Preparation Method, Nucleating Agent, and Stabilizers for Synthesizing Calcium Chloride Hexahydrate ($\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$) Phase Change Material. *Buildings*, 12(10).
<https://doi.org/10.3390/buildings12101762>
- Turdimatov, M., G'Aniyeva, S., Arabboyev, A., Mirzayev, J., & Sadirova, K. (2026). Numerical Modelling of Sensible Heat Storage Using Rock Beds. *EPJ Web of Conferences*, 355. <https://doi.org/10.1051/epjconf/202635504019>
- Tyagi, V. V., Kaushik, S. C., Tyagi, S. K., & Akiyama, T. (2011). Development of phase change materials based microencapsulated technology for buildings: A review. *Renewable and Sustainable Energy Reviews*, 15(2), 1373–1391.
<https://doi.org/10.1016/j.rser.2010.10.006>
- Uttam, A., Kumar, B., & Sistla, V. S. (2025). Development of $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$ Salt Hydrate PCMs for Thermal Energy Storage in Building Systems: A Scale-Up Approach. *ChemistrySelect*, 10(43). <https://doi.org/10.1002/slct.202504616>
- Veva, M. R. A., Fitri, S. P., & Wardhana, E. M. (2023). Analisis Karakteristik dan Sifat Termofisika Phase Change Material (PCM) Berbasis Salt Hydrate

- Kalsium Klorida dengan Zat Aditif untuk Aplikasi Sistem Refrigerasi Hybrid pada Reefer Container. *Jurnal Teknik ITS*, 12(3). <https://doi.org/10.12962/j23373539.v12i3.121983>
- Wahyuni, A., Edar, A. N., Musda, G. H., & Gani, P. J. A. (2025). *Strategi Dalam Menciptakan Bangunan Hemat Energi*. CV Bravo Press Indonesia.
- Winnett, W. K., & Nash, C. P. (1988). Rigid-Ion-Model Treatment of the Vibrational Spectra of Calcium and Strontium Chloride Hexahydrate Crystals. *Applied Spectroscopy*, 42(1), 60–64. <https://doi.org/10.1366/0003702884428626>
- Wirajaya, A., Sasongko, N. A., Supriyadi, I., & Purwantoro, S. A. (2024). Analisis Peran Gas Bumi Terhadap Transisi Energi Di Indonesia. *Nusantara: Jurnal Ilmu Pengetahuan Sosial*, 11(4), 1646–1658.
- Wyckoff, R. W. G. (1920). The Crystal Structures of some Carbonates of the Calcite Group. *American Journal of Science*, 50(299), 317–360.
- Xu, B., Toffolo, M. B., Regev, L., Boaretto, E., & Poduska, K. M. (2015). Structural differences in archaeologically relevant calcite. *Analytical Methods*, 7(21), 9304–9309. <https://doi.org/10.1039/c5ay01942g>
- Xu, X., Dong, Z., Memon, S. A., Bao, X., & Cui, H. (2017). Preparation and supercooling modification of salt hydrate phase change materials based on $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$ / CaCl_2 . *Materials*, 10(7). <https://doi.org/10.3390/ma10070691>
- Yan, L., Charles, J., Romero, C. E., Neti, S., & Balasubramanian, G. (2023). Optimizing supercooling and phase stability by additives in calcium chloride hexahydrate for cyclical latent heat storage. *International Communications in Heat and Mass Transfer*, 149, 1–15. <https://doi.org/10.1016/j.icheatmasstransfer.2023.107119>
- Yuwono, S. D., Wahyuningsih, E., Noviany, Kiswandono, A. A., Simanjuntak, W., & Hadi, S. (2021). Characterization of carboxymethyl cellulose (CMC) synthesized from microcellulose of cassava peel. *Materiale Plastice*, 57(4), 225–235. <https://doi.org/10.37358/MP.20.4.5422>

- Zhang, C., Zhang, Z., Ye, R., Gao, X., & Ling, Z. (2018). Characterization of $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$ -based Eutectic/Expanded perlite composite phase change material with low thermal conductivity. *Materials*, 11(12), 2369. <https://doi.org/10.3390/ma11122369>
- Zou, T., Fu, W., Liang, X., Wang, S., Gao, X., Zhang, Z., & Fang, Y. (2018). Preparation and performance of modified calcium chloride hexahydrate composite phase change material for air-conditioning cold storage. *International Journal of Refrigeration*, 95, 175–181. <https://doi.org/10.1016/j.ijrefrig.2018.08.001>



LAMPIRAN

Lampiran 1 Perhitungan Pembuatan $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$ -telur dengan rasio 1:15 (w/v) antara bubuk cangkang telur dengan HCL 5%