

DAFTAR PUSTAKA

- Adirim, T. A., & Cheng, T. L. (2003). Overview of injuries in the young athlete. *Sports Medicine*, 33(1), 75–81. <https://doi.org/10.2165/00007256-200333010-00004>
- Andersen, L. L., Andersen, J. L., Magnusson, S. P., Suetta, C., Madsen, J. L., Christensen, L. R., & Aagaard, P. (2008). Changes in the human muscle force-velocity relationship in response to resistance training and subsequent detraining. *Journal of Applied Physiology*, 99(1), 87–94. <https://doi.org/10.1152/japplphysiol.00091.2005>
- Armstrong, R. A. (2014). When to use the Bonferroni correction. *Ophthalmic & Physiological Optics*, 34(5), 502–508. <https://doi.org/10.1111/opo.12131>
- Begalle, R. L., DiStefano, L. J., Blackburn, T., & Padua, D. A. (2012). Quadriceps and hamstrings coactivation during common therapeutic exercises. *Journal of Athletic Training*, 47(4), 396–405. <https://doi.org/10.4085/1062-6050-47.4.01>
- Behm, D. G., & Chaouachi, A. (2011). A review of the acute effects of static and dynamic stretching on performance. *European Journal of Applied Physiology*, 111(11), 2633–2651. <https://doi.org/10.1007/s00421-011-1879-2>
- Berry, J. W., Lee, T. S., Foley, H. D., & Lewis, C. L. (2015). Resisted side-stepping: The effect of posture on hip abductor muscle activation. *Journal of Orthopaedic & Sports Physical Therapy*, 45(9), 675–682. <https://doi.org/10.2519/jospt.2015.5888>
- Bishop, D. (2003). Warm up I: Potential mechanisms and the effects of passive warm up on exercise performance. *Sports Medicine*, 33(6), 439–454. <https://doi.org/10.2165/00007256-200333060-00005>
- Boling, M. C., Padua, D. A., Marshall, S. W., Guskiewicz, K., Pyne, S., & Beutler, A. (2010). Gender differences in the incidence and prevalence of patellofemoral pain syndrome. *Scandinavian Journal of Medicine & Science in Sports*, 20(5), 725–730. <https://doi.org/10.1111/j.1600-0838.2009.00996.x>
- Bompa, T. O., & Carrera, M. (2015). Conditioning young athletes. *Human Kinetics*.
- Botter, A., Vieira, T. M. M., Loram, I. D., Merletti, R., & Hodson-Tole, E. F. (2011). A novel system of electrodes transparent to ultrasound for simultaneous detection of myoelectric activity and B-mode ultrasound images of skeletal muscles. *Journal of Applied Physiology*, 115(8), 1203–1214. <https://doi.org/10.1152/japplphysiol.00380.2011>
- Bouchard, C., & Rankinen, T. (2001). Individual differences in response to regular physical activity. *Medicine & Science in Sports & Exercise*, 33(6 Suppl), S446–S451. <https://doi.org/10.1097/00005768-200106001-00013>
- Burden, A. (2010). How should we normalize electromyograms obtained from healthy participants? What we have learned from over 25 years of research. *Journal of Electromyography and Kinesiology*, 20(6), 1023–1035. <https://doi.org/10.1016/j.jelekin.2010.07.004>

- Cescon, C., Fattorini, L., Gobbo, M., Lusardi, M., & Orizio, C. (2004). Effect of accelerometry on surface EMG power spectrum during fatiguing isometric contractions of the vastus medialis muscle. *Journal of Electromyography and Kinesiology*, 14(6), 649–657. <https://doi.org/10.1016/j.jelekin.2004.03.009>
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Lawrence Erlbaum Associates.
- De Luca, C. J. (1997). The use of electromyography in biomechanics. *Journal of Applied Biomechanics*, 13(2), 135–163. <https://doi.org/10.1123/jab.13.2.135>
- De Luca, C. J. (2002). Surface electromyography: Detection and recording [White paper]. DelSys Incorporated. https://www.delsys.com/Attachments_pdf/WP_SEMGintro.pdf
- DiFiori, J. P., Benjamin, H. J., Brenner, J. S., Gregory, A., Jayanthi, N., Landry, G. L., & Luke, A. (2014). Overuse injuries and burnout in youth sports: A position statement from the American Medical Society for Sports Medicine. *British Journal of Sports Medicine*, 48(4), 287–288. <https://doi.org/10.1136/bjsports-2013-093299>
- Distefano, L. J., Blackburn, J. T., Marshall, S. W., & Padua, D. A. (2009). Gluteal muscle activation during common therapeutic exercises. *Journal of Orthopaedic & Sports Physical Therapy*, 39(7), 532–540. <https://doi.org/10.2519/jospt.2009.2796>
- Eon, P., Jubeau, M., & Cattagni, T. (2024). Post-activation potentiation after isometric contractions is strongly related to contraction intensity despite the similar torque–time integral. *Experimental Physiology*, 109(6), 915–925. <https://doi.org/10.1113/EP091700>
- Farrokhi, S., Pollard, C. D., Souza, R. B., Chen, Y. J., Reisch, S., & Powers, C. M. (2008). Trunk position influences the kinematics, kinetics, and muscle activity of the lead lower extremity during the forward lunge exercise. *Journal of Orthopaedic & Sports Physical Therapy*, 38(7), 403–409. <https://doi.org/10.2519/jospt.2008.2634>
- Gaamouri, N., Hammami, M., Cherni, Y., Oranchuk, D. J., van den Tillaar, R., & Chelly, M. S. (2024). Rubber band training improves athletic performance in young female handball players. *Journal of Human Kinetics*, 92, 227–238. <https://doi.org/10.5114/jhk/175396>
- Gholve, P. A., Scher, D. M., Khakharia, S., Widmann, R. F., & Green, D. W. (2007). Osgood–Schlatter syndrome. *Current Opinion in Pediatrics*, 19(1), 44–50. <https://doi.org/10.1097/MOP.0b013e328013dbea>
- Halaki, M., & Ginn, K. (2012). Normalization of EMG signals: To normalize or not to normalize and what to normalize to? In G. R. Naik (Ed.), *Computational intelligence in electromyography analysis: A perspective on current applications and future challenges* (pp. 175–194). IntechOpen. <https://doi.org/10.5772/49957>
- Herman, K., Barton, C., Malliaras, P., & Morrissey, D. (2012). The effectiveness of neuromuscular warm-up strategies that require no additional equipment for preventing lower limb injuries during sports participation: A systematic review. *BMC Medicine*, 10(1), 75. <https://doi.org/10.1186/1741-7015-10-75>

- Hermens, H. J., Freriks, B., Disselhorst-Klug, C., & Rau, G. (2000). Development of recommendations for SENIAM surface electromyography sensors and sensor placement procedures. *Journal of Electromyography and Kinesiology*, 10(5), 361–374. [https://doi.org/10.1016/S1050-6411\(00\)00027-4](https://doi.org/10.1016/S1050-6411(00)00027-4)
- Hewett, T. E., Myer, G. D., Ford, K. R., Heidt, R. S., Colosimo, A. J., McLean, S. G., van den Bogert, A. J., Paterno, M. V., & Succop, P. (2005). Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes. *The American Journal of Sports Medicine*, 33(4), 492–501. <https://doi.org/10.1177/0363546504269591>
- Huxley, A. F., & Niedergerke, R. (1954). Structural changes in muscle during contraction: Interference microscopy of living muscle fibres. *Nature*, 173(4412), 971–973. <https://doi.org/10.1038/173971a0>
- Huxley, H. E., & Hanson, J. (1954). Changes in the cross-striations of muscle during contraction and stretch and their structural interpretation. *Nature*, 173(4412), 973–976. <https://doi.org/10.1038/173973a0>
- Jeffreys, I. (2007). Warm-up revisited: The ramp protocol. *UK Strength & Conditioning Association*, 6, 12–20.
- Kaneuchi, Y., Sekiguchi, K., Yamamoto, Y., Otsoshi, K., Igari, T., Katsuhira, J., & Motomura, Y. (2018). Risk factors associated with Osgood–Schlatter disease in adolescent male soccer players: A prospective cohort study. *Orthopaedic Journal of Sports Medicine*, 6(8). <https://doi.org/10.1177/2325967118792497>
- Kerr, Z. Y., Chandran, A., Nedimyer, A. K., Arakkal, A., Pierpoint, L. A., & Zuckerman, S. L. (2018). Concurrence incidence and trends in 20 high school sports. *Pediatrics*, 144(5), e20192180. <https://doi.org/10.1542/peds.2019-2180>
- Magee, D. J. (2014). *Orthopedic physical assessment* (6th ed.). Saunders Elsevier.
- McGowan, C. J., Pyne, D. B., Thompson, K. G., & Rattray, B. (2015). Warm-up strategies for sport and exercise: Mechanisms and applications. *Sports Medicine*, 45(11), 1523–1546. <https://doi.org/10.1007/s40279-015-0376-x>
- Mishock, J. R. (2015). Anterior cruciate ligament (ACL) and lower extremity injury prevention routine. Mishock Physical Therapy & Associates.
- Myer, G. D., Ford, K. R., Di Stasi, S. L., Foss, K. D. B., Micheli, L. J., & Hewett, T. E. (2011). High knee abduction moments are common risk factors for patellofemoral pain (PFP) and anterior cruciate ligament (ACL) injury in girls: Is PFP itself a predictor for subsequent ACL injury? *British Journal of Sports Medicine*, 49(2), 118–122. <https://doi.org/10.1136/bjsm.2010.079160>
- Norkin, C. C., & White, D. J. (2016). *Measurement of joint motion: A guide to goniometry* (5th ed.). F.A. Davis Company.
- Oliveira, L. F., Matta, T. T., Alves, D. S., Garcia, M. A. C., & Vieira, T. M. M. (2010). Effect of the knee flexion angle on the activity of the hamstring muscles during isometric contractions. *Journal of Sports Sciences*, 28(10), 1089–1095.

<https://doi.org/10.1080/02640414.2010.489719>

- Opar, D. A., Drezner, J., Shield, A., Williams, M., Webner, D., Sennett, B., Kapur, R., Cohen, M., Ulager, J., Cafengiu, A., & Cronholm, P. F. (2014). Acute hamstring strain injury in track-and-field athletes: A 3-year observational study at the Penn Relay Carnival. *Scandinavian Journal of Medicine & Science in Sports*, 24(4), e254–e259. <https://doi.org/10.1111/sms.12159>
- Page, P., Labbe, A., & Topp, R. (2000). Clinical force production of Thera-Band elastic bands. *Journal of Orthopaedic & Sports Physical Therapy*, 30(1), A47–A48.
- Pourmahmoudian, P., Minoonejad, H., & Jamshidi, A. A. (2023). Comparison of gluteus medius and hamstring activation during seven plyometric exercises on three training surfaces. *Biology of Sport*, 31(1), 65–72. <https://doi.org/10.5604/01.3001.0016.5268>
- Roach, K. E., & Miles, T. P. (1991). Normal hip and knee active range of motion: The relationship to age. *Physical Therapy*, 71(9), 656–665. <https://doi.org/10.1093/ptj/71.9.656>
- Ruiz-Muñoz, M., González-Sánchez, M., & Cuesta-Vargas, A. I. (2014). Normalizing tibialis anterior muscle EMG signal: Is there any standard? *SpringerPlus*, 3(1), 1–8. <https://doi.org/10.1186/2193-1801-3-114>
- Smith, J. (2025). The role of ankle dorsiflexion range of motion in athletic performance and injury prevention. *International Journal of Sports Physical Therapy*, 20(1), 1–12.
- Stegeman, D. F., & Hermens, H. J. (2000). Standards for surface electromyography: The European project surface EMG for non-invasive assessment of muscles (SENIAM). In *European recommendations for surface electromyography* (pp. 108–112). Roessingh Research and Development.
- Sugiyono. (2019). Metode penelitian kuantitatif, kualitatif, dan R&D. Alfabeta.
- Sundstrup, E., Jakobsen, M. D., Andersen, C. H., Bandholm, T., Thorborg, K., Zebis, M. K., & Andersen, L. L. (2014). Evaluation of elastic bands for lower extremity resistance training in adults with and without musculoskeletal pain. *Scandinavian Journal of Medicine & Science in Sports*, 24(3), e353–e359. <https://doi.org/10.1111/sms.12187>
- Tabachnick, B. G., & Fidell, L. S. (2019). *Using multivariate statistics* (7th ed.). Pearson.
- Tangkudung, J. (2018). *Metodologi penelitian kajian dalam olahraga*. Universitas Negeri Jakarta.
- Taylor, J. B., Nguyen, A. D., Paterno, M. V., Huang, B., & Ford, K. R. (2019). Real-time optimized biofeedback utilizing the knee abduction moment for ACL injury prevention in female athletes. *Journal of Orthopaedic & Sports Physical Therapy*, 49(4), 273–282. <https://doi.org/10.2519/jospt.2019.8587>
- Uchida, M. C., Nishida, M. M., Sampaio, R. A. C., Moritani, T., & Arai, H. (2016). Thera-band elastic band tension: Reference values for physical activity. *Journal of Physical Therapy Science*, 28(4), 1266–1271. <https://doi.org/10.1589/jpts.28.1266>
- Van der Sluis, A., Elferink-Gemser, M. T., Coelho-e-Silva, M. J., Nijboer, J. A., Brink, M. S., & Visscher, C. (2014). Sport injuries aligned to peak height velocity in talented

pubertal soccer players. *International Journal of Sports Medicine*, 35(4), 351–355.
<https://doi.org/10.1055/s-0033-1349874>

Vretaros, A. (2023). Building functional warm-up routines in basketball: A narrative review of literature. *Turkish Journal of Kinesiology*, 9(3), 233–246.
<https://doi.org/10.31459/turkjin.1316230>

Watanabe, H., Akasaka, K., Otsudo, T., & Hall, T. (2018). Relationship between quadriceps muscle flexibility and Osgood–Schlatter disease in adolescent male soccer players. *Journal of Physical Therapy Science*, 30(2), 310–313.
<https://doi.org/10.1589/jpts.30.310>

Yang, H. C., Ho, W. H., Kuo, Y. L., & Hsieh, T. H. (2024). Standard isometric contraction has higher reliability than maximum voluntary isometric contraction for normalizing electromyography during level walking among older adults with knee osteoarthritis. *Frontiers in Bioengineering and Biotechnology*, 12, 1276793.
<https://doi.org/10.3389/fbioe.2024.1276793>

