

DAFTAR PUSTAKA

- [1] Y. Tace, A. Malik, and S. K. Singh, "Smart irrigation system based on IoT and machine learning," *Computers and Electronics in Agriculture*, vol. 215, 2022, doi: 10.1016/j.compag.2022.108407.
- [2] S. K. Gupta and P. R. Sharma, "Smart irrigation system with IoT and advanced machine learning model," *Journal of Sensor and IoT Research*, vol. 2, no. 9, pp. 1–11, 2024. [Online]. Available: <https://reference-global.com/2/v2/download/article/10.2478/jsiot-2024-0009.pdf>
- [3] D. I. Kurniawan and R. Irianto, "Design of smart farm irrigation monitoring system using IoT and LoRa," *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 6, no. 3, pp. 487–494, 2022. [Online]. Available: <https://jurnal.iaii.or.id/index.php/RESTI/article/view/3707>
- [4] K. Taueatsoala, A. D. Molefe, and P. R. Motsepe, "TinyML-enabled IoT for sustainable precision irrigation," *arXiv preprint arXiv:2601.13054*, 2025. [Online]. Available: <https://arxiv.org/abs/2601.13054>
- [5] Espressif Systems, *ESP32 Technical Reference Manual*, 2023.
- [6] M. Mulyati and R. Herfadlan, "Water flow measurement using Hall effect sensor," *Journal of Instrumentation*, vol. 8, no. 1, pp. 33–40, 2023.
- [7] A. Kratzert et al., "Rainfall–runoff modelling using LSTM networks," *Hydrology and Earth System Sciences*, vol. 22, pp. 6005–6022, 2018.
- [8] E. J. Hannan and P. M. Robinson, "Lagged Regression with Unknown Lags," *Journal of the Royal Statistical Society: Series B (Methodological)*, vol. 35, no. 2, pp. 252–267, 1973, doi: 10.1111/j.2517-6161.1973.tb00956.x. |
Link: <https://doi.org/10.1111/j.2517-6161.1973.tb00956.x>
- [9] A. M. Rushworth, A. W. Bowman, M. J. Brewer, and S. J. Langan, "Distributed Lag Models for Hydrological Data," *Biometrics*, vol. 69, no. 3, pp. 537–544, 2013, doi: 10.1111/biom.12008.
Link: <https://doi.org/10.1111/biom.12008>
- [10] G. D. Tasker and J. R. Stedinger, "An Operational GLS Model for Hydrologic Regression," *Journal of Hydrology*, vol. 111, no. 1–4, pp. 361–375, 1989, doi: 10.1016/0022-1694(89)90268-0.
Link: [https://doi.org/10.1016/0022-1694\(89\)90268-0](https://doi.org/10.1016/0022-1694(89)90268-0)
- [11] J. Lee, "Basin-Scale Monthly Rainfall Forecasts with a Data-Driven Model Using Lagged Global Climate Indices and Future Predicted Rainfall of an Adjacent Basin,"

International Journal of Climatology, vol. 43, 2023, doi: 10.1002/joc.8021.

Link: <https://doi.org/10.1002/joc.8021>

[12] C. D. U. Carranza, M. J. van der Ploeg, and P. J. J. F. Torfs, “Using Lagged Dependence to Identify (De)Coupled Surface and Subsurface Soil Moisture Values,” *Hydrology and Earth System Sciences*, vol. 22, pp. 2255–2267, 2018, doi: 10.5194/hess-22-2255-2018.

Link: <https://doi.org/10.5194/hess-22-2255-2018>

[13] P. Masselot, S. Dabo-Niang, F. Chebana, and T. B. M. J. Ouara, “Streamflow forecasting using functional regression,” *Journal of Hydrology*, vol. 538, pp. 754–766, 2016, doi: 10.1016/j.jhydrol.2016.04.048.

Available: <https://doi.org/10.1016/j.jhydrol.2016.04.048>

[14] P. S. Yu, S. T. Chen, and I. F. Chang, “Support vector regression for real-time flood stage forecasting,” *Journal of Hydrology*, vol. 328, no. 3–4, pp. 704–716, 2006, doi: 10.1016/j.jhydrol.2006.01.021.

Available: <https://doi.org/10.1016/j.jhydrol.2006.01.021>

[15] D. Feng, K. Fang, and C. Shen, “Enhancing streamflow forecast and extracting insights using long short-term memory networks with data integration at continental scales,” *Water Resources Research*, vol. 56, no. 6, 2020, doi: 10.1029/2019WR026793.

Available: <https://doi.org/10.1029/2019WR026793>

[16] J. Lee, “Basin-scale monthly rainfall forecasts with a data-driven model using lagged global climate indices and future predicted rainfall of an adjacent basin,” *International Journal of Climatology*, vol. 43, no. 8, pp. 3850–3868, 2023, doi: 10.1002/joc.8021.

Available: <https://doi.org/10.1002/joc.8021>

[17] R. Zhang, M. A. Nearing, Z. Wei, and Y. Wang, “Soil moisture prediction using Bayesian linear regression, random forest, and gradient boosting regression tree with lagged soil moisture variables,” *Hydrological Processes*, vol. 33, no. 26, pp. 3404–3418, 2019, doi: 10.1002/hyp.13540.

Available: <https://doi.org/10.1002/hyp.13540>

[18] C. D. U. Carranza, M. J. van der Ploeg, and P. J. J. F. Torfs, “Using lagged dependence to identify (de)coupled surface and subsurface soil moisture values,” *Hydrology and Earth System Sciences*, vol. 22, no. 4, pp. 2255–2267, 2018, doi: 10.5194/hess-22-2255-2018.

Available: <https://doi.org/10.5194/hess-22-2255-2018>

[19] Lima, C. H. R., & Lall, U. (2010). *Climate Informed Monthly Streamflow Forecasts for the Brazilian Hydropower Network Using a Periodic Ridge Regression Model*. *Journal of Hydrology*, 380(3–4), 438–449. <https://doi.org/10.1016/j.jhydrol.2009.11.016>

- [20] Luo, X., Yuan, X., Zhu, S., Xu, Z., Meng, L., & Peng, J. (2019). *A Hybrid Support Vector Regression Framework for Streamflow Forecast*. *Journal of Hydrology*, 568, 184–193. <https://doi.org/10.1016/j.jhydrol.2018.10.06>

