

DAFTAR PUSTAKA

- Abduh, M., Rahman, H., & Hidayat, M. (2024). Desain Sistem Instrumentasi Outdoor Cerdas Berbasis IoT untuk Pemantauan Energi Terbarukan. *Jurnal Otomasi, Kendali, dan Instrumentasi Digital*, 8(1), 27-35.
- Aji, W. S. D., Laksana, I. D., Kristiawan, S. G. V. S., Maulana, R., & Marcus, R. D. (2025). Evaluasi kinerja dan skalabilitas platform Blynk untuk aplikasi Internet of Things (IoT). *ELANG: Journal of Interdisciplinary Research*, 46–52.
- Alobaid, M., Gabbar, H. A., & El Haj Assad, M. (2021). Solid-state hybrid photovoltaic-thermoelectric generator system: Optimization and outdoor performance evaluation. *Energy Conversion and Management*, 243, 114432.
- Alobaid, A. M. A., Gabbar, H. A., & El Haj Assad, M. S. (2021). Performance assessment of a hybrid photovoltaic–thermoelectric generator (PV–TEG) system for enhanced energy harvesting under real outdoor conditions. *Sensors*, 21, 2604.
- Amin, M., Kurniawan, H., & Sari, D. (2024). Teknologi Canva dalam merancang sistem absensi dengan mikrokontroler Arduino. *SENASHTEK 2024: Seminar Nasional Sosial Humaniora & Teknologi 2024*, 2(1), 27–31.
- Arduino Documentation. (2023). *Fitur unggulan Arduino IDE 2.0: Auto-completion, debugging, dan board manager*. Arduino Official Documentation. Diakses dari <https://docs.arduino.cc/software/ide-v2>
- Ardiyanto, D., Rudiyanto, S., & Wibowo, A. (2024). Metode Karakterisasi Kurva I-V Modul Fotovoltaik Skala Kecil Menggunakan Beban Resistif Variabel. *Jurnal Energi Baru dan Terbarukan*, 5(1), 32-39.
- Biantoro, A. W., Anggraini, R., & Subekti, I. (2020). Pengembangan alat deteksi dini asap dan kebocoran gas pada tabung LPG pencegah kebakaran skala

rumah tangga. *Faktor Exacta*, 13(2), 113–124.
<https://doi.org/10.30998/faktorexacta.v13i2.6587>

Busthomy, M. F., & Widyartono, M. (2020). Pengaruh Variasi Suhu Sisi Panas Terhadap Karakteristik Keluaran Tegangan Modul Termoelektrik SP1848. *Jurnal Teknik Elektro*, 9(3), 567-573.

Chikate, G., Sanchez, M., & Rodriguez, L. (2015). Effect of Internal Series Resistance and Source Artificial Light on the Fill Factor of Silicon Solar Cells. *International Journal of Photoenergy*, 2015, 1-8.

Denk, T. M. S., Pandria, T. M. A., & Firnanda, A. (2022). Identifikasi pengaruh penggunaan heatsink terhadap keluaran modul surya. *Jurnal Optimalisasi*, 8(22), 200–208.

Dermawan, A. B., & Apriaskar, E. (2020). Lampu penerangan jalan otomatis berdasarkan intensitas cahaya dan keberadaan kabut atau asap. *Jurnal Pendidikan Teknik Elektro Undiksha*, 9(1), 56–63.

Eickhoff, J. (2022). *A Combined Data and Power Management Infrastructure*. Springer Berlin Heidelberg.

Fahad, E. (2021). *Heat sink, types of heat sink and design of heat sink*. Electronic Clinic.

Fitriana, F., A'an Auliy, M., Kurniawan, D. R., & Wijaya, M. A. (2024). Effect of heatsink material on the efficiency of solar panel–thermoelectric hybrid devices. *ELKHA: Jurnal Teknik Elektro*, 16(2), 123–128.

Foo, K. C., Karunanithi, S., & Thio, G. (2013). Performance of new generation pole light. *IOP Conference Series: Earth and Environmental Science*.

Fraden, J. (2020). *Handbook of Modern Sensors: Physics, Designs, and Applications* (5th ed.). Springer Nature Switzerland.

Gao, Y., Zhang, L., Zhang, Y., & Dong, J. (2020). Performance evaluation and parametric study of a novel hybrid photovoltaic-thermoelectric system.

Energy Conversion and Management, 208, 112575.
<https://doi.org/10.1016/j.enconman.2020.112575>

Ghifari, M. N. (2019). Implementasi real time clock DS1307 pada sistem data logger suhu dan kelembaban. *Jurnal Ilmiah Teknologi Informasi*, 5(1), 22–28.

Goldsmid, H. J. (2010). *Introduction to Thermoelectricity* (Vol. 121). Springer.

Hidayat, D., & Sari, I. (2021). Monitoring suhu dan kelembaban berbasis Internet of Things (IoT). *Jurnal Teknologi dan Ilmu Komputer Prima (JUTIKOMP)*, 4(1), 525–530.

Islami, N., Huda, R., & Mulyadi, R. (2022). Analisis antarmuka SPI pada modul MicroSD Card untuk sistem penyimpanan otomatis. *Jurnal Teknik Informatika Nusantara*, 8(2), 121–129.

Isyanto, H., Budiyo, F., Fadliandi, & Chamdareno, P. G. (2017). Pendingin untuk peningkatan daya keluaran panel surya. *Seminar Nasional Sains dan Teknologi 2017*, November, 1–2.

Johnston, E., Szabo, P. S. B., & Bennett, N. S. (2021). Cooling silicon photovoltaic cells using finned heat sinks and the effect of inclination angle. *Thermal Science and Engineering Progress*, 23, 100902.

Junaidi. (2018). *Pengenalan Arduino dan implementasi dalam sistem embedded*. Yogyakarta: Deepublish.

Kanagaraj, N. (2021). Performance Optimization of Hybrid Photovoltaic-Thermoelectric Generation Systems Using Series-Parallel Interconnections. *Journal of Renewable Energy and Power Quality*, 19(2), 142-149.

Luque, A., & Hegedus, S. (2018). *Handbook of Photovoltaic Science and Engineering*. John Wiley & Sons.

- Madakam, S., Ramaswamy, R., & Tripathi, S. (2015). Sistem Internet of Things berbasis arsitektur tiga lapisan untuk pengelolaan energi cerdas. *Jurnal Teknologi dan Sistem Komputer*, 8(3), 211–219.
- Mandaka, K., & Mistry, S. (2017). Design and development of wearable device using Bluetooth Low Energy. *International Journal of Advance Research in Engineering, Science & Technology*.
- Marques, C., Gonçalves, A., & Nunes, J. (2021). Experimental investigation of a hybrid PV-TEG system operating under real outdoor dynamic tropical conditions with passive finned cooling. *Applied Thermal Engineering*, 190, 116815.
- Marques, P. G. C., Gonçalves, L. M., & Nunes, L. C. (2021). Experimental investigation of a hybrid photovoltaic–thermoelectric generator (PV–TEG) system under natural convection conditions. *Sustainability*, 13(6), 3144. <https://doi.org/10.3390/su13063144>
- Mulyadi, D., & Sutrisno, H. (2021). Monitoring suhu dan kelembaban berbasis IoT menggunakan ThingSpeak. *Jurnal Teknologi dan Sistem Informasi*, 9(2), 145–152.
- Munir, S., Kansakar, P., & Khan, A. (2017). Implementasi fog computing pada sistem pemantauan sensor berbasis IoT. *Jurnal Komputasi dan Rekayasa*, 5(2), 98–106.
- Nugraha, D. A., Rahmatullah, I., & Lestari, F. (2023). IoT-based real-time power monitoring using INA219 sensor on ESP32 platform. *Journal of Electrical Measurement Systems*, 12(2), 45–53.
- Ohnishi, H., & Tomita, H. (2018). Two topics of optical excitation dynamics, newly unveiled by the time- and momentum-resolved photo-electron emission from the conduction band of GaAs. *Applied Sciences*, 8(10), 1788. <https://doi.org/10.3390/app8101788>

- Pan, J., & Zhu, L. (2017). Linearity and Characterization of 1-Wire Digital Temperature Sensor DS18B20. *IEEE International Conference on Sensors*, 14(2), 112-118.
- Pan, T., & Zhu, Y. (2017). *Designing embedded systems with Arduino: A fundamental technology for makers*. Springer Nature Singapore.
- Prasetyo, B. Y., Arman, M., & Darmawan, G. P. (2022). Perbandingan karakteristik sensor temperatur LM35 dan DS18B20 pada simulator cerobong tata udara. *Prosiding Industrial Research Workshop and National Seminar*, 13(1), 553–557.
- Pratama, D. A., & Siregar, I. H. (2018). Uji kinerja panel surya tipe polycrystalline 100WP. *Jurnal Pendidikan Teknik Mesin*, 6(3), 79–85.
- Pratama, E., & Watiasih, R. (2020). Perbandingan performa solar panel monocrystalline dan polycrystalline. *ELKHA: Jurnal Teknik Elektro*, 12(2), 105–111.
- Purnawan, P. W., & Rosita, Y. (2019). Rancang bangun smart home system menggunakan NodeMCU ESP8266 berbasis komunikasi Telegram. *Techno.Com*.
- Purwanto, J., Solli, T. S., & Amin, N. (2019). Rancang bangun pembacaan volume air yang dikonsumsi pelanggan PDAM melalui SMS. *Jurnal Ilmiah Foristek*, 9(2), 17–22.
- Putri, A., Ramadhan, F., & Hidayat, T. (2022). Karakterisasi dan Kalibrasi Sensor INA219 Berbasis Mikrokontroler untuk Pengukuran Daya DC. *Jurnal Instrumentasi Elektronika dan Fisika Terapan*, 3(2), 78-85.
- Putri, M. R., Setyawan, F. X. A., & Sumadi, S. (2022). Sistem kontrol beban dan monitoring daya baterai pada panel surya 50Wp untuk aplikasi penerangan berbasis Internet of Things. *Jurnal Informatika dan Teknik Elektro Terapan*, 10(3), 167–172. <https://doi.org/10.23960/jitet.v10i3.2640>

- Putri, M., & Aryza, S. (2018). Design of security tools using light dependent resistor (LDR) through mobile phone. *International Journal for Innovative Research in Multidisciplinary Field*.
- Rajagukguk, L., Simanjuntak, H., & Situmorang, M. (2023). Pemodelan Matematis Fraksi Energi Sisa pada Sistem Kogenerasi Termoelektrik-Fotovoltaik Hybrid. *Jurnal Fisika Terapan dan Sains Instrumentasi*, 10(2), 64-72.
- Rahman, Y. A., Adam, A. A., Samnur, S., Basri, B., Anwar, K., Hatib, R., & Mustofa, M. (2024). Design of comprehensive monitoring on hybrid photovoltaic and thermoelectric generator using IoT. *Journal of Applied Engineering and Technological Science (JAETS)*, 6(1), 238–248. <https://doi.org/10.37385/jaets.v6i1.5764>
- Rifky, M., A'an Auliq, M., & Wijaya, K. (2024). Analisis Degradasi Termal dan Efisiensi Pembangkitan Energi Fotovoltaik Luar Ruangan. *Jurnal Energi Terbarukan dan Lingkungan Tropis*, 6(2), 115-123.
- Rizza, H., Yendri, D., & Rahmadya, B. (2023). Rancang bangun dispenser hemat energi listrik dan higienis berbasis mikrokontroler. *Penerbit Adab*.
- Rizza, M. A., Prasetyo, B., & Salmawati, E. (2023). Pengujian Akurasi Sensor Suhu DS18B20 untuk Sistem Pemantauan Termal Digital. *Jurnal Instrumentasi dan Otomasi Terapan*, 5(1), 45-52.
- Saleh, U. A., Al-Amin, M., & Rahman, M. M. (2021). Structural optimization and passive cooling management of integrated photovoltaic-thermoelectric hybrid systems: A review. *Renewable and Sustainable Energy Reviews*, 151, 111580.
- Saleh, U. A., Johar, M. A., Jumaat, S. A. B., Rejab, M. N., & Wan Jamaludin, W. A. (2021). Evaluation of a PV–TEG hybrid system configuration for an improved energy output: A review. *International Journal of Renewable Energy Development*, 10(2), 385–400. <https://doi.org/10.14710/ijred.2021.33917>

- Salmawati, R., Hasanah, D., & Firdaus, A. (2024). Analisis resolusi dan waktu konversi sensor DS18B20 untuk aplikasi monitoring suhu digital. *Jurnal Sensor dan Instrumentasi*, 9(1), 45–52.
- Schwartz, M. (2015). *Home automation with the ESP8266: Build home automation systems using the powerful and cheap ESP8266 WiFi chip*. CreateSpace Independent Publishing Platform.
- Sen, S., Gadipuuri, R., & Mulpuri, M. (2020). An IoT-integrated framework for real-time monitoring and control of renewable energy in smart grids for sustainable network computing. *International Journal of Intelligent Systems and Applications in Engineering*, 8(4), 248–270.
- Sripadmanabhan Indira, S., Vaithilingam, C., & Sivasubramanian, R. (2021). Performance Evaluation of a Hybrid PV/TEG System. *MATEC Web of Conferences*.
- Srivastava, D., Kesarwani, A., & Dubey, S. (2018). Measurement of temperature and humidity using Arduino tool and DHT11. *International Research Journal of Engineering and Technology*.
- Sulistiyanto, H., Arifin, M., & Utomo, R. (2025). Implementasi Sensor Multi-Parameter GY-39 pada Stasiun Cuaca Berbasis Internet of Things (IoT). *Jurnal Teknologi Lingkungan dan Instrumentasi*, 7(2), 89-96.
- Sulistiyanto, S., Imaduddin, I., Nadhiroh, A. Y., Widoretno, S., Fahmi, M. H., Mukhlison, M., Zuhair, A., & Pawening, R. E. (2025). IoT-based model for real-time monitoring of new and renewable energy systems. *EUREKA: Physics and Engineering*, (3), 36–48. <https://doi.org/10.21303/2461-4262.2025.003471>
- Suoth, A., Tambunan, J., & Rompas, P. (2018). Analisis Akurasi dan Kalibrasi Sensor Intensitas Cahaya Digital Terhadap Luxmeter Standar dalam Kondisi Cuaca Bervariasi. *Jurnal Fisika dan Aplikasinya*, 14(3), 102-109.

- Suoth, V. A., Mosey, H. I., & Telleng, R. C. (2018). Rancang bangun alat pendeteksi intensitas cahaya berbasis sensor Light Dependent Resistor (LDR). *Jurnal MIPA*, 7(1), 47–51. <https://doi.org/10.35799/jm.7.1.2018.19609>
- Surur, F., Rahmat, I., & Putra, D. (2025). Penerapan RTC dalam sistem otomasi waktu berbasis mikrokontroler. *Jurnal Rekayasa Elektronika*, 7(3), 88–95.
- Sze, S. M., & Ng, K. K. (2006). *Physics of Semiconductor Devices* (3rd ed.). John Wiley & Sons.
- Wahyu, M., & Susanto, B. (2024). Desain sistem monitoring energi berbasis Internet of Things menggunakan sensor INA219. *Jurnal Elektronika dan Otomasi Industri*, 3(2), 101–107.
- Wahyu, R., Nugraha, S., & Kurniawan, A. (2024). Analisis Linearitas dan Tegangan Offset Sensor Digital I2C pada Sistem Monitoring Energi. *Jurnal Teknik Elektro dan Instrumentasi*, 6(1), 12-19.
- Wicaksono, M. F. (2017). Implementasi modul WiFi NodeMCU ESP8266 untuk smart home. *Jurnal Komputika*, 6(1), 1–6.
- Wicaksono, M. F., & Rahmatya, M. D. (2020). Implementasi Arduino dan ESP32 CAM untuk smart home. *Jurnal Teknologi dan Informasi (JATI)*, 10(1), 40–50.
- Tripathi, A., Sharma, V., & Kumar, P. (2024). Arsitektur tiga lapisan IoT pada sistem monitoring energi terbarukan. *Jurnal Informatika Terapan*, 14(1), 33–41.
- Tripathi, P., & Tripathi, N. (2020). A review on cooling techniques for photovoltaic panel under solar concentration. *Renewable and Sustainable Energy Reviews*, 114, 109334.
- Tripathi, S., Mishra, A., & Sharma, P. (2024). Optimization of Sensor Placement and Tilt Angle in Photovoltaic Telemetry Systems. *International Journal of Solar Energy and Instrumentation*, 12(2), 145-152.