

DAFTAR PUSTAKA

- [1] Patra Jasa, "RTC Terintegrasi Pertamina, Upaya Pertamina hadirkan Fasilitas Riset Terintegrasi," Patra Jasa. Diakses: 14 Februari 2026. [Daring]. Tersedia pada: <https://www.patra-jasa.com/id/berita/media-informasi/rtc-terintegrasi-pertamina-upaya-pertamina-hadirkan-fasilitas-riset-terintegrasi/>
- [2] National Fire Protection Association (NFPA), "NFPA 45 Standard on Fire Protection for Laboratories Using Chemicals," National Fire Protection Association (NFPA), 2019. [Daring]. Tersedia pada: www.nfpa.org.
- [3] D. A. . Crowl dan J. F. . Louvar, *Chemical process safety : fundamentals with applications*. Prentice Hall, 2014.
- [4] G. Luttgens, S. Luttgens, dan W. Schubert, *Static Electricity: Understanding, Controlling, Applying*. Wiley-VCH Verlag GmbH & Co. KGaA, 2017.
- [5] National Fire Protection Association (NFPA), "NFPA 77 Recommended Practice on Static Electricity," 2019. [Daring]. Tersedia pada: www.nfpa.org.
- [6] Kędziński, Przemysław dan Szopa, Adam, "The Electrostatic Properties of Plastic Pipes in relation to Ignition Risk – Testing, Assessment and Elimination," *Bezpieczeństwo i Technika Pożarnicza*, 2017, doi: 10.12845/bitp.45.1.2017.1.
- [7] Jyllian Kemsley, "University of Hawaii lab explosion likely originated in electrostatic discharge." Diakses: 9 April 2026. [Daring]. Tersedia pada: <https://cen.acs.org/articles/94/i28/University-Hawaii-lab-explosion-likely.html>
- [8] B. Meacham dan M. McNamee, *Handbook of Fire and the Environment: Impacts and Mitigation*. Springer Nature Switzerland AG, 2023.
- [9] Airgas, "Safety Data Sheet Hydrogen," 2025.
- [10] National Fire Protection Association, "NFPA 67 Guide on Explosion Protection for Gaseous Mixtures in Pipe Systems," National Fire Protection Association, 2019. [Daring]. Tersedia pada: www.nfpa.org.
- [11] I. Pavey, "Practical Guide Industrial Electrostatics-Hazards, Problems and Applications About the Author," 2018.
- [12] I. Sandu dan F. Restuccia, "Static Electricity Incident Review," 2021.
- [13] J. Hu, M. Iwamoto, dan X. Chen, "A Review of Contact Electrification at Diversified Interfaces and Related Applications on Triboelectric Nanogenerator," *Nanomicro Lett.*, 2024, doi: 10.1007/s40820-023-01238-8.

- [14] F. Galembeck dan T. Burgo, *Chemical Electrostatics: New Ideas on Electrostatic Charging: Mechanisms and Consequences*. Springer International Publishing AG, 2017.
- [15] V. Babrauskas, "Fires due to Electric Arcing: Can 'Cause' Beads Be Distinguished from 'Victim' Beads by Physical or Chemical Testing?," *Interscience Communications Ltd*, 2003.
- [16] Ridwan, *Mekanika Fluida Dasar*. Penerbit Gunadarma.
- [17] B. K. Sultanian, *Fluid Mechanics: An Intermediate Approach*, 2 ed. CRC Press, 2025.
- [18] M. Korobkov, K. Pileckas, dan R. Russo, *The Steady Navier-Stokes System: Basics of the Theory and the Leray Problem*. Birkhäuser, 2024.
- [19] Y. Cengel dan J. Cimbala, *Fluid Mechanics: Fundamentals and Applications*. McGraw Hill LLC, 2024.
- [20] G. L. Hearn, "Electrostatic ignition hazards arising from fuel flow in plastic pipelines," *J. Loss Prev. Process Ind.*, vol. 15, hlm. 109, 2002, [Daring]. Tersedia pada: www.elsevier.com/locate/jlp
- [21] H. Grosshans dan M. V. Papalexandris, "Direct numerical simulation of triboelectric charging in particle-laden turbulent channel flows," *J. Fluid Mech.*, vol. 818, Mei 2017, doi: 10.1017/jfm.2017.157.
- [22] A. E. . Cote, J. Raymond. Hall, C. C. . Grant, dan R. E. . Solomon, *Fire Protection Handbook*, 20 ed., vol. 1. National Fire Protection Association, 2008.
- [23] Health and Safety Authority, "Local Exhaust Ventilation (LEV) Guidance," Jan 2014.
- [24] Y. Li dkk., "Visualization and standardized quantification of surface charge density for triboelectric materials," *Nat. Commun.*, vol. 15, no. 1, Des 2024, doi: 10.1038/s41467-024-49660-9.
- [25] Institut of Electrical and Electrostatic Engineers, "IEEE Recommended Practice for Grounding of Industrial and Commercial Power Systems," Institute of Electrical and Electronics Engineers, 2007.
- [26] G. Wang, J. Shi, Z. Wang, dan R. Yao, "Analysis of static electricity risks in nonmetallic pipelines for hydrogen transportation," *Sci. Rep.*, vol. 15, no. 1, Des 2025, doi: 10.1038/s41598-025-16110-5.

- [27] H. Zhu, H. Zhao, Q. Pan, dan X. Li, "Coupling analysis of fluid-structure interaction and flow erosion of gas-solid flow in elbow pipe," *Advances in Mechanical Engineering*, vol. 2014, 2014, doi: 10.1155/2014/815945.
- [28] Y. Zhao, H. Liu, Y. Ma, dan J. Yao, "Numerical Investigation of Particle Behavior Under Electrostatic Effect in Bifurcated Tubes," *Fluids*, vol. 10, no. 10, Okt 2025, doi: 10.3390/fluids10100263.
- [29] S. Matsusaka, H. Umemoto, M. Nishitani, dan H. Masuda, "Electrostatic charge distribution of particles in gas-solids pipe flow," 2002.
- [30] Badan Standar Nasional (BSN), "Persyaratan Umum Instalasi Listrik (PUIL) 2020 – Bagian 1: Pendahuluan, prinsip fundamental dan definisi," 2020. [Daring]. Tersedia pada: www.bsn.go.id
- [31] Institut of Electrical and Electrostatic Engineers, "IEEE guide for safety in AC substation grounding," Institute of Electrical and Electronics Engineers, 2000.
- [32] National Fire Protection Association, "NFPA 2 Hydrogen Technologies Code," National Fire Protection Association, 2020.
- [33] E. De Rademaeker, B. Fabiano, S. S. Buratti, U. Nilsson, I. Karlsson, dan K. Nessvi, "Electrostatic Discharges from Non-Conductive Materials," 2013. [Daring]. Tersedia pada: www.aidic.it/cet
- [34] T. Imamura, T. Mogi, dan Y. Wada, "Control of the ignition possibility of hydrogen by electrostatic discharge at a ventilation duct outlet," *Int. J. Hydrogen Energy*, vol. 34, no. 6, hlm. 2815–2823, Mar 2009, doi: 10.1016/j.ijhydene.2009.01.028.
- [35] J. Byeon, H. Park, dan W. Ko, "Comparative Analysis of Electrostatic Charging Characteristics Considering the Flow Conditions of Nonconductive Flammable Liquids," *Energies (Basel)*, vol. 17, no. 23, Des 2024, doi: 10.3390/en17235987.
- [36] E. G. Merilo, M. A. Groethe, R. C. Adamo, R. W. Schefer, W. G. Houf, dan D. E. Dedrick, "Self-ignition of hydrogen releases through electrostatic discharge induced by entrained particulates," *Int. J. Hydrogen Energy*, vol. 37, no. 22, hlm. 17561–17570, Nov 2012, doi: 10.1016/j.ijhydene.2012.03.167.
- [37] H. Grosshans dan M. V. Papalexandris, "Direct numerical simulation of triboelectric charging in particle-laden turbulent channel flows," *J. Fluid Mech.*, vol. 818, hlm. 465–491, Mei 2017, doi: 10.1017/jfm.2017.157.
- [38] G. L. Hearn, "Electrostatic ignition hazards arising from fuel flow in plastic pipelines," 2002. [Daring]. Tersedia pada: www.elsevier.com/locate/jlp

- [39] Y. Zhao, H. Liu, Y. Ma, dan J. Yao, "Numerical Investigation of Particle Behavior Under Electrostatic Effect in Bifurcated Tubes," *Fluids*, vol. 10, no. 10, Okt 2025, doi: 10.3390/fluids10100263.
- [40] H. Zhu, H. Zhao, Q. Pan, dan X. Li, "Coupling Analysis of Fluid-Structure Interaction and Flow Erosion of Gas-Solid Flow in Elbow Pipe," *Advances in Mechanical Engineering*, vol. 2014, 2014, doi: 10.1155/2014/815945.
- [41] G. Wang, J. Shi, Z. Wang, dan R. Yao, "Analysis of Static Electricity Risks in Nonmetallic Pipelines for Hydrogen Transportation," *Sci. Rep.*, vol. 15, no. 1, Des 2025, doi: 10.1038/s41598-025-16110-5.



Intelligentia - Dignitas