

DAFTAR PUSTAKA

- AISI, A. I. S. M. I. (2024). *Data penjualan sepeda motor Indonesia tahun 2024*. Asosiasi Industri Sepeda Motor Indonesia (AISI). <https://www.aisi.or.id/statistic/>
- AMDET. (2013). *Materials Tensile Testing Guide*. July.
- ASTM INTERNATIONAL. (2018). Standard Test Methods for Rubber Properties in Compression or Shear (Mechanical. Society, 39(1), 1–4. <https://doi.org/10.1520/D0575-91R18.2>
- ASTM INTERNATIONAL. (2021). *Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers* —. 16(Reapproved), 1–14. <https://doi.org/10.1520/D0412-16R21.2>
- Badan Standarisasi Nasional. (2019). *Ban sepeda motor*.
- Benli, S. (1997). *Effect of Fillers on Thermal and Mechanical Properties of Polyurethane Elastomer* . 1057–1065.
- BPS. (2024). *Perkembangan Jumlah Kendaraan Bermotor Menurut Jenis (Unit), 2024*. Badan Pusat Statistik. <https://www.bps.go.id/id/statistics-table/2/NTcjMg==/perkembangan-jumlah-kendaraan-bermotor-menurut-jenis.html>
- Chu, Q., Tian, X., Bian, H., & Wang, C. (2025). Optimization of Mechanical and Dynamic Properties of Tread Rubber Using Fumed Silica and Hydration Processing. *Polymers*, 17(6). <https://doi.org/10.3390/polym17060714>
- Debbarma, K., Debnath, B., & Sarkar, P. P. (2022). A comprehensive review on the usage of nanomaterials in asphalt mixes. *Construction and Building Materials*, 361(October). <https://doi.org/10.1016/j.conbuildmat.2022.129634>
- Deng, Y., Wang, Z., Shen, H., Gong, J., & Xiao, Z. (2023). A comprehensive review on non-pneumatic tyre research. *Materials and Design*,

227(February). <https://doi.org/10.1016/j.matdes.2023.111742>

- Ding, J., & Ye, L. (2012). Structure and property of polyurethane/SiO₂ composite elastomer prepared via in situ polymerization. *Journal of Applied Polymer Science*, 127(4), 2732–2738. <https://doi.org/10.1002/app.37590>
- Do, T. V. V., Le, V. H. V., Thai, N. U. N., Dai, H. N., Grillet, A. C., & Thuc, C. N. H. (2021). The influence of nano-silica on the thermal conductivity of polyurethane foam. *Journal of Applied Polymer Science*, 138(30). <https://doi.org/10.1002/app.50715>
- Dourbash, A., Buratti, C., Belloni, E., & Motahari, S. (2017). Preparation and characterization of polyurethane/silica aerogel nanocomposite materials. *Journal of Applied Polymer Science*, 134(8), 1–13. <https://doi.org/10.1002/app.44521>
- Echarri-Giacchi, M., & Martín-Martínez, J. M. (2023). Structural and adhesion properties of waterborne polyurethane adhesives containing nanosilica dispersion obtained with different physical mixing procedures. *International Journal of Adhesion and Adhesives*, 123(January), 103342. <https://doi.org/10.1016/j.ijadhadh.2023.103342>
- Faridmehr, I., Hanim Osman, M., Bin Adnan, A., Farokhi Nejad, A., Hodjati, R., & Amin Azimi, M. (2014). Correlation between Engineering Stress-Strain and True Stress-Strain Curve. *American Journal of Civil Engineering and Architecture*, 2(1), 53–59. <https://doi.org/10.12691/ajcea-2-1-6>
- Farroni, F., Mancinelli, N., & Timpone, F. (2020). *applied sciences A Real-Time Thermal Model for the Analysis of Tire / Road Interaction in Motorcycle Applications*.
- Fu, S. Y., Feng, X. Q., Lauke, B., & Mai, Y. W. (2008). Effects of particle size, particle/matrix interface adhesion and particle loading on mechanical properties of particulate-polymer composites. *Composites Part B: Engineering*, 39(6), 933–961. <https://doi.org/10.1016/j.compositesb.2008.01.002>

- Gajdošová, V., Špírková, M., Aguilar Costumbre, Y., Krejčíková, S., Strachota, B., Šlouf, M., & Strachota, A. (2023). Morphology, Micromechanical, and Macromechanical Properties of Novel Waterborne Poly(urethane-urea)/Silica Nanocomposites. *Materials*, 16(5). <https://doi.org/10.3390/ma16051767>
- Genovese, A., Garofano, D., Sakhnevych, A., Timpone, F., & Farroni, F. (2021). *Static and Dynamic Analysis of Non-Pneumatic Tires Based on Experimental and Numerical Methods*.
- Gent, A. N., & Walter, J. D. (1898). The Pneumatic Tire. *Scientific American*, 45(1152supp), 18408–18409. <https://doi.org/10.1038/scientificamerican01291898-18408bsupp>
- Genta, G., & Morello, L. (2009). *The automotive chassis part I*.
- Gkouti, E., Chaudhry, M. S., Yenigun, B., & Czekanski, A. (2022). High-Strain-Rate Compression of Elastomers Subjected to Temperature and Humidity Conditions. *Materials*, 15(22). <https://doi.org/10.3390/ma15227931>
- Goldstein, J. I., Newbury, D. E., Michael, J. R., Ritchie, N. W. M., Scott, J. H. J., & Joy, D. C. (2017). *Microscopy and X-Ray Microanalysis*.
- Hankin, H., Gagen, J., Peters, W., Crann, A., Chen, Y., Fares, S., & Sareh, P. (2025). Materials & Design Airless tires : Structural concepts , mechanical design , and application prospects. *Materials & Design*, 253(April), 113933. <https://doi.org/10.1016/j.matdes.2025.113933>
- Hassanajili, S., & Sajedi, M. T. (2016). Fumed silica/polyurethane nanocomposites: effect of silica concentration and its surface modification on rheology and mechanical properties. *Iranian Polymer Journal (English Edition)*, 25(8), 697–710. <https://doi.org/10.1007/s13726-016-0458-0>
- Heply, S. A., & Siahaan, D. Z. (2022). Analisis Penyebab Kecelakaan Lalu Lintas di Kota Tanjung Pinang Kepulauan Riau. *Aufklärung: Jurnal Pendidikan, Sosial, Dan Humaniora*, 2(3), 200–214.
- International Organization for Standardization. (2025). *Motorcycle tyres — Test*

methods for verifying tyre capabilities. International Organization for Standardization. International Organization for Standardization

- Kim, J. H., Ahn, J. H., Kim, J. D., Lee, D. H., Kim, S. K., & Lee, J. M. (2021). Influence of silica-aerogel on mechanical characteristics of polyurethane-based composites: Thermal conductivity and strength. *Materials*, 14(7). <https://doi.org/10.3390/ma14071790>
- Korlantas Polri. (2024). *Kecelakaan Lalu Lintas di Indonesia Didominasi Oleh Kendaraan Roda dua*. Korlantas POLRI. https://korlantas.polri.go.id/kecelakaan-lalulintas-di-indonesia-didominasi-oleh-kendaraan-roda-dua/?utm_source=chatgpt.com
- Kundu, S., Jana, P., De, D., & Roy, M. (2015). SEM image processing of polymer nanocomposites to estimate filler content. *Proceedings of 2015 IEEE International Conference on Electrical, Computer and Communication Technologies, ICECCT 2015*, 1–5. <https://doi.org/10.1109/ICECCT.2015.7226104>
- Lee, D. I., Ha, Y. H., Jeon, H., & Kim, S. H. (2022). Preparation and Properties of Polyurethane Composite Foams with Silica-Based Fillers. *Applied Sciences (Switzerland)*, 12(15). <https://doi.org/10.3390/app12157418>
- Maganty, S., Roma, M. P. C., Meschter, S. J., Starkey, D., Gomez, M., Edwards, D. G., Ekin, A., Elsken, K., & Cho, J. (2016). Progress in Organic Coatings Enhanced mechanical properties of polyurethane composite coatings through nanosilica addition. *Progress in Organic Coatings*, 90, 243–251. <https://doi.org/10.1016/j.porgcoat.2015.10.016>
- Mohan, A., Johny, C. A., Tamilarasu, A., Bhasker, J. P., & Ravi, K. (2017). *Design and analysis of non-pneumatic tyre*. <https://doi.org/10.1088/1757-899X/263/6/062061>
- Nuhu, I., Awang, N., Yajid, M. A. M., & Ali, W. F. F. W. (2024). Development of Polyurethane–Silica Aerogel Composite As Thermal Insulation Material for Cryogenic Insulation Application. *Malaysian Journal of Microscopy*, 20(1), 134–141.

- Nunes, R. C. R., Fonseca, J. L. C., & Pereira, M. R. (2000). *Polymer – filler interactions and mechanical properties of a polyurethane elastomer*. 19, 93–103.
- Pabst, W., & Gregorová, E. (2013). Elastic properties of silica polymorphs-a review. *Ceramics - Silikaty*, 57(3), 167–184.
- Prathama, R. A. (2020). Analisis Interference Fit Antara Ban Airless Dan Velg Sepeda Motor Dengan. *Skripsi*.
- Prisacariu, C. (2011). *Polyurethane Elastomers From Morphology to Mechanical Aspects*.
- Rajabimashhadi, Z., Naghizadeh, R., Zolriasatein, A., Bagheri, S., Mele, C., & Corcione, C. E. (2023). Hydrophobic, Mechanical, and Physical Properties of Polyurethane Nanocomposite: Synergistic Impact of Mg(OH)₂ and SiO₂. *Polymers*, 15(1916).
- Saha, C., Bahera, P. K., Raut, S. K., & Singha, N. K. (2021). A Thermoplastic Polyurethane /Nanosilica Composite via Melt Mixing Process and its Properties. *Silicon*, 13(4), 1041–1049. <https://doi.org/10.1007/s12633-020-00487-1>
- Siot, A., Longuet, C., Léger, R., Otazaghine, B., Ienny, P., Caro-Bretelle, A. S., & Azéma, N. (2018). Correlation between process and silica dispersion/distribution into composite: Impact on mechanical properties and Weibull statistical analysis. *Polymer Testing*, 70, 92–101. <https://doi.org/10.1016/j.polymertesting.2018.06.007>
- Sonnenschein, M. F. (2021). *Science, Technology, Markets, and Trends*.
- Thinks Physics. (2019). *Apa itu Scanning Electron Microscope (SEM) dan Prinsip Kerja SEM*. Thinks Physics. <https://www.thinksphysics.com/2021/09/apa-itu-scanning-electron-microscope-dan-prinsip-kerja-sem.html>
- Torró-Palau, A. M., Fernández-García, J. C., César Orgilés-Barceló, A., & Martín-Martínez, J. M. (2001). Characterization of polyurethanes

- containing different silicas. *International Journal of Adhesion and Adhesives*, 21(1), 1–9. [https://doi.org/10.1016/S0143-7496\(00\)00021-X](https://doi.org/10.1016/S0143-7496(00)00021-X)
- United Nations. (1997). *Pneumatic tyres for motorcycles and mopeds*. March, 1–45.
- Victor. (2022). *THE COMPREHENSIVE GUIDE TO ASTM D412 ELASTOMER TENSILE TESTING*. Victor Material Testing Equipments.
- Wi, A. M., & Mami, M. L. (2020). *Polymers The Effect of Silica-Filler on Polyurethane Adhesives Based on Renewable Resource for Wood Bonding*. 1–13.
- Xu, B., & Chen, X. (2010). Determining engineering stress-strain curve directly from the load-depth curve of spherical indentation test. *Journal of Materials Research*, 25(12), 2297–2307. <https://doi.org/10.1557/jmr.2010.0310>
- Yalcin, D. (2021). Tensile Testing Concepts & Definitions. *Materials Testing System Manufacturer*, 5, 2–9.
- Yang, D., Li, J., Huang, C., & Li, K. (2024). *A review of research on tire burst and vehicle stability control*. 107(3), 1–29. <https://doi.org/10.1177/00368504241272478>
- Yılğör, İ., & Yılğör, E. (2020). *Polyurethanes: Design, Synthesis and Structure-Property Behavior of Versatile Materials* *Polüüretanlar: Çok Yönlü Malzemelerin Tasarımı, Sentezi ve Yapı-Performans İlişkileri*. 48(5), 425–445.
- Zhang, J., Jiang, G., Huang, T., Yu, W., & Gao, Y. (2019). *Synthesis and performance of polyurethane / silicon oxide nano-composite coatings*. 301–307.
- Zheng, Z., Song, Y., Wang, X., & Zheng, Q. (2015). Adjustable rheology of fumed silica dispersion in urethane prepolymers: Composition-dependent sol and gel behaviors and energy-mediated shear responses. *Journal of Rheology*, 59(4), 971–993. <https://doi.org/10.1122/1.4922010>

Zmuda, M., & Jackowski, J. (2025). *The Review of Selected Non-Pneumatic Tires Properties — Load Carrying Mechanism , Structure of Non-Pneumatic Tires.*

Zwick Roell. (n.d.). *Universal Testing Machines for Static Applications.* Zwick Roell. <https://www.zwickroell.com/products/static-materials-testing-machines/universal-testing-machines-for-static-applications/>



Intelligentia - Dignitas