

DAFTAR PUSTAKA

- ADMET. (2013). *Materials Tensile Testing Guide*. (July).
- Ali, M., Maarij, M., & Hussain, A. (2022). Design and structural analysis of non-pneumatic tyres for different structures of *Polyurethane* spokes. *Journal of Engineering and Applied Science*, 69(1), 1–21. <https://doi.org/10.1186/s44147-022-00093-5>
- Ashrafizadeh, H., Mertiny, P., & McDonald, A. (2016). Evaluation of the effect of temperatur on mechanical properties and wear resistance of *Polyurethane* elastomers. *Wear*, 368–369, 26–38. <https://doi.org/10.1016/j.wear.2016.08.008>
- ASTM INTERNATIONAL. (2018). Standard Test Methods for Rubber Properties in Compression or Shear (Mechanical. *Society*, 39(1), 1–4. <https://doi.org/10.1520/D0575-91R18.2>
- ASTM INTERNATIONAL. (2021). *Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers* —. 16(Reapproved), 1–14. <https://doi.org/10.1520/D0412-16R21.2>
- Benli, S., Yilmazer, Ü., Pekel, F., & Özkar, S. (1998). Effect of fillers on thermal and mechanical properties of *Polyurethane* elastomer. *Journal of Applied Polymer Science*, 68(7), 1057–1065. [https://doi.org/10.1002/\(sici\)1097-4628\(19980516\)68:7<1057::aid-app3>3.3.co;2-e](https://doi.org/10.1002/(sici)1097-4628(19980516)68:7<1057::aid-app3>3.3.co;2-e)
- Blagojevic, S. L., Buhin, Z., Pustak, A., & Kovac̃ic, R. L. K. (2010). Influence of NanoSilica on the Morphology, Thermal and Mechanical Properties of *Polyurethane* Elastomer. *Journal of Applied Polymer Science*, 116(5), 2658–2667. <https://doi.org/10.1002/app>
- BPS. (2024). *Perkembangan Jumlah Kendaraan Bermotor Menurut Jenis (Unit)*, 2024. Badan Pusat Statistik. <https://www.bps.go.id/id/statistics-table/2/NTcjMg==/perkembangan-jumlah-kendaraan-bermotor-menurut-jenis--unit-.html>

- Candau, N., Oguz, O., Eloy, C., Stoclet, G., Tahon, J., & Lluïsa, M. (2021). Strain induced crystallization in vulcanized natural rubber containing ground tire rubber particles with reinforcement and nucleation abilities. *Polymer Testing*, 101, 107313. <https://doi.org/10.1016/j.polymertesting.2021.107313>
- Chiacchiarelli, L. M., Puri, I., Puglia, D., Kenny, J. M., & Torre, L. (2013). The relationship between nanoSilica dispersion degree and the Tensile properties of Polyurethane nanocomposites. *Colloid and Polymer Science*, 291(12), 2745–2753. <https://doi.org/10.1007/s00396-013-3019-5>
- Chu, Q., Tian, X., Bian, H., & Wang, C. (2025). Optimization of Mechanical and Dynamic Properties of Tread Rubber Using Fumed Silica and Hydration Processing. *Polymers*, 17(6). <https://doi.org/10.3390/polym17060714>
- Deng, Y., Wang, Z., Shen, H., Gong, J., & Xiao, Z. (2023). A comprehensive review on non-pneumatic tyre research. *Materials and Design*, 227(February). <https://doi.org/10.1016/j.matdes.2023.111742>
- Dhrangdhariya, P., Maiti, S., & Rai, B. (2021). Effect of Spoke Design and Material Nonlinearity on Non-pneumatic Tire Stiffness and Durability Performance. *SAE International Journal of Passenger Cars - Mechanical Systems*, 14(2), 1–28. <https://doi.org/10.4271/06-14-02-0008>
- Ding, J., & Ye, L. (2012). Structure and property of Polyurethane/SiO₂ composite elastomer prepared via in situ polymerization. *Journal of Applied Polymer Science*, 127(4), 2732–2738. <https://doi.org/10.1002/app.37590>
- Faridmehr, I., Hanim Osman, M., Bin Adnan, A., Farokhi Nejad, A., Hodjati, R., & Amin Azimi, M. (2014). Correlation between Engineering Stress-Strain and True Stress-Strain Curve. *American Journal of Civil Engineering and Architecture*, 2(1), 53–59. <https://doi.org/10.12691/ajcea-2-1-6>
- Farroni, F., Mancinelli, N., & Timpone, F. (2020a). A real-time thermal model for the analysis of tire/road interaction in motorcycle applications. *Applied Sciences (Switzerland)*, 10(5). <https://doi.org/10.3390/app10051604>

- Fu, H., Liang, X., Wang, Y., Ku, L., & Xiao, Z. (2022). Thermal Mechanical Coupling Analysis of a Flexible Spoke Non-pneumatic Tire. *Strojniski Vestnik/Journal of Mechanical Engineering*, 68(3), 143–154. <https://doi.org/10.5545/sv-jme.2021.7401>
- Gajdošová, V., Špírková, M., Aguilar Costumbre, Y., Krejčíková, S., Strachota, B., Šlouf, M., & Strachota, A. (2023). Morphology, Micromechanical, and Macromechanical Properties of Novel Waterborne Poly(urethane-urea)/Silica Nanocomposites. *Materials*, 16(5). <https://doi.org/10.3390/ma16051767>
- Goldstein, J. I., Newbury, D. E., Michael, J. R., Ritchie, N. W. M., Scott, J. H. J., & Joy, D. C. (2018). *Microscopy and X-Ray Microanalysis*.
- Halimatus Sa'diyah, N., Mariadi Kaharmen, H., & Shofiah, S. (2020). Efisiensi Rem Kendaraan Isuzu Tld 24 C Dengan Variasi Beban Dan Tekanan Angin Ban. *Jurnal Keselamatan Transportasi Jalan (Indonesian Journal of Road Safety)*, 7(2), 137–141. <https://doi.org/10.46447/ktj.v7i2.208>
- Hankin, H., Gagen, J., Peters, W., Crann, A., Chen, Y., Fares, S., & Sareh, P. (2025). Materials & Design Airless tires : Structural concepts , mechanical design , and application prospects. *Materials & Design*, 253(April), 113933. <https://doi.org/10.1016/j.matdes.2025.113933>
- Javni, I., Zhang, W., Karajkov, V., Petrovic, Z. S., & Divjakovic, V. (2002). Effect of nano- and micro-Silica fillers on Polyurethane foam properties. *Journal of Cellular Plastics*, 38(3), 229–239. <https://doi.org/10.1177/0021955X02038003139>
- Ju, J., Kim, D., & Kim, K. (2012). Flexible cellular solid spokes of a non-pneumatic tire. *Composite Structures*, 94(8), 2285–2295. <https://doi.org/10.1016/j.compstruct.2011.12.022>
- Kim, J. H., Ahn, J. H., Kim, J. D., Lee, D. H., Kim, S. K., & Lee, J. M. (2021). Influence of Silica-aerogel on mechanical characteristics of Polyurethane-

- based composites: Thermal conductivity and *Strength. Materials*, 14(7).
<https://doi.org/10.3390/ma14071790>
- Kuo, C. C., Chen, G. P., & Huang, S. W. (2018). Study and analysis of process parameters for *silicone rubber mold. Medziagotyra*, 24(4), 399–402.
<https://doi.org/10.5755/j01.ms.24.4.14852>
- Liu, T., Deng, Y., Lu, K., Shen, H., Gong, J., & Li, H. (2024). Mechanical properties analysis of non-pneumatic tire with gradient honeycomb structure. *Engineering Science and Technology, an International Journal*, 59(July), 101871. <https://doi.org/10.1016/j.jestch.2024.101871>
- Liu, Y., Chen, W., & Jiang, D. (2023). Review on Heat Generation of Rubber Composites. *Polymers*, 15(1). <https://doi.org/10.3390/polym15010002>
- Luukkonen, A., Sarlin, E., Villman, V., Hoikkanen, M., Vippola, M., Kallio, M., Vuorinen, J., & Lepistö, T. (2009). Heat generation in dynamic loading of hybrid rubber-steel composite structure. *ICCM International Conferences on Composite Materials*.
- Medalia, A. I. (1991). Heat generation in elastomer compounds. Causes and effects. In *Rubber Chemistry and Technology* (Vol. 64, Number 3, pp. 481–492). <https://doi.org/10.5254/1.3538565>
- Mohan, A., Johny, C. A., Tamilarasu, A., Bhasker, J. P., & Ravi, K. (2017). Design and analysis of non-pneumatic tyre. *IOP Conference Series: Materials Science and Engineering*, 263(6). <https://doi.org/10.1088/1757-899X/263/6/062061>
- Mulyono, A., Ardyanto, D., Gunarko, Harnyoto, Farid, H., & Wibowo. (2018). *RANCANG BANGUN RODA TANPA UDARA (AIRLESS TYRE)*. 7(2), 193–197.
- Naheed, S., Siddique, Z., Anjum, A., Salman, M., Rasool, N., & Hassan, A. (2025). *Study of thermal , mechanical , and shape- memory properties of nanofiller-reinforced Polyurethane*.

- Nunes, R. C. R., Fonseca, J. L. C., & Pereira, M. R. (2000). Polymer-filler interactions and mechanical properties of a *Polyurethane* elastomer. *Polymer Testing*, 19(1), 93–103. [https://doi.org/10.1016/S0142-9418\(98\)00075-0](https://doi.org/10.1016/S0142-9418(98)00075-0)
- Omidi-Ghallemohamadi, M., Jafari, P., & Behniafar, H. (2021). *Polyurethane* elastomer–*Silica* hybrid films based on oxytetramethylene soft segments: thermal and thermo-mechanical investigations. *Journal of Polymer Research*, 28(3), 1–9. <https://doi.org/10.1007/s10965-021-02466-5>
- Praditya, I. I. (2019). *KNKT: 80 Persen Kecelakaan Kendaraan karena Ban Kurang Angin*. <https://www.liputan6.com/bisnis/read/4104440/knkt-80-persen-kecelakaan-kendaraan-karena-ban-kurang-angin?page=3>
- Prathama, R. A. (2020). *ANALISIS INTERFERENCE FIT ANTARA BAN AIRLESS DAN VELG SEPEDA MOTOR DENGAN*.
- Qian, M., Wang, X., Yao, L. Y., & Zhu, Y. (2024). Enhanced Mechanical and Dielectric Properties of *Polyurethane* Elastomers Containing Modified SiO₂. *ACS Omega*, 9(47), 47315–47323. <https://doi.org/10.1021/acsomega.4c08565>
- Samudra, S. G., & Yamin, M. (2021). *PERANCANGAN DAN ANALISIS STATIS BAN TANPA UDARA (AIRLESS TIRE) UNTUK UKURAN 165/65 R12*. 13(1), 43–54.
- Sandberg, U. (2020). The Airless Tire: Will this Revolutionary Concept be the Tire of the Future? *Modern Concepts in Material Science*, 3(3), 1–6. <https://doi.org/10.33552/mcms.2020.03.000563>
- Sardinha, M., Fátima Vaz, M., Ramos, T. R. P., & Reis, L. (2023). Design, properties, and applications of non-pneumatic tires: A review. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 237(11), 2677–2697. <https://doi.org/10.1177/14644207231177302>

- Selma, A., & Maulana, A. (2024). *Sepanjang 2024 Angka Kecelakaan Lalu Lintas di Indonesia Tembus 220.647 Kasus*.
<https://otomotif.kompas.com/read/2024/11/22/171200115/sepanjang-2024-angka-kecelakaan-lalu-lintas-di-indonesia-tembus-220.647.%0A>
- Song, S. H. (2021). Study on *Silica*-based rubber composites with epoxidized natural rubber and solution styrene butadiene rubber. *Polymers and Polymer Composites*, 29(9), 1422–1429.
<https://doi.org/10.1177/0967391120971391>
- Sun, M., Zhong, H., Qin, K., Xu, T., Yang, W., Zhang, Y., & Lu, L. (2024). The Development of Processing Methods and Materials Used for Non-Pneumatic Tires: A Review. *Materials*, 17(22).
<https://doi.org/10.3390/ma17225660>
- Victor. (2022). *THE COMPREHENSIVE GUIDE TO ASTM D412 ELASTOMER TENSILE TESTING*. Victor Material Testing Equipments.
<https://www.victortestingmachine.com/the-comprehensive-guide-to-astm-d412-elastomer-Tensile-testing/>
- Williams, D. B., & Carter, C. B. (2023). Transmission electron microscope. In *Non-Destructive Material Characterization Methods*.
<https://doi.org/10.1016/B978-0-323-91150-4.00023-9>
- Xu, B., & Chen, X. (2010). Determining engineering stress-strain curve directly from the load-depth curve of spherical indentation test. *Journal of Materials Research*, 25(12), 2297–2307. <https://doi.org/10.1557/jmr.2010.0310>
- Yalcin, D. (2021). *Tensile Testing Concepts & Definitions*. *Materials Testing System Manufacturer*, (5), 2–9.
- Zhou, H., Zhou, H., Ren, H., Zheng, Z., & Wang, G. (2025). Performance Analysis and Multi-Objective Optimization of Functional Gradient Honeycomb Non-pneumatic Tires. *Chinese Journal of Mechanical Engineering (English Edition)*, 38(1). <https://doi.org/10.1186/s10033-025-01235-5>

Zmuda, M., & Jackowski, J. (2025). *The Review of Selected Non-Pneumatic Tires Properties — Load Carrying Mechanism , Structure of Non-Pneumatic Tires.*

Zwick Roell. (n.d.). *Universal Testing Machines for Static Applications.* Zwick Roell. Retrieved <https://www.zwickroell.com/products/static-materials-testing-machines/universal-testing-machines-for-static-applications/>

