

DAFTAR PUSTAKA

- Afdal. (2007). Siklus karbon di atmosfer dan samudera. *Oseana*, 12(2), 29–41.
- Ainurrohman, S., & Sudarti, S. (2022). Analisis Perubahan Iklim dan Global Warming yang Terjadi sebagai Fase Kritis. *Jurnal Phi: Jurnal Pendidikan Fisika ...*, 3(3), 1–10.
- Alawadhi, F. (2024). Effects of global warming on climate change. *The International Journal of Excellence in Environmental Management*, 4(1).
- Alkautsar, M., Suryono, C. A., & Pratikto, I. (2022). Korelasi antara ukuran butir sedimen non pasir dengan kandungan bahan organik di perairan Morodemak, Kabupaten Demak. *Journal of Marine Research*, 11(3), 391–398. <https://doi.org/10.14710/jmr.v11i3.35020>
- Alongi, D.M., Murdiyarso, D., Fourqurean, J.W., Kauffman, J.B., Hutahaeen, A., Crooks, S., Lovelock, C.E., Howard, J., Herr, D., Fortes, M., Pidgeon, E., Wagey, T., (2016). Indonesia's blue carbon: a globally significant and vulnerable sink for seagrass and mangrove carbon. *Wetl. Ecol. Manag.* 24, 3–13.
- Amir, A., Subhan, B., & Madduppa, H. (2017). Struktur komunitas lamun di pesisir Flores dan hubungannya dengan kondisi lingkungan. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 9(2), 521–532.
- Analuddin, K., Sharma, S., Kadidae, L. O., Haya, L. O. M. Y., Septiana, A., Rahim, S., Syahrir, L., Aba, L., Fajar, L. O. A., MacKenzie, R. A., & Nadaoka, K. (2023). Blue carbon stock in sediments of mangroves and seagrass ecosystems at Southeast Sulawesi, Indonesia. *Ecological Research*, 38(4), 508–520. <https://doi.org/10.1111/1440-1703.12374>
- Aoki, L. R., McGlathery, K. J., Wiberg, P. L., & Al-Haj, A. (2020). Depth affects sediment carbon storage in seagrass meadows. *Estuaries and Coasts*, 43(2), 343–357.
- Asplund, M. E., Dahl, M., Ismail, R. O., Arias-Ortiz, A., Deyanova, D., Franco, J. N., Hammar, L., Hoamby, A. I., Linderholm, H. W., Lyimo, L. D., Perry, D., Rasmusson, L. M., Ridgway, S. N., Salgado Gispert, G., D'Agata, S., Glass, L., Mahafina, J. A., Ramahery, V., Masqué, P., Björk, M., & Gullström, M. (2021). Dynamics and fate of blue carbon in a mangrove–seagrass seascape: Influence of landscape configuration and land-use change. *Landscape Ecology*, 36(5), 1489–1509. <https://doi.org/10.1007/s10980-021-01216-8>
- Ati, R. N. A., Rustam, A., Kepel, T. L., Sudirman, N., Astrid, M., Daulat, A., Mangindaan, P., Salim, H. L., & Hutahaeen, A. A. (2015). Stok Karbon Dan Struktur Komunitas Mangrove Sebagai Blue Carbon Di Tanjung Lesung,

- Banten. *Jurnal Segara*, 10(2). <https://doi.org/10.15578/segara.v10i2.21>
- Avnimelech, Y., Ritvo, G., Meijer, L. E., & Kochba, M. (2001). Water content, organic carbon and dry bulk density in flooded sediments. *Aquacultural Engineering*, 25(1), 25–33.
- Azkab, M. H. (2000). Struktur dan Fungsi pada Komunitas Lamun. *Jurnal Oseana*, 25(3), 9–17.
- Azkab, M. H. (2006). Ada Apa Dengan Lamun. *Oseana*, 31(3), 45–55.
- Banda, S., Adams, J., Rajkaran, A., *et al.* (2021). Blue carbon storage comparing mangroves with saltmarsh and seagrass habitats at a warm temperate continental limit. In R. Rastogi, P. Phulwaria, & D. Mall (Eds.), *Mangroves: Ecology, Biodiversity and Management* (Chapter 18). Elsevier. <https://doi.org/10.1016/B978-0-12-816437-2.00008-2>
- Bijak, A. L., Smyth, A. R., Barry, S. C., & Reynolds, L. K. (2025). *What is blue carbon?* (SL528/SS743). UF/IFAS Extension, University of Florida. <https://doi.org/10.32473/edis-ss743-2025>
- Bedulli, C., Lavery, P. S., Harvey, M., Duarte, C. M., & Serrano, O. (2020). Contribution of seagrass blue carbon toward carbon neutral policies in a touristic and environmentally-friendly island. *Frontiers in Marine Science*, 7, Article 1. <https://doi.org/10.3389/fmars.2020.00001>
- Blake, G. R., & Hartge, K. H. (1986). Bulk density. In A. Klute (Ed.), *Methods of Soil Analysis Part 1* (2nd ed., pp. 363–375). Madison, WI: American Society of Agronomy and Soil Science Society of America
- Brady, N.C. & Weil, R.R. (2008). *The Nature and Properties of Soils* (14th ed.). Pearson Prentice Hall, New Jersey.
- Christianen, M. J. A., Govers, L. L., Bouma, T. J., Kiswara, W., Roelofs, J. G. M., Lamers, L. P. M., & van Katwijk, M. M. (2016). Marine megaherbivore grazing may increase seagrass tolerance to high nutrient loads. *Journal of Ecology*, 104(2), 546–560. <https://doi.org/10.1111/1365-2745.12500>
- Dahl, M., Asplund, M. E., Deyanova, D., Franco, J. N., Koliji, A., Infantes, E., Isaeus, M., & Gullström, M. (2020). High seasonal variability in sediment carbon stocks of cold-temperate seagrass meadows. *Journal of Geophysical Research: Biogeosciences*, 125(1), e2019JG005430. <https://doi.org/10.1029/2019JG005430>
- Dahl, M., Asplund, M. E., Björk, M., Deyanova, D., Infantes, E., Isaeus, M., Nyström Sandman, A., & Gullström, M. (2020). The influence of hydrodynamic exposure on carbon storage and nutrient retention in eelgrass (*Zostera marina* L.) meadows on the Swedish Skagerrak coast. *Scientific Reports*, 10, 13666. <https://doi.org/10.1038/s41598->

- Di Carlo, G., & McKenzie, L. J. (2011). *Seagrass training manual for resource managers*. Conservation International, Arlington, VA, United States.
- Duarte, C. M., Middleburg, J. J., & Caraco, N. (2005). Major Role of Marine Vegetation on The Oceanic Carbon Cycle. *Biogeosciences*, 2, 1–8.
- Duarte, C.M., Kennedy, H., Marbà, N., Hendriks, I., (2013). Assessing the capacity of seagrass meadows for carbon burial: Current limitations and future strategies. *Ocean Coast. Manag.* 83, 32–38.
- Duarte, C. M., Losada, I. J., Hendriks, I. E., Mazarrasa, I., & Marbà, N. (2013). The role of coastal plant communities for climate change mitigation and adaptation. *Nature Climate Change*, 3(11), 961–968.
- Dewanti, Putri, N., Muslim dan Retno, W. (2016). Analisis Kandungan Karbon Organik Total (KOT) Dalam Sedimen di Perairan Sluke Kabupaten Rembang. *Jurnal Oseanografi* Vol.5[2]:202-210.
- English, S., Wilkinson, C., & Baker, V. (1998). *Survey manual for tropical marine resources. 2nd Edition*. Australian Institute of Marine Science.
- Epstein, G., & Roberts, C. M. (2022). Identifying priority areas to manage mobile bottom fishing on seabed carbon in the UK. *PLOS Climate*, 1(9), e0000059. <https://doi.org/10.1371/journal.pclm.0000059>
- Fachrul, M. F., Haeruman, H., & Sitepu, L. C. (2005). *Komunitas Fitoplankton sebagai Bioindikator Kualitas Perairan Teluk Jakarta*. Prosiding Seminar Nasional MIPA 2005, FMIPA Universitas Indonesia, Jakarta, 24–26 November 2005.
- Falkowski, P. G., R. J. Scholes, E. Boyle, J. Canadell, D. Canfield, J. Elser, N. Gruber, K. Hibbard, P. Högberg, S. Linder, F. T. Mackenzie, B. Moore III, T. Pedersen, Y. Rosenthal, S. Seitzinger, V. Smetacek and W. Steffen. (2000). The Global Carbon Cycle : A Test of Our Knowledge of Earth as a System. *Science, New Series*, Vol. 290 (5490): 291-296.
- Feng, X., Li, Y., Wu, Y., Long, C., Pei, S., Jiang, Z., & Huang, X. (2023). Sediment carbon sequestration and driving factors in seagrass beds from Hainan Island and the Xisha Islands. *Processes*, 11(2), 456. <https://doi.org/10.3390/pr11020456>
- Fonseca, M. S., Kenworthy, W. J., & Thayer, G. W. (1982). A low-cost transplanting technique for restoration of damaged seagrass beds. *Marine Pollution Bulletin*, 13(5), 212–215.
- Fourqurean, J. W., Duarte, C. M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M. A., Apostolaki, E. T., Kendrick, G. A., Krause-Jensen, D., McGlathery, K. J., & Serrano, O. (2012). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience*, 5(7), 505–509. <https://doi.org/10.1038/ngeo1477>

- Githaiga, M. N., Kairo, J. G., Gilpin, L., & Huxham, M. (2017). Carbon storage in the seagrass meadows of Gazi Bay, Kenya. *PLOS ONE*, 12(5), e0177001. <https://doi.org/10.1371/journal.pone.0177001>
- Graha, Y. I., Arthana, I Wayan, dan Karang, I Wayan G. A. (2016). Simpanan Karbon Padang Lamun Di Kawasan Pantai Sanur, Kota Denpasar. *ECOTROPHIC* 10 (1) : 46-53. ISSN : 1907-5626.
- Graves, C. A., Benson, L., Aldridge, J., Austin, W. E. N., Dal Molin, F., Fonseca, V. G., ... Parker, R. (2022). Sedimentary carbon on the continental shelf: Emerging capabilities and research priorities for Blue Carbon. *Frontiers in Marine Science*, 9, 926215. <https://doi.org/10.3389/fmars.2022.926215>
- Green, E.P., Short, F.T., (2003). *World Atlas of Seagrasses*. University Of California Press, Berkeley, USA.
- Hain, M. P., Sigman, D. M., & Haug, G. H. (2014). Distinguishing the role of the biological carbon pump in glacial–interglacial CO₂ changes. *Earth and Planetary Science Letters*, 390, 116–125
- Harimbi, K. A., Taufiq-Spj, N., & Riniatsih, I. (2019). Potensi Penyimpanan Karbon pada Lamun Spesies *Enhalus acoroides* dan *Cymodocea serrulata* Di Perairan Jepara. *Buletin Oseanografi Marina*, 8(2), 109. <https://doi.org/10.14710/buloma.v8i2.23657>
- Harjuna, R. A., Riniatsih, I., & Suryono, C. A. (2020). Kondisi padang lamun di Pulau Panjang dan Pulau Lima, Banten. *Journal of Tropical Marine Science*, 3(2), 89–93. <https://doi.org/10.33019/jour.trop.mar.sci.v3i2.1928>
- Hasanah, N., Paputungan, M. S., Ritonga, I. R., Rahmawati, S., Dharmawan, I. W. E., Renyaan, J., & Nurdiansah, D. (2025). Estimasi stok karbon sedimen pada padang lamun di Pulau Kedumpit, Teluk Balikpapan Provinsi Kalimantan Timur. *Journal of Fisheries and Marine Research*, 9(1), 110–119. <https://doi.org/10.21776/ub.jfmr.2025.009.01.11>
- Hickmah, N., Maslukah, L., Wulandari, S. Y., Sugianto, D. N., & Wirasatriya, A. (2021). Kajian stok karbon organik dalam sedimen di area vegetasi mangrove Karimunjawa. *Indonesian Journal of Oceanography*, 3(4). <https://doi.org/10.14710/ijoce.v3i4.12494>
- Hemminga, M. A., & Duarte, C. M. (2000). *Seagrass ecology*. Cambridge University Press. <https://doi.org/10.1017/CBO9780511525551>
- Hertyastuti, P. R., Putra, R. D., Apriadi, T., Suhana, M. P., Idris, F., & Nugraha, A. H. (2020). Estimasi Kandungan Stok Karbon Pada Ekosistem Padang Lamun Di Perairan Dompok Dan Berakit, Kepulauan Riau. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 12(3), 849–862. <https://doi.org/10.29244/jitkt.v12i3.32199>

- Howard, J., S. Hoyt, K. Isensee, E. Pidgeon, and M. Telszewski. (eds.) (2014). *Coastal Blue Carbon: Method for Assessing Carbon Stock and Emissions Factors in Mangrove, Tidal Salt Marshes, and Seagrass Meadows*. Arlington, Virginia, USA: Conservation International, Intergovernmental Oceanographic Commission of UNESCO, International Union for Conservation of Nature.
- IPCC. (2021). *Climate Change 2021: The Physical Science Basis*. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press. <https://doi.org/10.1017/9781009157896>
- IPCC. (2022). *Climate Change 2022: Mitigation of Climate Change*. Contribution of Working Group III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press. <https://doi.org/10.1017/9781009157926>
- Irawan, A., (2017). Potensi Cadangan dan Serapan Karbon oleh Padang Lamun di bagian Utara dan Timur. *LIPI* 2, 35–48.
- Janzen, H. H. (2004). Carbon cycling in earth systems - A soil science perspective. *Agriculture, Ecosystems and Environment*, 104(3), 399–417. <https://doi.org/10.1016/j.agee.2004.01.040>.
- Jiang, Z., Zhao, C., Yu, S., Liu, S., Cui, L., Wu, Y., Fang, Y., & Huang, X. (2021). Contrasting root length, nutrient content and carbon sequestration of seagrass growing in offshore carbonate and onshore terrigenous sediments in the South China Sea. *Science of the Total Environment*, 662, 151–159. <https://doi.org/10.1016/j.scitotenv.2019.01.175>
- Johannessen, S. C. (2022). How can blue carbon burial in seagrass meadows increase long-term, net sequestration of carbon? A critical review. *Environmental Research Letters*, 17(9), 093004. <https://doi.org/10.1088/1748-9326/ac8ab4>
- Kawaroe, M. (2009). Perpektif Lamun Sebagai Blue Carbon Sink di Laut. Dalam: Lokakarya Nasional I Pengelolaan Ekosistem Lamun Tanggal 18 November 2009. Jakarta
- Kawaroe, M., Haryadi, T., & Iswari, M. Y. (2016). Struktur komunitas lamun di wilayah Nusa Tenggara Timur. *Biodiversitas*, 17(1), 45–51.
- Kennedy, H., Beggins, J., Duarte, C.M., Fourqurean, J.W., Holmer, M., Marbà, N., Middelburg, J.J., (2010). Seagrass sediments as a global carbon sink: Isotopic constraints: Seagrass Meadows As Carbon Sinks. *Glob. Biogeochem. Cycles* 24, n/a-n/a.
- Krause, J. R., Cameron, C., Arias-Ortiz, A., Cifuentes-Jara, M., Crooks, S., Dahl, M., Friess, D. A., Kennedy, H., Lim, K. E., Lovelock, C. E., Marbà, N.,

- McGlathery, K. J., Oreska, M. P. J., Pidgeon, E., Serrano, O., Vanderklift, M. A., Wong, L.-W., Yaakub, S. M., & Fourqurean, J. W. (2025). *Global seagrass carbon stock variability and emissions from seagrass loss*. *Nature Communications*, 16, 3798. <https://doi.org/10.1038/s41467-025-59204-4>
- Kuo J., (2007). New Monoecious Seagrass of *Halophila sulawesii* (Hydrocharitaceae) from Indonesia. *Aquatic Botany*. 87:171-175.
- Kuo, J., & McComb, A. J. (1989). Seagrass taxonomy, structure and development. In A. W. D. Larkum, A. J. McComb, & S. A. Shepherd (Eds.), *Biology of seagrasses: A treatise on the biology of seagrasses with special reference to the Australian region* (Aquatic Plant Studies No. 2, pp. 6–73). Elsevier.
- Koch, E. W., Ackerman, J. D., Verduin, J., & van Keulen, M. (2006). Fluid dynamics in seagrass ecology — from molecules to ecosystems. *Oceanography and Marine Biology: An Annual Review*, 44, 123–178.
- Kristensen, E., Penha-Lopes, G., Delefosse, M., Valdemarsen, T. B., Quintana, C. O., & Banta, G. T. (2012). What is bioturbation? The need for a precise definition for fauna in aquatic sciences. *Marine Ecology Progress Series*, 446, 285–302.
- Kristensen, E., Bouillon, S., Dittmar, T., & Marchand, C. (2008). Organic carbon dynamics in mangrove ecosystems. *Aquatic Botany*, 89, 201–219. <https://doi.org/10.1016/j.aquabot.2007.12.005>
- La Croix, A. D. (2025). Sedimentary environment controls carbon sequestration potential of unvegetated intertidal estuarine sediments. *Journal of Geophysical Research: Biogeosciences*, 130(12), e2025JG009261. <https://doi.org/10.1029/2025JG009261>
- Larkum, A. W. D., McComb, A. J., & Shepherd, S. A. (Eds.). (1989). *Biology of seagrasses: A treatise on the biology of seagrasses with special reference to the Australian region*. Amsterdam, The Netherlands: Elsevier Science Publishers.
- Latuconsina, H. (2010). Dampak Pemanasan Global terhadap Ekosistem Pesisir dan Lautan. *Agrikan: Jurnal Agribisnis Perikanan*, 3(1), 30–37. <https://doi.org/10.29239/j.agrikan.3.1.30-37>
- Lavery, P. S., Mateo, M.-Á., Serrano, O., & Rozaimi, M. (2013). Variability in the carbon storage of seagrass habitats and its implications for global estimates of blue carbon ecosystem service. *PLOS ONE*, 8(9), e73748. <https://doi.org/10.1371/journal.pone.0073748>
- Liu, S., Jiang, Z., Deng, Y., Wu, Y., Zhao, C., Zhang, J., Shen, Y., & Huang, X. (2017). Effects of seagrass leaf litter decomposition on sediment organic carbon composition and the key transformation processes. *Science China Earth Sciences*, 60(12), 2108–2117. <https://doi.org/10.1007/s11430-017->

9147-4

- Lei, J., Schaefer, R., Colarusso, P., Novak, A., Simpson, J. C., Masqué, P., & Nepf, H. (2023). Spatial heterogeneity in sediment and carbon accretion rates within a seagrass meadow correlated with the hydrodynamic intensity. *Science of the Total Environment*, 854, 158685. <https://doi.org/10.1016/j.scitotenv.2022.158685>
- Macreadie, P. I., Trevathan-Tackett, S. M., Skilbeck, C. G., Sanderman, J., Curlevski, N., Jacobsen, G., & Seymour, J. R. (2015). Losses and recovery of organic carbon from a seagrass ecosystem following disturbance. *Proceedings of the Royal Society B: Biological Sciences*, 282(1817), 20151537. <https://doi.org/10.1098/rspb.2015.1537>
- Macreadie, P. I., Costa, M. D. P., Atwood, T. B., Friess, D. A., Kelleway, J. J., Kennedy, H., Lovelock, C. E., Serrano, O., & Duarte, C. M. (2021). *Blue carbon as a natural climate solution*. *Nature Reviews Earth & Environment*, 2(12), 826–839. <https://doi.org/10.1038/s43017-021-00224-1>
- Macreadie, P. I., Anton, A., Raven, J. A., Beaumont, N., Connolly, R. M., Friess, D. A., Kelleway, J. J., Kennedy, H., Kuwae, T., Lavery, P. S., Lovelock, C. E., Smale, D. A., Apostolaki, E. T., Atwood, T. B., Baldock, J., Bianchi, T. S., Chmura, G. L., Eyre, B. D., Fourqurean, J. W., ... Duarte, C. M. (2021). *The future of Blue Carbon science*. *Nature Communications*, 12, 2148. <https://doi.org/10.1038/s41467-021-22164-0>
- Mahasani, I. G. A. I., Karang, I. W. G. A., & Hendrawan, I. G. (2016). Karbon Organik Di Bawah Permukaan Tanah Pada Kawasan Rehabilitasi Hutan Mangrove , Taman Hutan Raya Ngurah Rai, Bali. *Prosiding Seminar Nasional Kelautan 2016*, 33–42.
- Miyajima, T., Hori, M., Hamaguchi, M., Shimabukuro, H., Adachi, H., Yamano, H., & Nakaoka, M. (2015). Geographic Variability in Organic Carbon Stock and Accumulation Rate in Sediments of East and Southeast Asian Seagrass Meadows. *Global Biogeochemical Cycles*, 29(3), 288–306. <https://doi.org/10.1002/2014GB004979>
- Mukhtasor. (2007). *Pencemaran pesisir dan laut*. Pradnya Paramita. Jakarta.
- Muliawati, A. H., & Choesin, D. N. (2024). Seagrass community structure and ecosystem carbon stocks along the shoreline of Semujur Island, Bangka Belitung Province, Indonesia. *Environment and Natural Resources Journal*, 22(3), 210–221. <https://doi.org/10.32526/ennrj/22/20230325>
- Menengkey, Hermanto W.K. (2010). Kandungan Bahan Organik Pada Sedimen di Perairan Teluk Buyat dan Sekitarnya. *Jurnal Perikanan dan Kelautan Tropis*. Vol.VI[3].
- McIlvenny, H., Clements, A., & Helyar, S. (2026). Sediment properties influence

- seagrass sedimentary carbon stocks, challenging uniform blue carbon accounting. *Frontiers in Marine Science*, 13, 1809172. <https://doi.org/10.3389/fmars.2026.1809172>
- Mazarrasa, I., Marbà, N., Lovelock, C. E., Serrano, O., Lavery, P. S., Fourqurean, J. W., Kennedy, H., Mateo, M. A., Krause-Jensen, D., Steven, A. D. L., & Duarte, C. M. (2015). Seagrass meadows as a globally significant carbonate reservoir. *Biogeosciences*, 12(16), 4993–5003. <https://doi.org/10.5194/bg-12-4993-2015>
- Nellemann, C., Corcoran, E., Duarte, C. M., Valdés, L., De Young, C., Fonseca, L., & Grimsditch, G. (Eds.). (2009). *Blue carbon: The role of healthy oceans in binding carbon: A rapid response assessment*. Nairobi, Kenya: United Nations Environment Programme (UNEP); Arendal, Norway: GRID-Arendal.
- Nong, D. (2019). Potential economic impacts of global wild catch fishery decline in Southeast Asia and South America. *Economic Analysis and Policy*, 62, 213–226. <https://doi.org/10.1016/j.eap.2019.04.004>
- Orth, R. J., Carruthers, T. J. B., Dennison, W. C., Duarte, C. M., Fourqurean, J. W., Heck, K. L., Hughes, A. R., Kendrick, G. A., Kenworthy, W. J., Olyarnik, S., Short, F. T., Waycott, M., & Williams, S. L. (2006). A global crisis for seagrass ecosystems. *BioScience*, 56(12), 987–996.
- Potouroglou, M., Bull, J. C., Krauss, K. W., Kennedy, H. A., Finkelstein, S. A., Kuwae, T., Kurokawa, Y., Kayanne, H., & Spencer, T. (2017). Measuring the role of seagrasses in regulating sediment surface elevation. *Scientific Reports*, 7, 11917. <https://doi.org/10.1038/s41598-017-12354-y>
- Pollard, P. C., & Moriarty, D. J. W. (1991). Organic carbon decomposition, primary and bacterial productivity, and sulphate reduction in tropical seagrass beds of the Gulf of Carpentaria, Australia. *Marine Ecology Progress Series*, 69, 149–159. <https://doi.org/10.3354/meps069149>
- Pranowo, W. S., Adi, N. S., Rustam, A., Kepel, T. L., Subki, B. A., Adi, T. R., & Wirasantosa, S. (2010). *Rencana strategis riset karbon laut di Indonesia* (Edisi II). Pusat Penelitian dan Pengembangan Sumberdaya Laut dan Pesisir, Badan Penelitian dan Pengembangan Kelautan dan Perikanan, Kementerian Kelautan dan Perikanan.
- Pinet, P. R. (2014). *Invitation to Oceanography* (7th ed.). Burlington, Massachusetts: Jones & Bartlett Learning.
- Piñeiro-Juncal, N., Serrano, O., Mateo, M. Á., Diaz-Almela, E., Leiva-Dueñas, C., & Martinez-Cortizas, A. (2022). Review of the physical and chemical properties of seagrass soils. *Geoderma*, 428, 116219. <https://doi.org/10.1016/j.geoderma.2022.116219>

- Permanawati, Y., Prartono, T., Atmadipoera, A. S., Zuraida, R., Chang, Y..(2017). Rekam Sedimen Inti Untuk Memperkirakan Perubahan Lingkungan Di Perairan Lereng Kangean. *Jurnal Geologi Kelautan*. Vol.14[2]:65-77.
- Rahayu, Y. P., Kusumaningtyas, M. A., Daulat, A., Rustam, A., Suryono, D. D., Salim, H. L., Ati, R. N. A., Sudirman, N., Kepel, T. L., Hutahae, A. A., & Adi, N. S. (2023). Sedimentary seagrass carbon stock and sources of organic carbon across contrasting seagrass meadows in Indonesia. *Environmental Science and Pollution Research*, 30(43), 97754–97764. <https://doi.org/10.1007/s11356-023-29257-3>
- Rahayu, Y. P., Kendrick, G. A., Masqué, P., Kiswara, W., Salim, H. L., Lubis, A. A., & Vanderklift, M. A. (2025). Impacts of dredging and restoration on sedimentary carbon stocks in seagrass meadows of Pari Island, Indonesia. *Scientific Reports*, 15, Article 9350. <https://doi.org/10.1038/s41598-025-93500-2>
- Rackley, S. A. (2017). *Carbon Capture and Storage*. Butterworth-Heinemann. Elsevier.Oxford:408pp.
- Rahman, S., Rahardjanto, A., & Husamah. (2022). *Mengenal padang lamun (seagrass beds)*. Malang: Dreamlitera
- Rahmawati, S., Hernawan, U. E., McMahon, K., Prayudha, B., Iswari, M. Y., Prayitno, H. B., Wahyudi, A. J., Irawan, A., Afdal, A., & Vanderklift, M. (2021). *Karbon biru di ekosistem lamun: Pedoman penilaian stok karbon dan sekuestrasi karbon di kawasan Asia Tenggara*. Jakarta: Pusat Penelitian Oseanografi, Lembaga Ilmu Pengetahuan Indonesia (LIPI).
- Ricart, A. M., Pérez, M., & Romero, J. (2017). Landscape configuration modulates carbon storage in seagrass sediments. *Estuarine, Coastal and Shelf Science*, 185,69–76. <https://doi.org/10.1016/j.ecss.2016.12.011>
- Ricart, A. M., York, P. H., Rasheed, M. A., Pérez, M., Romero, J., Bryant, C. V., & Macreadie, P. I. (2020). Variability of sedimentary organic carbon in tropical seagrass meadows. *Frontiers in Marine Science*, 7, 588787. <https://doi.org/10.3389/fmars.2020.588787>
- Risandi, J., Rifai, H., Lukman, K. M., Sondak, C. F. A., Hernawan, U. E., Quevedo, J. M. D., Hidayat, R., Ambo-Rappe, R., Lanuru, M., McKenzie, L., Kohsaka, R., & Nadaoka, K. (2023). Hydrodynamics across seagrass meadows and its impacts on Indonesian coastal ecosystems: A review. *Frontiers in Earth Science*, 11, 1034827.
- Rhamadany, A., Suryono, C. A., & Pringgenies, D. (2021). Biomasa dan Simpanan Karbon pada Ekosistem Lamun di Perairan Batulawang dan Pulau Sintok, Taman Nasional Karimunjawa, Jepara. *Journal of Marine Research*, 10(3), 413–420. <https://doi.org/10.14710/jmr.v10i3.31692>

- Rustam, A. (2014). *Kontribusi lamun dalam regulasi karbon dan stabilisasi ekosistem* (Disertasi doktor, Institut Pertanian Bogor). Bogor, Indonesia.
- Rustam, A., Adi, N. S., Ati, R. N. A., Kepel, T. L., Daulat, A., Kusumaningtyas, M. A., Suryono, D. D., Sudirman, N., Heriati, A., Mangindaan, P., & Salim, H. L. (2015). *Blue Carbon: Program Inisiatif Blue Carbon Indonesia Kepulauan Derawan-Berau, Kalimantan Timur*. Jakarta: Pusat Penelitian dan Pengembangan Sumberdaya Laut dan Pesisir, Badan Penelitian dan Pengembangan Kelautan dan Perikanan.
- Rustam, A., Rahayu, Y. P., Suryono, D., Salim, H. L., Daulat, A., & Kusumaningtyas, M. A. (2021). Pengaruh Perubahan Lingkungan Terhadap Stok Karbon pada Ekosistem Lamun di Pulau-Pulau Kecil, Studi Kasus: Gugusan Kepulauan Seribu. *Jurnal Kelautan Nasional*, 16(3), 199-208. DOI:10.15578/jkn.v16i3.9099
- Röhr, E., Kindeberg, T., Moksnes, P.-O., Boström, C., & Holmer, M. (2019). Variation of carbon contents in eelgrass (*Zostera marina*) sediments implied from depth profiles. *Biology Letters*, 15(6), 20180831. <https://doi.org/10.1098/rsbl.2018.0831>
- Saidur, R., Rahim, N. A., Masjuki, H. H., Mekhilef, S., Ping, H. W., & Jamaluddin, M. F. (2009). End-use energy analysis in the Malaysian industrial sector. *Energy*, 34(2), 153–158.
- Sakmiana, A. F., Paputungan, M. S., Kusumaningrum, W., & Rahmawati, S. (2023). Estimasi konsentrasi dan stok karbon organik pada sedimen lamun di Desa Selangan, Kalimantan Timur. *Journal of Marine Research*, 12(3), 483–492. <https://doi.org/10.14710/jmr.v12i3.38011>
- Salter, I., Kawaguchi, S., Nicol, S., & Trull, T. (2014). Carbonate counter pump stimulated by natural iron fertilization in the Polar Frontal Zone. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 108, 52–64.
- Samper-Villarreal, J., Lovelock, C. E., Saunders, M. I., Roelfsema, C., & Mumby, P. J. (2016). Organic carbon in seagrass sediments is influenced by seagrass canopy complexity, turbidity, wave height, and water depth. *Limnology and Oceanography*, 61(3), 938–952. <https://doi.org/10.1002/lno.10262>
- Syaifullah, M. Dj. (2018). Suhu Permukaan Laut Perairan Indonesia dan Hubungannya dengan Pemanasan Global. *Jurnal Segara*, 11(2), 37–47. <https://doi.org/10.15578/segara.v11i2.7356>
- Serrano, O., Almahasheer, H., Duarte, C. M., & Irigoien, X. (2018). Carbon stocks and accumulation rates in Red Sea seagrass meadows. *Scientific Reports*, 8, 15037. <https://doi.org/10.1038/s41598-018-33182-8>
- Serrano, O., Gómez-López, D. I., Sánchez-Valencia, L., Acosta-Chaparro, A., Navas-Camacho, R., González-Corredor, J., Salinas, C., Masqué, P., Bernal,

- C. A., & Marbà, N. (2021). *Seagrass blue carbon stocks and sequestration rates in the Colombian Caribbean*. Scientific Reports, 11, 11067. <https://doi.org/10.1038/s41598-021-90544-5>
- Short, F. T., & Coles, R. G. (2003). *Global Seagrass Research Methods*. Elsevier Science. [https://doi.org/10.1016/s0044-8486\(02\)00307-1](https://doi.org/10.1016/s0044-8486(02)00307-1).
- Short, F. T., Carruthers, T., Dennison, W., & Waycott, M. (2011). Global seagrass distribution and diversity: A bioregion model. *Journal of Experimental Marine Biology and Ecology*, 350, 3–20
- Short, F. T., Short, C. A., & Novak, A. B. (2016). Seagrasses. In C. M. Finlayson, G. R. Milton, R. C. Prentice, & N. C. Davidson (Eds.), *The Wetland Book* (pp. 1–19). Dordrecht, The Netherlands: Springer.
- Sophianto, R. P., Endrawati, H., & Hartati, R. (2021). *Estimasi stok karbon padang lamun Karimunjawa*. Journal of Marine Research, 10(1), 39–47. <https://doi.org/10.14710/jmr.v10i1.28273>
- Soto, N., Winters, G., & Antler, G. (2023). *The effect of anaerobic remineralization of the seagrass Halophila stipulacea on porewater biogeochemistry in the Gulf of Aqaba*. Frontiers in Marine Science, 10, 1250931. <https://doi.org/10.3389/fmars.2023.1250931>
- Stankovic, M., Ambo-Rappe, R., Carly, F., Dangan-Galon, F., Fortes, M. D., Hossain, M. S., Kiswara, W., Luong, C. V., Minh-Thu, P., Mishra, A. K., Noiraksar, T., Nurdin, N., Panyawai, J., Rattanachot, E., Rozaimi, M., Htun, U. S., & Prathep, A. (2021). Quantification of blue carbon in seagrass ecosystems of Southeast Asia and their potential for climate change mitigation. *Science of the Total Environment*, 783, 146858. <https://doi.org/10.1016/j.scitotenv.2021.146858>
- Thomlinson, P.B. (1974). Vegetative morphology and meristem dependence - the Foundation of Productivity in seagrass. *Aquaculture* 4: 107-130.
- Uyigue, E., Ediang, O. A., & Ediang, A. A. (2010). *Combating Climate Change: The Role of Renewable Energy and Energy Efficiency*. Iranian Journal of Earth Sciences, 2(2), 150–157. <https://oiccpres.com/ijes/article/view/5695>
- Vernianda, N. M., Arthana, I. W., & Kartika, G. R. A. (2022). Analisis karbon dalam sedimen pada ekosistem lamun di Teluk Gilimanuk, Bali. *Journal of Marine Research and Technology*, 5(2), 87–96.
- Wahyudi, A. J., Rahmawati, S., Irawan, A., Hadiyanto, H., Prayudha, B., Hafizt, M., Afdal, A., Adi, N. S., Rustam, A., Hernawan, U. E., Rahayu, Y. P., Iswari, M. Y., Supriyadi, I. H., Solihudin, T., Ati, R. N. A., Kepel, T. L., Kusumaningtyas, M. A., Daulat, A., Salim, H. L., Sudirman, N., Suryono, D. D., & Kiswara, W. (2020). Assessing carbon stock and sequestration of the tropical seagrass meadows in Indonesia. *Ocean Science Journal*, 55(1), 85–

97. <https://doi.org/10.1007/s12601-020-0003-0>

- Wawo, M., Wardiatno, Y., Adrianto, L., & Bengen, D. G. (2014). Carbon Stored on Seagrass Community in Marine Nature Tourism Park of Kotania Bay, Western Seram, Indonesia. *Jurnal Manajemen Hutan Tropika*, 20(1), 51–57. <https://doi.org/10.7226/jtfm.20.1.51>
- Waycott, M., Duarte, C. M., Carruthers, T. J. B., Orth, R. J., Dennison, W. C., Olyarnik, S., ... & Williams, S. L. (2009). Accelerating loss of seagrasses across the globe threatens coastal ecosystems. *Proceedings of the National Academy of Sciences*, 106(30), 12377–12381.
- Wood, E.J.F., W.E. Odum and J.C. Zieman. (1969). Influence of seagrass on the productivity of coastal lagoons. In : *Memoirs Symposium International Costeras (UNAM-UNESCO)*.. Nov' 28-30-1967: 495-502.
- Yun, P. S., Ariffin, J., Siang, H. Y., & Tahir, N. M. (2015). Influence of monsoon on the distribution of organic carbon in inner continental shelf *core* sediments, South China Sea, Malaysia. *Sains Malaysiana*, 44(7), 941–945. <https://doi.org/10.17576/jsm-2015-4407-04>
- Zurba, N. (2018). *Pengenalan Padang Lamun Suatu Ekosistem yang Terlupakan*. Unimal Press.
- Zhao, X., Sun, J., Li, F., Li, S.-W., Su, H.-X., Ma, X.-F., Yang, L., Zheng, G.-X., Sun, W.-L., & Zhang, P.-D. (2025). Current status and influencing factors of blue carbon in seagrass beds: An extensive survey and comprehensive analysis in the Yellow and Bohai Seas, China. *Journal of Environmental Management*, 393, 127038. <https://doi.org/10.1016/j.jenvman.2025.127038>