

## DAFTAR PUSTAKA

- Afifah, S. L., Ramdhani, M. and Purnamasari, R. (2017) ‘Perumusan sidik jari berjenis loop dengan menggunakan metode wfds’, 4(2), pp. 1482–1489.
- Al-kadhemy, M. F., Alsharuee, I. F. and Al-zuky, A. A. D. (2011) ‘Analysis of the Effect of the Concentration of Rhodamine B in Ethanol on the Fluorescence Spectrum Using the ‘ ‘Gauss Mod’ ’ Function’, 22(2), pp. 77–86.
- Alberto, C. et al. (2013) ‘Nucleation and Growth Process of Sodalite and Cancrinite from Kaolinite-rich Clay under Low-temperature Hydrothermal Conditions’, *Materials Research Bulletin*, 2(16), pp. 424–438.
- Ali, R. A. and Abdul-munem, O. M. (2016) ‘Study the spectroscopic characteristics of Rhodamine B Dye in Ethanol and Methanol mixture and Calculation the Quantum Efficiency’, *Bagha Science Journal*, 9(10), pp. 352–358.
- Ayele, L. et al. (2016) ‘Synthesis of zeolite A using kaolin from Ethiopia and its application in detergents’, *NewJ. Chem.*, 1(40), pp. 3440–3446.
- Badiye, A. and Kapoor, N. (2015) ‘Efficacy of Robin Ø powder blue for latent fingerprint development on various surfaces’, *Egyptian Journal of Forensic Sciences*. Forensic Medicine Authority, 5(4), pp. 166–173.
- Barros, H. L. and Stefani, V. (2018) ‘Micro-structured Fluorescent Powders for Detecting Latent Fingerprints on Different Types of Surfaces Journal of Photochemistry & Photobiology A: Chemistry Micro-structured fl uorescent powders for detecting latent fi ngerprints on di ff erent types of s’, *Journal of Photochemistry & Photobiology, A: Chemistry*. Elsevier, 368(September), pp. 137–146.
- Barros, H. R. De et al. (2016) ‘Surface interactions of gold nanorods and polysaccharides: from clusters to individual nanoparticles’, *Carbohydrate Polymers*. Elsevier Ltd., 152(1), pp. 479–486.
- Beomsu Shin-II, K. et al. (2015) ‘Surfactant Chemistry for Fluorescence Imaging of Latent Fingerprints Using Conjugated Polyelectrolyte Nanoparticles’, *Chem. Commun.*, 1(71), pp. 13634–13637.
- Bose, P. K. and Kabir, M. J. (2017) ‘Fingerprint: A Unique and Reliable Method for Identification’, *Journal of Enam Medical College*, 7(1), pp. 29–34.
- Bumbrah, G. S. (2017) ‘Cyanoacrylate fuming method for detection of latent fingermarks: a review’, *Egyptian Journal of Forensic Sciences*. Egyptian Journal of Forensic Sciences, 7(1).
- Bunaciu, A. A. et al. (2015) ‘Critical Reviews in Analytical Chemistry X-Ray Diffraction: Instrumentation and Applications X-Ray Diffraction: Instrumentation and Applications’, *Critical Reviews in Analytical Chemistry*, 45(4), pp. 289–299.
- Canning, J. et al. (2014) ‘Percolation Diffusion into Self-Assembled Mesoporous Silica Microfibres’, *Nanomaterials*, 4(1), pp. 157–174.

- Čejka, J. et al. (2007) *Introduction to Zeolite Science and Practice*. 3rd Revise. Edited by G. Delmon, B., Yates, J.T., Centi. Amsterdam, Boston, Heidelberg, London, New York, Oxford, Paris, San Diego, San Francisco, Singapore, Sydney, Tokyo. Elsevier.
- Čejka, J. and H, V. B. (2005) 'Ion-exchange properties of zeolites', *Studies in Surface Science and Catalysis*, 157(1), pp. 181–204.
- Chen, H. et al. (2017) 'Fluorescence Development of Latent Fingerprint with Conjugated Polymer Nanoparticles in Aqueous Colloidal Solution', *ACS Applied Materials and Interfaces*, 9(5), pp. 4908–4915.
- Chen, Q. et al. (2009) 'Applied Clay Science Application of dye intercalated bentonite for developing latent fingerprints', *Applied Clay Science*. Elsevier B.V., 44(1–2), pp. 156–160.
- D'Elia, V. et al. (2015) 'Evaluation and comparison of 1,2-indanedione and 1,8-diazafluoren-9-one solutions for the enhancement of latent fingerprints on porous surfaces', *Forensic Science International*. Elsevier Ireland Ltd, 254, pp. 205–214.
- Danish, M., Ahmad, T. and Hashim, R. (2018) 'Comparison of surface properties of wood biomass activated carbons and their application against rhodamine B and methylene blue dye', *Surfaces and Interfaces*. Elsevier B.V., 11, pp. 1–13.
- Deng, Y. et al. (2019) 'Ammonia-responsive luminescence of Ln<sup>3+</sup>-β-Diketonate complex encapsulated within zeolite Y', *Molecules*, 24(4), p. 685.
- Dhall, J. K. and Kapoor, A. K. (2016) 'Development of latent prints exposed to destructive crime scene conditions using wet powder suspensions', *Egyptian Journal of Forensic Sciences*. The International Association of Law and Forensic Sciences (IALFS), 6(4), pp. 396–404.
- Dhanalakshmi, M. et al. (2017) 'Ultrasound assisted sonochemically engineered effective red luminescent labeling agent for high resolution visualization of latent fingerprints', *Materials Research Bulletin*. Elsevier Ltd, 98(1), pp. 259–264.
- Francisco, P. C. (2007) 'Mechanisms and Kinetics of Zeolite Formation under Hyperalkaline Conditions', *Sustainable Resources Engineering*, 1(1), pp. 1–3.
- G, S. et al. (2017) 'Chemistry of extracting high-contrast invisible fingerprints from transparent and colored substrates using novel phosphorescent label', *analytical method*, 10(1), pp. 308–313.
- García-Sosa, I. and Solache-Ríos, M. (2001) 'Cation-exchange capacities of zeolites A, X, Y, ZSM-5 and Mexican erionite', *Journal of Radioanalytical and Nuclear Chemistry*. México, 250(1), pp. 205–206.
- Garg, R. K., Kumari, H. and Kaur, R. (2011) 'A new technique for visualization of latent fingerprints on various surfaces using powder from turmeric: A rhizomatous herbaceous plant ( Curcuma longa )', *Egyptian Journal of Forensic Sciences*. Forensic Medicine Authority, 1(1), pp. 53–57.
- Giuliano, A. (2016) *Fingerprint Identification Handbook. Dactyloscopy in Forensic Science Investigation and Criminal Justice*. Italy: Minerva

Medica.

- Goronja, J. M. *et al.* (2016) 'Determination of critical micelle concentration of cetyltrimethyl- ammonium bromide: Different procedures for analysis of experimental data', *Hem. Ind.*, 70(4), pp. 485–492.
- Gougazeh, M. and Buhl, J. (2013) 'Synthesis and characterization of zeolite A by hydrothermal transformation of natural Jordanian kaolin', *Journal of the Association of Arab Universities for Basic and Applied Sciences*. University of Bahrain, 15(1), pp. 35–42.
- Grand, J., Awala, H. and Mintova, S. (2016) 'Mechanism of zeolites crystal growth: new findings and open questions', *CrystEngComm*. Royal Society of Chemistry, 18(5), pp. 650–664.
- Greer, H. *et al.* (2009) 'Early Stage Reversed Crystal Growth of Zeolite A and Its Phase Transformation to Sodalite', *J. Am. Chem. Soc.*, 131(13), pp. 17986–17992.
- Hartanto, D. *et al.* (2016) 'Can kaolin function as source of alumina in the synthesis of ZSM-5 without an organic template using a seeding technique?', *Malaysian Journal of Fundamental and Applied Sciences*, 12(2), pp. 85–90.
- Hartati, H. *et al.* (2018) 'Suhu dan Waktu Hidrotermal pada Sintesis ZSM-5 dari Metakaolin', *Jurnal Kimia Riset*, 3(1), pp. 38–46.
- Hua, W. *et al.* (2014) 'Applied Clay Science Clean production of CTAB-montmorillonite: formation mechanism and swelling behavior in xylene', *Applied Clay Science*. Elsevier B.V., 97–98, pp. 222–234.
- Kapoor, S., Sodhi, G. S. and Sanjiv, K. (2015) 'Visualization of Latent Fingermarks using Rhodamine B: A New Method', *International Journal of Forensic Science & Pathology*, 3(11), pp. 199–201.
- Kenne, B. B. D. *et al.* (2014) 'Effect of the rate of calcination of kaolin on the properties of metakaolin-based geopolymers', *Journal of Asian Ceramic Societies*. Taibah University, 3(1), pp. 130–138.
- Khan, M. I. *et al.* (2017) 'Applied Clay Science The pyrolysis kinetics of the conversion of Malaysian kaolin to metakaolin', *Applied Clay Science journal*, 146(5), pp. 152–161.
- Kim, Y. J. *et al.* (2016) 'Rapid Imaging of Latent Fingerprints Using Biocompatible Fluorescent Silica Nanoparticles', *Langmuir*, 32(32), pp. 8077–8083.
- Kovo, A. S., Hernandez, O. and Holmes, S. M. (2009) 'Synthesis and characterization of zeolite Y and ZSM-5 from Nigerian Ahoko Kaolin using a novel , lower temperature , metakaolinization technique', *Journal of Materials Chemistry*, 19(1), pp. 6207–6212.
- Kristoffersen, A. S., Erga, S. R. and Hamre, B. (2014) 'Testing Fluorescence Lifetime Standards using Two-Photon Excitation and Time-Domain Instrumentation: Rhodamine B , Coumarin 6 and Lucifer Yellow', *J Fluoresc*, 24(4), pp. 1015–1024.
- Kumar, M., Choudhary, M. K. and Rimer, J. D. (2018) 'Transient modes of zeolite surface growth from 3D gel-like islands to 2D single layers', *Nature Communications*. Springer US, 9(1), p. 2129.

- Lennard, C. (2005) ‘Fingerprint Techniques’, *Encyclopedia of Analytical Science*, 4(1), pp. 414–423.
- Liang, K. *et al.* (2015) ‘Metal-Organic Frameworks: Biomimetic Replication of Microscopic Metal-Organic Framework Patterns Using Printed Protein Patterns (Adv. Mater. 45/2015)’, *Advanced Materials*, 27(45), pp. 7483–7483.
- Mishra, Y. N. *et al.* (2020) ‘Investigation of Five Organic Dyes in Ethanol and Butanol for Two-Color Laser-Induced Fluorescence Ratio Thermometry’, *Optics*, 1(1), pp. 1–17.
- Mozgawa, W. *et al.* (2011) ‘FT-IR studies of zeolites from different structural groups’, *chemik*, 65(7), pp. 667–674.
- Noviarty, N., Anggraini, D. and Nugroho, A. (2009) ‘Cs Ion Exchange Capacity of Zeolite Bayah, Lampung, and Tasikmalaya’, *Jurnal Zeolit Indonesia*, 8(1), pp. 39–43.
- Ozaytekin, I., Turedi, H. E. and Ahmetli, G. (2015) ‘Preparation of Epoxy Composites with CTAB-Modified BN and MWCNTs’. doi: 10.1002/pc.
- Pereira, P. M. *et al.* (2018) ‘Synthesis of Zeolite A from Metakaolin and Its Application in the Adsorption of Cationic Dyes’, *Appl. Sci.*, 8(1), p. 608.
- Porpiglia, N. *et al.* (2012) ‘An assessment of the effectiveness of 5-methylthioninhydrin within dual action reagents for latent fingerprint development on paper substrates’, *Science and Justice. Forensic Science Society*, 52(1), pp. 42–48.
- Prabakaran, E. and Pillay, K. (2019) ‘A novel approach of fluorescent porous graphite carbon nitride based silica gel powder for latent fingerprint detection’, *Applied Nanoscience (Switzerland)*. Springer International Publishing, 9(2), pp. 255–277.
- Putra, R. P., Akbar, F. and Zultiniar (2014) ‘Sintesa zeolit 4A dari kaolin menggunakan proses peleburan dengan variasi perbandingan volume reaktan’, *Teknik Kimia*, 1(1), pp. 1–7.
- Rahayu, E. S. and Samadhi, T. W. (2015) ‘Synthesis of NaY Zeolite Using Mixed Calcined Kaolins’, *J. Eng. Technol. Sci.*, 47(6), pp. 633–639.
- Rashed, M., Nageeb, P. and Nachimuthugounder (2018) ‘Introductory Chapter: Adsorption Adsorption and and Ion Ion Exchange Exchange Properties of Zeolites for Treatment of Polluted Water Properties of Zeolites for Treatment of Polluted Water’, in Rasyed, M. N. P. N. P. (ed.) *Zeolites and Their Applications*. IntechOpen, pp. 3–10.
- Salahudeen, N. and Ahmed, A. S. (2016) ‘Synthesis of hexagonal zeolite Y from Kankara kaolin using a split technique’, *Journal of Inclusion Phenomena and Macrocyclic Chemistry*. Springer Netherlands, 87(1), pp. 159–156.
- Schulman, S. G. (1976) *An Introduction to the Theory of Atomic Spectra Fluorescene and Phosphorescene Spectroscopy: Physichemical*.
- Setiadi, A., Jumaeri and Widiarti, N. (2016) ‘Sintesis Zeolit dengan kandungan Si/Al rendah dari kaolin menggunakan metode peleburan dan hidrotermal’, *Indonesian Journal of Chemical Science*, 5(3), pp. 164–168.
- Sodhi, G. S. and Kaur, J. (2016) ‘Physical developer method for detection of

- latent fingerprints: A review', *Egyptian Journal of Forensic Sciences*. Forensic Medicine Authority, 6(2), pp. 44–47.
- Subaer. and Fansuri, H. (2018) 'The Formation and Properties of Zeolite-A and Zeolite-X through Geopolymerisation of Metakaolin', *Solid State Phenomena*, 273(1), pp. 167–174.
- Treacy, M. and Higgins, J. (2001) *Collection of Simulated XRD Powder Patterns for Zeolites*.
- Varga, G. (2007) 'The structure of kaolinite and metakaolinite', *Épitőanyag*, 57(1), pp. 6–9.
- Wang, H. and Zhu, G. (2012) 'Fluorescence property of Rhodamine B encapsulated in the channels of', *Advanced Materials Research*, 345(1), pp. 245–249.
- Yani, A., Destiarti, L. and Wahyuni, N. (2013) 'Sintesis Zeolit A Dengan Variasi Sumber Silika Dan Alumina', *Jurnal Untan*. Pontanak, 2(1), pp. 2–7.
- Yuan, C. *et al.* (2018) 'Cationic dye-diatomite composites: Novel dusting powders for developing latent fingerprints', *Dyes and Pigments*, 153(1), pp. 18–25.
- Yuan, C. *et al.* (2019) 'Sensitive development of latent fingerprints using Rhodamine B- diatomaceous earth composites and principle of efficient image enhancement behind their fluorescence characteristics', *Chemical Engineering Journal*. Elsevier, 1(10), p. 123076.
- Yun-ming, L. *et al.* (2016) 'Progress in Materials Science Structure and properties of clay-based geopolymers cements : A review', *Progress in Materials Science*. Elsevier Ltd, 83(1), pp. 595–629.
- Zhang, X. *et al.* (2019) 'Electrodeposited Ni / phosphors Composite Coating for Latent Fingerprints Visualization', *Int. J. Electrochem. Sci*, 14(1), pp. 9058–9068.
- Zheng, S. *et al.* (2005) 'Effect of Properties of Calcined Microspheres of Kaolin on the Formation of NaY Zeolite', *Bulletin of the Catalysis Society of India*, 4(1), pp. 12–17.