

DAFTAR PUSTAKA

- Alupului, A. C. (2009, May 20). Ultrasonic vS. Microwave Extraction Intensification of Active Pricinples From Medicinal Plants. (S. Pierucci, Ed.) *Chemical Engineering Transactions*, 17, 1023-1028. doi:10.3303/CET0917171
- Aryal, S. (2018, December 11). Salmonella Shigella (SS) Agar- Composition, Principle, Uses, Preparation and Result Interpretation. *Microbiologyinfo.com*, p. 1. Retrieved from <https://microbiologyinfo.com/salmonella-shigella-ss-agar-composition-principle-uses-preparation-and-result-interpretation/>
- Assenberg, R. W. (2013). Advances in Recombinant Protein Expression For Use in Pharmaceutical Research. *Current Opinion in Structural Biology*, 23(3), 393-402. doi:10.1016/j.sbi.2013.03.008
- Bintang, M. (2010). *Biokimia Teknik Penelitian*. Jakarta: Erlangga.
- Bio-Rad. (2017). A Guide to Polyacrylamide Gel Electrophoresis and Detection BEGIN. Retrieved from http://www.bio-rad.com/webroot/web/pdf/lsr/literature/Bulletin_6040.pdf
- Brooks G.F., C. K. (2013). *Jawetz, Melnick, & Adelberg's Medical Microbiology*. (26th ed.). New York: The McGraw-Hill Companies, Inc.
- Campbell, N. R. (2002). *Biologi. Jilid 1. Edisi Kelima. Alih Bahasa: Wasmen*. Jakarta: Erlangga.
- Crump, J. A. (2010). Global Trends in Typhoid and Paratyphoid Fever. *Clinical Infectious Diseases*, 50(2), 241-246. doi:10.1086/649541
- Crump, J. A. (2016). Salmonella. *International Encyclopedia of Public Health*, 6, 425-433. doi:10.1016/B978-0-12-803678-5.00394-5
- Dulmage, H. (1990). *Guidlines On The Local Production for Operational Use of Bacillus thuringiensis, especially serotype H-14 and Bacillus sphaericus*. (Y. S. Dulmage, Ed.) USA: UNDP/World Bank/WHO Special Programme for Research and Training in Tropical Diseases (TDR).
- Eberth, K. J. (2014). Salmonella typhi dan Salmonella paratyphi. *In Encyclopedia of Food Safety*, 515-522. doi:10.1016/B978-0-12-378612-8.00113-X

- Fegan, N. G. (2014). Pathogenic Escherichia coli. *Encyclopedia of Meat Sciences*, 295, 357-361. doi:10.1016/B978-0-12-384731-7.00035-0
- Feher, J. (2017). Protein Structure. In J. Feher, *Quantitative Human Physiology (Second Edition)* (Second ed., pp. 130-141). Virginia: Elsevier Inc. doi:10.1016/B978-0-12-800883-6.00012-4
- Fernández-Castané, A. C.-S. (2012). Direct measurements of IPTG enable analysis of the induction behavior of E. coli in high cell density cultures. *Microbial cell factories*, 11, 1-9. doi:10.1186/1475-2859-11-58
- Gorreti, M. (2014). Perbandingan Analisa Kadar Protein Terlarut Dengan Berbagai Metode Spektroskopi UV-Visible. In N. P. Benny Lianto, *Jurnal Ilmiah Sains dan Teknologi* (Vol. 7, pp. 64-71). Surabaya: Lembaga Penelitian dan Pengabdian Kepada Masyarakat Universitas Surabaya.
- Hansson. (2000). Production and delivery of recombinant subunit vaccines. *Biotechnology and applied biochemistry*, 95-107. doi:10.1042/BA20000034
- Hasan, U. (2016, April). Produksi dan Karakterisasi Antibodi Anti FIM-C Salmonella typhi Pada Mencit ddY. *RISENOLOGI KPM UNJ*, 1.
- Islam, M. S. (2017, March 3). A Review on Macroscale and Microscale Cell Lysis Methods. (A. T. Hu, Ed.) *micromachines*, 83, 1-27. doi:10.3390/mi8030083
- James G. Cappuccino, N. S. (2002). *Microbiology: A Laboratory Manual, 6th Edition* (6th ed.). San Francisco, New York, US: Pearson Education Inc.
- James P. Nataro, C. A. (2011). Escherichia, Shigella, and Salmonella. *Manual of Clinical Microbiology*, 603-626.
- John A. Crump, S. P. (2004). The global burden of typhoid fever. *Bull World Health Organ. Bulletin of the World Health Organization*, 346-353. doi:10.1590/S0042-96862004000500008
- Johnson, R. R. (2018). crosssm Comparison of Salmonella enterica Serovars Typhi and Typhimurium Reveals Typhoidal Serovar-Specific Responses. (T. U. Shelley M. Payne, Ed.) *Bacterial Infections*, 86(3), 1-16. Retrieved from <https://doi.org/10.1128/IAI.00490-17>
- Julie L. Brunelle, R. G. (2014). One-dimensional SDS-Polyacrylamide Gel Electrophoresis (1D SDS-PAGE). *Laboratory Methods in Enzymology : Protein Part C*, 151-159.

- Kaur, J. J. (2012). Role of antigens and virulence factors of *S almonella enterica* serovar Typhi in its pathogenesis. *Microbiological Research*, 167(4), 199-210. doi:10.1016/j.micres.2011.08.001
- Koma, D. K. (2018). *Escherichia coli* chromosome-based T7-dependent constitutive overexpression system and its application to generating a phenylalanine producing strain. *Journal of Bioscience and Bioengineering*, 126(5), 1-10. doi:10.1016/j.jbiosc.2018.05.014
- Lingala, S. M. (2016). Overview of The Purification of Recombinant Proteins. *Pharmacol Ther. Author manuscript; available in PMC 2019 June 01*, 25(3), 289-313. doi:110.1016/j.bbi.2017.04.008
- Liu Y, C. J. (2009, Mar 6). pET30-GBF-E6N. *J Mol Biol*, 386(4):1123-37.
- Lokapirnasari, W. P. (2015). Production and assay of cellulolytic enzyme activity of *Enterobacter cloacae* WPL 214 isolated from bovine rumen fluid waste of Surabaya abbatoir, Indonesia. *Veterinary World*, 8(3), 367-371. doi:10.14202/vetworld.2015.367-371
- Marler, B. (2009, September 8). Non-O157:H7 Shiga Toxin E. coli Human Disease, Vectors and Outbreaks. *Food Poison Journal*, p. 7.
- Martin, N. C. (2006). The Use of Phosphate Buffered Saline for The Recovery of Cells and Spermatozoa From Swabs. *Science and Justice*, 46, 179-184. doi:10.1016/S1355-0306(06)71591-X
- Mergulhão, F. J. (2005). Recombinant protein secretion in *Escherichia coli*. *Biotechnology Advances*, 177-202. doi:10.1016/j.biotechadv.2004.11.003
- Michael P. Ryan, J. O. (2017). Evaluation of the Complex Nomenclature of the Clinically and Veterinary Significant Pathogen *Salmonella*. *Hindawi BioMed Research International*, Article ID 3782182, 6 pages.
- Mogasale, V. M. (2014). Burden of typhoid fever in low-income and middle-income countries: A systematic, literature-based update with risk-factor adjustment. *The Lancet Global Health*, e570-e580. doi:10.1016/S2214-109X(14)70301-8
- Ngo, N. J. (2014, November 13). *Escherichia coli*. *Microbiology*, p. https://microbewiki.kenyon.edu/index.php/Escherichia_coli.
- Novagen. (2010). pET System Manual. *American journal of epidemiology*, 172(10). doi:10.1093/aje/kwq410

- Novagen. (2017, April 07). pET System Manual. *Tokyo Journal of Mathematics*, <http://www.novagen.com>. doi:10.3836/tjm/1358951319
- Nurjayadi M., C. I. (2018). Pengaruh Jumlah Inokulum Sel Inang Bakteri E.coli BL21 (DE3) pLysS dan Waktu Overekspresi pada Produksi Protein Rekombinan Fim-C Salmonella typhi. *Jurnal Kimia VALENSI*, 4(2), 98-106. doi:10.15408/jkv.v4i2.8077
- Nurjayadi Muktiningsih., A. G. (2013). Kloning Gen FIM-C Salmonella Typhimurium Dengan Vektor pGEM-T easy Untuk Pengembangan Vaksin Rekombinan Penyakit Typhus Pada Manusia. *Jrskt*, 3(2), 301-310.
- Nurjayadi, M. D. (2011). Deteksi Bakteri Penyebab Penyakit Typhus Pada Manusia Dengan Polymerase Chain Reaction. *JRSKT - Jurnal Riset Sains dan Kimia Terapan*, 1(1), 45. doi:10.21009/jrskt.011.08
- Nurjayadi., A. D. (2016). Immunogenicity and Specificity of Anti recombinant Protein Fim-C-Salmonella typhimurium Antibody as a Model to Develop Typhoid Vaccine. *Procedia Chemistry*, 18(Mcls 2015), 237-245. doi:10.1016/j.proche.2016.01.037
- Ottow, J. C. (1975). Ecology, Physiology, and Genetics of Fimbriae and Pili. *Annual Review of Microbiology*, 29(1), 79-108. doi:doi:10.1146/annurev.mi.29.100175.000455
- Pahadiya, K. K. (2014). Sodium Dodecyl Sulfate-Poly Acrylamide Gel Electrophoresis (SDS-PAGE) Technique and Its Applications. *Department of Genetics and Plant Breeding*, 1-3.
- Qiagen.(2003). *The QIA expressionist™* (Fifth Edition ed.). American, Kirschner Lab: Qiagen. Retrieved from www.qiagen.com
- Rianta, P. (2001). Mengenal Metode Elektroforesis. *Oseana*, 26(1), 25-31.
- Saporito, L. C. (2016). Typhoid Fever. *International Encyclopedia of Public Health*, 7, 277-283. doi:10.1016/B978-0-12-803678-5.00475-6
- Scientific, T. (2011). User Guide: Pierce BCA Protein Assay Kit (MAN0011430 Rev. A). *Pierce Biotechnology*, 0747(23225), 1-7. doi:10.1016/j.ijproman.2010.02.012
- Sezonov, G. ` . (2007, December). Escherichia coli Physiology in Luria Bertani Broth. *Journal of Bacteriology*, 189, 746-8749. doi:10.1128/JB.01368-07

- Singh, A. U. (2005). Protein Recovery From Inclusion Bodies of Escherichia coli Using Mild Solubilization Process. *Microbial Cell Factories*, 14(1), 1-10. doi:10.1186/s12934-015-0222-8
- Snustad, D. P. (2003). *Principles of Genetics*. 3rd ed. New York: John Wiley and Sons.
- Syamsuddin. (2010). Pengetahuan Tentang Kebutuhan Protein Peunaron Aceh Timur. *Program Studi Pendidikan Dokter Universitas Islam Negeri Syarif Hidayatullah*.
- Taylor Caswell, S. G. (2016). *Salmonella enterica serovar Typhi*. Microbiology An Evolving Science. Retrieved from https://microbewiki.kenyon.edu/index.php/Salmonella_enterica_serovar_Typhi
- Tenaillon, O. S. (2010). The population genetics of commensal Escherichia coli. *Nature Reviews Microbiology*, 8(3), 207-217. doi:10.1038/nrmicro2298
- Thieman, W. J., & Palladino, M. A. (2004). *Introduction to biotechnology*. San Francisco: Pearson/Benjamin Cummings.
- Tuberculosis. (2008). Kanamycin. (B. D. Robertson, Ed.) *Tuberculosis*, 88, 117-118. doi:10.1016/S1472-9792(08)70012-X
- Ulfah Choiriyah, M. N. (2013, Desember). Subkloning dan Ekspresi Gen Fim-C Salmonella typhimurium. *JRSKT*, 3, 280-291.
- Wagner Carolin, M. H. (2011). Adhesive Mechanisms of Salmonella enterica. *Bacterial Adhesion*, 17-34. doi: 10.1007/978-94-007-0940-9_2
- Wagner, S. K. (2008). Tuning Escherichia coli for membrane protein overexpression. *Proceedings of the National Academy of Sciences of the United States of America*, 105(38), 14371-14376. doi:10.1073/pnas.0804090105
- Yazawa R, H. I. (2006). Transgenic Zebrafish Expressing Chicken Lysozyme Show Resistance Against Bacterial Diseases. *Transgenic Research*, 385-391. doi:doi: 10.1007/s11248-006-0009-0
- Zuckerman Jane N., H. C. (2017). Review of current typhoid fever vaccines, cross-protection against paratyphoid fever, and the European guidelines. *Expert Review of Vaccines*, 1029-1043. doi:10.1080/14760584.2017.1374861