

LAMPIRAN

Lampiran 1

Instrumen Keterlibatan Ayah

Selamat Pagi/Siang/Sore/Malam,

Saya, R. M Catra Hadibya Jayantra mahasiswa jurusan Psikologi Universitas Negeri Jakarta. Saat ini saya sedang menyusun skripsi dalam bidang Psikologi keluarga dan perkembangan

Kuesioner ini terdiri dari 2 bagian yaitu bagian I yang berhubungan dengan peran orang tua, dan bagian II yang berhubungan dengan remaja. Jawaban yang anda berikan tidak dinilai benar atau salah. Oleh karena itu, saya mengharapkan kesediaan anda mengisi kuesioner ini dengan jujur dan terbuka sesuai apa yang anda alami.

Atas kesediaan anda dalam membantu pengisian kuesioner ini, saya ucapkan terima kasih

Hormat saya,

R. M Catra Hadibya Jayantra

Data Diri

Instruksi :

Isilah pernyataan di bawah ini dan berikanlah tanda lingkaran (O) pada pilihan jawab yang anda pilih.

Inisial :

Jenis Kelamin : L / P

Usia : 11-14 / 15-17 / 18-21

Pendidikan : SMP / SMA

Tinggal Bersama : Orang tua kandung /

Bukan orang tua kandung (sebutkan tinggal dengan
.....)

Instrumen Keterlibatan Ayah

No.	Item pertanyaan	SS	S	R	TS	STS
1	Ayah mengajarkan saya untuk disiplin.					
2	Ayah mendorong saya untuk mengerjakan pekerjaan rumah					
3	Ayah membuat aturan dalam keluarga.					
4	Ayah mendorong saya untuk berprestasi di sekolah.					
5	Ayah mendorong saya untuk mengerjakan tugas sekolah (PR).					
6	Ayah mengajarkan saya untuk mengikuti peraturan sekolah.					
7	Ayah menghadiri acara yang saya terlibat didalamnya.					
8	Ayah mendorong saya untuk mengembangkan bakat.					
9	Ayah mendorong saya untuk melanjutkan sekolah yang lebih tinggi.					
10	Ayah memiliki perencanaan masa depan untuk saya (pendidikan dan pelatihan).					

Lampiran 2

Analisis Reliabilitas dan Validitas Skala Keterlibatan Ayah

Scale: Keterlibatan Ayah**Case Processing Summary**

		N	%
Cases	Valid	90	100.0
	Excluded ^a	0	.0
	Total	90	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.921	26

Item Statistics

	Mean	Std. Deviation	N
KA1	4.59	.559	90
KA2	4.10	.735	90
KA3	4.18	.787	90
KA4	4.46	.584	90
KA5	3.98	.924	90
KA6	4.18	.696	90
KA7	3.44	1.029	90
KA8	4.12	.872	90
KA9	4.68	.516	90
KA10	4.28	.750	90
KA11	3.79	.918	90
KA12	3.46	1.018	90
KA13	3.76	.952	90
KA14	3.83	.915	90

KA15	4.10	.849	90
KA16	3.70	1.043	90
KA17	3.90	.862	90
KA18	3.57	.995	90
KA19	4.00	.821	90
KA20	4.03	.827	90
KA21	3.48	1.114	90
KA22	3.54	1.113	90
KA23	4.49	.674	90
KA24	4.26	.842	90
KA25	4.36	.812	90
KA26	4.56	.705	90

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Cronbach's Alpha if Item Deleted
KA1	100.22	158.310	.616	.918
KA2	100.71	159.623	.383	.920
KA3	100.63	161.201	.273	.922
KA4	100.36	161.917	.338	.921
KA5	100.83	157.624	.379	.921
KA6	100.63	161.336	.309	.921
KA7	101.37	151.426	.584	.917
KA8	100.69	153.273	.614	.917
KA9	100.13	162.903	.312	.921
KA10	100.53	159.622	.374	.921
KA11	101.02	152.292	.624	.917
KA12	101.36	148.389	.719	.915
KA13	101.06	151.064	.654	.916
KA14	100.98	150.853	.694	.915
KA15	100.71	151.444	.724	.915
KA16	101.11	149.336	.661	.916
KA17	100.91	155.857	.496	.919
KA18	101.24	153.850	.504	.919
KA19	100.81	155.076	.564	.918
KA20	100.78	154.332	.597	.917
KA21	101.33	147.798	.673	.916
KA22	101.27	151.883	.516	.919

KA23	100.32	157.861	.529	.918
KA24	100.56	156.564	.475	.919
KA25	100.46	153.824	.636	.917
KA26	100.26	156.147	.604	.917

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
104.81	167.279	12.934	26

Skala Keterbukaan Diri

Scale: Keterbukaan Diri

Case Processing Summary

		N	%
Cases	Valid	90	100.0
	Excluded ^a	0	.0
	Total	90	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.827	24

Item Statistics

	Mean	Std. Deviation	N
KD1	3.76	.852	90
KD2	3.16	1.048	90
KD3	3.80	.927	90
KD4	2.71	1.114	90
KD5	3.42	1.005	90
KD6	2.89	1.116	90
KD7	4.00	.848	90

KD8	2.97	1.116	90
KD9	3.67	.983	90
KD10	2.01	.906	90
KD11	3.67	.887	90
KD12	2.28	.960	90
KD13	3.20	1.182	90
KD14	4.09	1.138	90
KD15	3.94	.798	90
KD16	3.52	1.256	90
KD17	3.89	.771	90
KD18	2.58	.994	90
KD19	3.68	.859	90
KD20	3.51	.902	90
KD21	2.63	1.054	90
KD22	2.94	1.042	90
KD23	2.52	1.062	90
KD24	2.83	1.154	90

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Cronbach's Alpha if Item Deleted
KD1	73.91	109.250	.402	.819
KD2	74.51	107.219	.407	.819
KD3	73.87	106.072	.535	.814
KD4	74.96	101.886	.623	.808
KD5	74.24	109.086	.336	.822
KD6	74.78	109.680	.266	.825
KD7	73.67	108.112	.471	.817
KD8	74.70	108.078	.337	.822
KD9	74.00	104.944	.558	.813
KD10	75.66	112.161	.217	.826
KD11	74.00	106.157	.558	.813
KD12	75.39	108.150	.404	.819
KD13	74.47	121.173	-.208	.847
KD14	73.58	105.955	.422	.818
KD15	73.72	111.214	.314	.823
KD16	74.14	102.911	.497	.814
KD17	73.78	109.074	.464	.818

KD18	75.09	104.711	.563	.812
KD19	73.99	107.629	.493	.816
KD20	74.16	108.223	.432	.818
KD21	75.03	109.673	.288	.824
KD22	74.72	112.450	.163	.829
KD23	75.14	108.709	.330	.822
KD24	74.83	109.039	.281	.825

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
77.67	117.146	10.823	24

Lampiran 3

Hasil Deskriptif Keterlibatan Ayah

Frequencies

Statistics

KA_total


N	Valid	220
	Missing	0
Mean		99.3136
Std. Error of Mean		.87117
Median		100.0000
Mode		110.00
Std. Deviation		12.92150
Variance		166.965
Skewness		-.811
Std. Error of Skewness		.164
Kurtosis		1.693
Std. Error of Kurtosis		.327
Range		83.00
Minimum		42.00
Maximum		125.00

Sum		21849.00
Percentiles	25	92.0000
	50	100.0000
	75	109.0000

KA_total

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42.00	1	.5	.5	.5
	58.00	1	.5	.5	.9
	61.00	1	.5	.5	1.4
	64.00	1	.5	.5	1.8
	67.00	1	.5	.5	2.3
	70.00	1	.5	.5	2.7
	73.00	3	1.4	1.4	4.1
	74.00	2	.9	.9	5.0
	75.00	1	.5	.5	5.5
	76.00	1	.5	.5	5.9
	79.00	1	.5	.5	6.4
	80.00	2	.9	.9	7.3
	81.00	1	.5	.5	7.7
	82.00	1	.5	.5	8.2
	83.00	2	.9	.9	9.1
	84.00	1	.5	.5	9.5
	85.00	6	2.7	2.7	12.3
	87.00	2	.9	.9	13.2
	88.00	5	2.3	2.3	15.5
	89.00	4	1.8	1.8	17.3
	90.00	7	3.2	3.2	20.5
	91.00	6	2.7	2.7	23.2
	92.00	9	4.1	4.1	27.3
	93.00	7	3.2	3.2	30.5
	94.00	8	3.6	3.6	34.1
	95.00	4	1.8	1.8	35.9

96.00	8	3.6	3.6	39.5
97.00	4	1.8	1.8	41.4
98.00	10	4.5	4.5	45.9
99.00	6	2.7	2.7	48.6
100.00	7	3.2	3.2	51.8
101.00	7	3.2	3.2	55.0
102.00	7	3.2	3.2	58.2
103.00	4	1.8	1.8	60.0
104.00	7	3.2	3.2	63.2
105.00	6	2.7	2.7	65.9
106.00	6	2.7	2.7	68.6
107.00	5	2.3	2.3	70.9
108.00	5	2.3	2.3	73.2
109.00	7	3.2	3.2	76.4
110.00	12	5.5	5.5	81.8
111.00	6	2.7	2.7	84.5
112.00	2	.9	.9	85.5
113.00	5	2.3	2.3	87.7
114.00	7	3.2	3.2	90.9
115.00	5	2.3	2.3	93.2
116.00	2	.9	.9	94.1
117.00	1	.5	.5	94.5
118.00	2	.9	.9	95.5
120.00	2	.9	.9	96.4
121.00	1	.5	.5	96.8
122.00	4	1.8	1.8	98.6
124.00	2	.9	.9	99.5
125.00	1	.5	.5	100.0
Total	220	100.0	100.0	



Hasil Deskriptif Keterbukaan Diri

Frequencies

Statistics

KD_total


N	Valid	220
	Missing	0
Mean		60.0227
Std. Error of Mean		.61561
Median		60.0000
Mode		56.00
Std. Deviation		9.13093
Variance		83.374
Skewness		.002

Std. Error of Skewness		.164
Kurtosis		.511
Std. Error of Kurtosis		.327
Range		51.00
Minimum		32.00
Maximum		83.00
Sum		13205.00
Percentiles	25	55.0000
	50	60.0000
	75	66.0000

KD_total

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	32.00	1	.5	.5	.5
	34.00	1	.5	.5	.9
	36.00	1	.5	.5	1.4
	37.00	1	.5	.5	1.8
	39.00	2	.9	.9	2.7
	40.00	1	.5	.5	3.2
	45.00	3	1.4	1.4	4.5
	46.00	1	.5	.5	5.0
	47.00	3	1.4	1.4	6.4
	48.00	3	1.4	1.4	7.7
	49.00	2	.9	.9	8.6
	50.00	5	2.3	2.3	10.9
	51.00	9	4.1	4.1	15.0
	52.00	4	1.8	1.8	16.8
	53.00	11	5.0	5.0	21.8
	54.00	5	2.3	2.3	24.1
	55.00	13	5.9	5.9	30.0
	56.00	18	8.2	8.2	38.2
	57.00	13	5.9	5.9	44.1
	58.00	9	4.1	4.1	48.2
	59.00	2	.9	.9	49.1

60.00	6	2.7	2.7	51.8
61.00	14	6.4	6.4	58.2
62.00	8	3.6	3.6	61.8
63.00	10	4.5	4.5	66.4
64.00	8	3.6	3.6	70.0
65.00	9	4.1	4.1	74.1
66.00	10	4.5	4.5	78.6
67.00	4	1.8	1.8	80.5
68.00	6	2.7	2.7	83.2
69.00	5	2.3	2.3	85.5
70.00	6	2.7	2.7	88.2
71.00	4	1.8	1.8	90.0
72.00	4	1.8	1.8	91.8
73.00	2	.9	.9	92.7
74.00	2	.9	.9	93.6
75.00	3	1.4	1.4	95.0
77.00	1	.5	.5	95.5
78.00	1	.5	.5	95.9
79.00	5	2.3	2.3	98.2
82.00	1	.5	.5	98.6
83.00	3	1.4	1.4	100.0
Total	220	100.0	100.0	



Lampiran 4

Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		KA_total	KD_total
N		220	220
Normal Parameters ^{a,b}	Mean	99.3136	60.0227
	Std. Deviation	12.92150	9.13093
Most Extreme Differences	Absolute	.063	.071
	Positive	.044	.071

	Negative	-.063	-.053
Kolmogorov-Smirnov Z		.931	1.047
Asymp. Sig. (2-tailed)		.351	.223

- Test distribution is Normal.
- Calculated from data.

Lampiran 5

Uji Linear

ANOVA Table							
			Sum of Squares	df	Mean Square	F	Sig.
KD_total * Usia	Between Groups	(Combined)	10.251	2	5.126	.061	.941
		Linearity	2.203	1	2.203	.026	.872
		Deviation from Linearity	8.048	1	8.048	.096	.757
	Within Groups		18248.635	217	84.095		
	Total		18258.886	219			

Lampiran 6

Regression

Notes

Output Created		14-JAN-2016 11:53:36
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	

Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		<pre> REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT KD_total /METHOD=ENTER KA_total Usia JenisKelamin. </pre>
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Memory Required	5504 bytes
	Additional Memory Required for Residual Plots	0 bytes

Descriptive Statistics

	Mean	Std. Deviation	N
KD_total	60.0227	9.13093	220
KA_total	99.3136	12.92150	220
Usia	2.068	.7584	220
Jenis Kelamin	1.55	.498	220

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	5.888	4.155		1.417	.158		
	KA_total	.490	.036	.693	13.791	.000	.961	1.041
	Usia	1.736	.605	.144	2.868	.005	.960	1.042
	Jenis Kelamin	1.227	.910	.067	1.348	.179	.984	1.017

a. Dependent Variable: KD_total

Correlations

		KD_total	KA_total	Usia	Jenis Kelamin
Pearson Correlation	KD_total	1.000	.673	.011	.119
	KA_total	.673	1.000	-.183	.096
	Usia	.011	-.183	1.000	-.101
	Jenis Kelamin	.119	.096	-.101	1.000
Sig. (1-tailed)	KD_total	.	.000	.436	.039
	KA_total	.000	.	.003	.079
	Usia	.436	.003	.	.069
	Jenis Kelamin	.039	.079	.069	.
N	KD_total	220	220	220	220
	KA_total	220	220	220	220
	Usia	220	220	220	220
	Jenis Kelamin	220	220	220	220

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Jenis Kelamin, KA_total, Usia ^b	.	Enter

a. Dependent Variable: KD_total

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.690 ^a	.476	.469	6.65531

a. Predictors: (Constant), Jenis Kelamin, KA_total, Usia

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8691.558	3	2897.186	65.409	.000 ^b
	Residual	9567.328	216	44.293		
	Total	18258.886	219			

a. Dependent Variable: KD_total

b. Predictors: (Constant), Jenis Kelamin, KA_total, Usia

Coefficients^a+F4:O11

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
		B	Std. Error	Beta			Zero-order	Partial	Part
1	(Constant)	5.888	4.155		1.417	.158			
	KA_total	.490	.036	.693	13.791	.000	.673	.684	.679
	Usia	1.736	.605	.144	2.868	.005	.011	.192	.141
	Jenis Kelamin	1.227	.910	.067	1.348	.179	.119	.091	.066

a. Dependent Variable: KD_total