DAFTAR PUSTAKA

Adriani, L., Indrayati, N., Tanuwiria, U. H., & Mayasari, N. (2008). Aktivitas *Lactobacillus acidophilus* dan *Bifidobacterium* terhadap kualitas yoghurt dan penghambatannya pada *Helicobacter pylori. Bionatura*, *10*(2), 218406.

Agustina, W. (2013). Produksi Pati Temu Lawak Sebagai Alternatif Pemanfaatan Temulawak Untuk Bahan Baku Produk Olahan Pangan Studi Kasus Di Desa Pabuaran, Kec. Salem, Kab. Brebes, Jawa Tengah. In *Seminar Nasional & Workshop: Peningkatan Inovasi Dalam Menanggulangi Kemiskinan–Lipi*.

Akimoto, M., Iizuka, M., Kanematsu, R., Yoshida, M., & Takenaga, K. (2015). Anticancer effect of ginger extract against pancreatic cancer cells mainly through reactive oxygen species-mediated autotic cell death. *PloS one*, *10*(5), e0126605.

Akoachere, J. T., Ndip, R. N., Chenwi, E. B., Ndip, L. M., Njock, T. E., & Anong, D. N. (2002). Antibacterial effects of *Zingiber Officinale* and *Garcinia Kola* on respiratory tract pathogens. *East African medical journal*, *79*(11), 588-592.

AOAC. 2005. *Official methods of analysis of the Association of Analytical Chemist*. Virginia USA : Association of Official Analytical Chemist, Inc.

Arief, I. I., Betty, S. L. J., Made, A., Kazuhito, F., & Arief, B. W. (2015). Identification and probiotics characteristics of lactic acid bacteria isolated from Indonesian local beef. Asian Journal of Animal Science, 9(1), 25-36

Asahara, T., Shimizu, K., Nomoto, K., Hamabata, T., Ozawa, A., & Takeda, Y. (2004). Probiotic bifidobacteria protect mice from lethal infection with Shiga toxin-producing *Escherichia coli* O157: H7. *Infection and immunity*, *72*(4), 2240-2247.

Aslam, S., Qazi, J. I. (2010). Isolation of acidophilic lactic acid bacteria antagonistic to microbial contaminants. *Pakistan journal of zoology*, *42*(5).

Batubara, M. S., & Ginting, N. (2018). Biotransformasi Tartrazin oleh Bakteri Usus Manusia. *Biolink (Jurnal Biologi Lingkungan Industri Kesehatan)*, *4*(2), 101-111.

Bell, C., P. Neaves, A.P. Williams. (2005). *Food Microbiology : Laboratory Practice*. Blackwell Publishing USA.

Belviso, S., Giordano, M., Dolci, P. & Zeppa, G. (2009). In vitro cholesterol-lowering activity of Lactobacillus plantarum and Lactobacillus paracasei strains isolated from the Italian Castelmagno PDO cheese, *Dairy Science and Technology*, 89:169-176.

[BPOM] Badan Pengawasan Obat dan Makanan RI. (2005). *Gerakan Nasional Minum Temulawak*. BPOM RI. Jakarta.

[BSN] Badan Standardisasi Nasional. (1992). SNI Yoghurt (SNI 01-2981 1992.1992). Badan Standardisasi Nasional. Jakarta.

Chairunnisa, H., Balia, R. L., dan Utama, G. L. (2006). Penggunaan Starter Bakteri Asam Laktat pada Produk Susu Fermentasi Lifihomi. Ilmu Ternak. J. 6 (2) : 102-107.

Chasparinda,M.E.,Andriani,M.A.M.,&Kawiji, K. (2014). Pengaruh penambahan jahe (*Zingiber officinale*.R) terhadap karakteristik fisiko kimia dan organoleptik sari buah bit (*Beta vulgaris* L.). *Jurnal Teknosains Pangan*,3(2), 1-10.

Chan, E.W.C., Lim, Y.Y., Wong, L.F., Lianto, F.S., Wong, S.K., Lim, K.K., Joe, C.E. and Lim, T.Y. (2008). Antioxidant and tyrosinase inhibition properties of leaves and rhizome of ginger species. *Food Chemistry*. 109 (3): 477-483.

Cueva C, Moreno-Arribas MV, Martin-Alvarez PJ, Bills G, Vicente M.F, dan Basilio A. (2010). Antimicrobial Activity of Phenolic Acids Against Commensal Probiotic and Pathogenic Bacteria. Res Microbiol. 161(5):372–382

Doores, S., Davidson, P. M., Sofos, J. N., & Branen, A. L. (2005). Organic acids. *Food Science And technology-New York-Marcel Dekker-*, *145*, 91.

Eckles, C. H., W.B. Combs. And H. Macy. (1980). *Milk and Milk Products*. Mc Graw Hill Company. New York.

Edeoga, H. O., Okwu, D. E., & Mbaebie, B. O. (2005). Phytochemical constituents of some Nigerian medicinal plants. *African journal of biotechnology*, *4*(7), 685-688.

Fardiaz, Srikandi. (1992). *Mikrobiologi Pangan*. Gramedia Pustaka Utama, Jakarta.

Gad, A. S., Kholif, A. M., & Sayed, A. F. (2010). Evaluation of the nutritional value of functional yogurt resulting from combination of date palm syrup and skim milk. *American Journal of Food Technology*, *5*(4), 250-259.

Hasneen, D. F., Zaki, N. L., Abbas, M. S., Soliman, A. S., Ashoush, I. S., & Fayed, A. E. (2020). Comparative evaluation of surmome herbs and their suitability for skimmed milk yoghurt and cast Kariesh cheese fortification as functional foods. *Annals of Agricultural Sciences*, *65*(1), 6-12.

Hayani E. (2006). Analisis kandungan kimia rimpang temulawak. Teknis nasional tenaga fungsional pertanian. Pusat Penelitian dan Pengembangan Peternakan. 309-312.

Heinrich, M. (2009). *Farmakognosi dan Fitoterapi*. Buku Kedokteran Indonesia. Jakarta.

Hendarto, D. R., Handayani, A. P., Esterelita, E., & Handoko, Y. A. (2019). Mekanisme biokimiawi dan optimalisasi *lactobacillus bulgaricus* dan *streptococcus thermophilus dalam* pengolahan yoghurt yang berkualitas. *J. Sains Dasar*, *8*(1), 13-19.

Hernani, W. C. (2011). Kandungan bahan aktif jahe dan pemanfaatannya dalam bidang kesehatan. *Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian*, 125-142.

Hidayat, I. R., Kusrahayu, K., & Mulyani, S. (2013). Total bakteri asam laktat, nilai pH dan sifat organoleptik drink yoghurt dari susu sapi yang diperkaya dengan ekstrak buah mangga. *Animal agriculture journal*, *2*(1), 160-167.

Hofvendahl, K., & Hahn–Hägerdal, B. (2000). Factors affecting the fermentative lactic acid production from renewable resources1. *Enzyme and microbial technology*, *26*(2-4), 87-107.

Jayaprakasha, G. K., Rao, L. J., & Sakariah, K. K. (2006). Antioxidant activities of curcumin, demethoxycurcumin and bisdemethoxycurcumin. *Food chemistry*, *98*(4), 720-724.

Jayaprakasha, G. K., Rao, L. J. M., & Sakariah, K. K. (2005). Chemistry and biological activities of C. longa. *Trends in Food Science & Technology*, *16*(12), 533-548.

Jokar, A., & Karbassi, A. (2011). In house production of lactose hydrolysed milk by β-galactosidase from *Lactobacillus bulgaricus*. *Journal of Agricultural Science and Technology*, 13:577-584.

Jolad, S. D., Lantz, R. C., Solyom, A. M., Chen, G. J., Bates, R. B., & Timmermann, B. N. (2004). Fresh organically grown ginger (Zingiber officinale): composition and effects on LPS-induced PGE2 production. *Phytochemistry*, *65*(13), 1937-1954.

Kanbe, M. (1992). Uses of intestinal lactic acid bacteria and health. *Functions of fermented milk. Challenges for the health sciences.*, 289-304.

Kim DO, Jeong SW, Lee CY. (2003). Antioxidant capacity of phenolic phytochemicals from various cultivars of plums. *Food Chemistry.* 81:321-326.

Kinsella, J. E., Frankel, E., German, B., & Kanner, J. (1993). Possible mechanisms for the protective role of antioxidants in wine and plant foods: physiological mechanisms by which flavonoids, phenolics, and other phytochemicals in wine and plant foods prevent or ameliorate some common chronic diseases are discussed. *Food technology (Chicago)*, *47*(4), 85-89.

Kiso, Y., Suzuki, Y., Watanabe, N., Oshima, Y., & Hikino, H. (1983). Antihepatotoxic principles of Curcuma longa rhizomes. *Planta medica*, *49*(11), 185-187.

Kiswanto, Y. (2005). Perubahan kadar senyawa bioaktif rimpang temulawak dalam penyimpanan (*Curcuma xanthorrhiza* Roxb), Fakultas *Teknologi Institut Pertanian (INTAN), Yogyakarta*, *10*.

Klein, G., Pack, A., Bonaparte, C., & Reuter, G. (1998). Taxonomy and physiology of probiotic lactic acid bacteria. *International journal of food microbiology*, *41*(2), 103-125.

Kristiyanti M. P. (2015).Viabilitas Bakteri Asam Laktat (BAL) Pada Media Tumbuh yang Dimodifikasi dengan Tepung Ikan. Skripsi. Universitas Lampung. Lampung.

Kurniati, T. H., Rahayu, S., Nathania, I. R. B., & Sukmawati, D. (2021). Antibacterial Activity of Lactic Acid Bacteria Isolated from Oncom, A Traditional Indonesian Fermented Food. In AIP Conference Proceedings (Vol. 2331, No. 1, p. 050017). AIP Publishing LLC

Lentera, T. (2002). *Khasiat dan manfaat jahe merah si rimpang ajaib*. AgroMedia. Jakarta.

Lukito, A.M. (2007). *Petunjuk Praktis Bertanam Jahe*. Agromedia Pustaka. Jakarta.

Mariana, E., & Susanti, H. (2012). Pengaruh Suplementasi Tepung Terigu terhadap Pertumbuhan dan Laju Pengasaman Probiotik *Lactobacillus acidophilus. Jurnal Teknologi dan Industri Pertanian Indonesia*, *4*(3).

Masuda, T., Isobe, J., Jitoe, A., & Nakatani, N. (1992). Antioxidative curcuminoids from rhizomes of Curcuma xanthorriza. *Phytochemistry*, *31*(10), 3645-3647.

Michael, M., Phebus, R. K., & Schmidt, K. A. (2010). Impact of a plant extract on the viability of *Lactobacillus delbrueckii* ssp. bulgaricus and *Streptococcus thermophilus* in nonfat yogurt. *International dairy journal*, *20*(10), 665-672.

Michael, M., Phebus, R. K., & Schmidt, K. A. (2015). Plant extract enhances the viability of *Lactobacillus delbrueckii* subsp. bulgaricus and *Lactobacillus*

acidophilus in probiotic nonfat yogurt. *Food science & nutrition*, *3*(1), 48-55.

Mozzi, F., R. R. Raya dan G. M. Fignolo. (2010). *Biotecnology of Lactic Acid Bacteria: Novel Application*. Wiley Blackwell Publishing, USA.

Mulyani, S. (2010). Fakultas Farmasi UGM. Komponen dan Anti-bakteri dari Fraksi Kristal Minyak Zingiber zerumbet. Majalah Farmasi Indonesia, 21(3), 178-184.

Murad, H. dan Marina del Rey. (2002). *Pharmaceutical Compositions and methods for reducing the appearance of cellulite*. U.S. Patent No. 6,676,977.

Nievergelt, A., Huonker, P., Schoop, R., Altmann, K. H., & Gertsch, J. (2010). Identification of serotonin 5-HT1A receptor partial agonists in ginger. *Bioorganic & medicinal chemistry*, *18*(9), 3345-3351.

Nunik, P, Junianto, dan Titin, H. (2012). Karakteristik Bakteri Caviar Nilem Dalam Perendaman Campuran Larutan Asam Asetat Dengan Larutan Garam Pada Penyimpanan Suhu Rendah (5-10o C). *Jurnal Perikanan dan Kelautan*. Vol 3(4) : 171-175.

Nur, H. S. (2018). Pembentukan asam organik oleh isolat bakteri asam laktat pada media ekstrak daging buah durian (*Durio Zibethinus* Murr.). *Bioscientiae*, *2*(1).

Nursal, Sri Wulandari dan Wilda Sukma Juwita (2006). Bioaktifitas Ekstrak Jahe (*Zingiber officinale* Roxb) Dalam Menghambat Pertumbuhan Koloni Bakteri *Eschericia coli* dan *Bacillus Subtilis*. *Jurnal Biogenesis* Vol. 2(2): 64-66.

O'Grady, B. and G. R. Gibson. 2005. Microbiota of the human gut. In: Tamime, A. Y. (Ed). Probiotic Dairy Products. Blackwell Publishing Ltd. UK.

Ouwehand, A. C., Salminen, S., & Isolauri, E. (2002). Probiotics: an overview of beneficial effects. *Lactic acid bacteria: genetics, metabolism and applications*, 279-289.

Padmasari, P. D., Astuti, K. W., & Warditiani, N. K. (2013). Skrining fitokimia ekstrak etanol 70% rimpang bangle (*Zingiber purpureum* Roxb.). *Jurnal Farmasi Udayana*, *2*(4), 279764.

Papamanoli, E., Tzanetakis, N., Tzanetaki-Litopoulou, E., Kotzekidou, P. 2002. Characterization of Lactic Acid Bacteria Isolated from a Greek Dry Fermented Sausage in Respect of Their Techological and Probiotic Properties. *Meat Science*. 65 : 859- 867.

Park, M., Bae, J., & Lee, D. S. (2008). Antibacterial activity of [10]-gingerol and [12]-gingerol isolated from ginger rhizome against periodontal bacteria. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, *22*(11), 1446-1449.

Pramitasari, Dika (2010). *Penambahan Ekstrak Jahe (Zingiber officinale rosc.) Dalam Pembuatan Susu Kedelai Bubuk Instan Dengan Metode Spray Drying : Komposisi Kimia, Sifat Sensoris, Dan Aktivitas Antioksidan.* Fakultas Pertanian Universitas Sebelas Maret.

Prana, M. S. (2008). The Biologi of Temulawak (*Curcuma xanthorrhiza* Roxb.). *Bogor (ID): Biopharmaca Research Center Bogor Agricultural University. Hal*, 151-156.

Purnomowati, S. (2008). Khasiat Temulawak. *Indofarma, Bandung*.

Rahmat, R. (1995). *Temulawak : tanaman rempah dan obat.* Penerbit Kanisius. Yogyakarta.

Rajagukguk, N. (2015). *Penggunaan Bakteri Asam Laktat (BAL) Terhadap Karkas Dari Ayam Broiler Yang Diinfeksi Bakteri E. coli* (Doctoral dissertation, Universitas Sumatera Utara).

Rattanachaikunsopon, P., & Phumkhachorn, P. (2010). Lactic acid bacteria: their antimicrobial compounds and their uses in food production. *Annals of biological research*, *1*(4), 218-228.

Rauf, R., Purwani, E., Widyaningsih, EN. (2011) . *Kadar Fenolik dan Aktivitas Radikal DPPH Berbagai Jenis Ekstrak Jahe (Zingiber officinale)*. Fakultas Ilmu Kesehatan UMS. Surakarta.

Reid, G., Jass, J., Sebulsky, M. T., & McCormick, J. K. (2003). Potential uses of probiotics in clinical practice. *Clinical microbiology reviews*, *16*(4), 658-672.

Rodriguez, J. M., Sobrino, O. J., Fernandez, M. F., Hernandez, P. E., & Sanz, B. (1989). Antimicrobial activity of lactic acid bacteria isolated from Spanish dry fermented sausages. *35th Int. Congr. Meat Sci. Technol., Copenhagen*, 308-312.

Rukmana, R. (2004). *Temu-temuan Apotik Hidup di Perkarangan*. Kanisius. Yogyakarta.

Rutgers, K & P. Ebing. (1992). Penyediaan Produk Susu Berskala Kecil. Penerbit Universitas Brawijaya. Malang.

Sadler, G. D. and P. A. Murphy. 2003. pH and Titratable Acidity. Di dalam: Suzane Nielsen (Ed). Food Analysis Third Edition: Purdue University, West Lafayette, Indiana.

Safitriani R. R. (2005). Potensi Temulawak (*Curcuma xanthorriza* Robx.) sebagai Sumber Antioksidan Alami. [Thesis]. UGM, Yogyakarta.

Saifudin, A. (2014). Senyawa alam metabolit sekunder. Deepublish. Yogyakarta.

Sanchez, P. C. (2008). *Philippine fermented foods: principles and technology*. UP Press.

Sanders, M. E., Benson, A., Lebeer, S., Merenstein, D. J., & Klaenhammer, T. R. (2017). Shared mechanisms among probiotic taxa: implications for general probiotic claims. Elsevier. Vol. 49, 207-216.

Sangi, M., M.R.J. Runtuwene., H.E.I. Simbala., V.M.A. Makang. 2008. Analisis Fitokimia Tumbuhan Obat di kabupaten Minahasa Utara. Chem. Prog. 1(1):47-53.

Sari, K. I. P., & Nasir, N. (2013). Uji Antimikroba ekstrak segar jahe-jahean (Zingiberaceae) terhadap Staphylococcus aureus, Escherichia coli dan Candida albicans. *Jurnal Biologi UNAND*, *2*(1): 20-24.

Sartor, R. B. (2004). Therapeutic manipulation of the enteric microflora in inflammatory bowel diseases: antibiotics, probiotics, and prebiotics. *Gastroenterology*, *126*(6), 1620-1633.

Schillinger, Y., & Lucke, F.K. (1989). . Antimicrobial activity of *Lactobacillus* sake isolated from meat. *Applied and Environmental Microbiology*, *55(8)*, 19011906.

Sewalt, V., Shanahan, D., Gregg, L., La Marta, J., & Carrillo, R. (2016). The generally recognized as safe (GRAS) process for industrial microbial enzymes. *Industrial Biotechnology*, *12*(5), 295-302.

Sidik, M. M., & Muhtadi, A. (1992). Temulawak (*Curcuma xanthorrhiza* Roxb). *Phyto Medica, Jakarta. Hal*, 26-41.

Srijanto, B., Syabirin, G., Aan, M., Rosidah, I., & Rismana, E. (2004). Pengaruh Waktu, Suhu dan Perbandingan Bahan Baku-Pelarut pada Ekstraksi Kurkumin dari Temulawak (Curcuma xanthorriza Roxb.) dengan Pelarut Aseton. In *Prosiding Seminar Nasional Rekayasa Kimia dan Proses* (pp. 1-5).

Stoyanova, S., Geuns, J., Hideg, E., & Van den Ende, W. (2011). The food additives inulin and stevioside counteract oxidative stress. *International Journal of Food Sciences and Nutrition*, *62*(3), 207-214.

Suradi. (1998). Aktivitas Antioksidan Ekstrak Buah Jambu Air (*Eugena aquae* Born), Jambu Biji (*Psidium guajava* Linn), Jambu Mete (*Anacardium accidentale* Linn), dan Langsep (*Lansium domesticum* Corr). [Skripsi]. UGM. Yogyakarta.

Syahrir, I. H. (2002). Karakteristik Fisik, Kimia Dan Mikrobiologi Dadih Susu Sapi Dengan Kombinasi Starter *Lactobacillus plantarum*, *Lactobacillus bulgaricus* dan *Stertococus thermophilus*. Fakultas Peternakan Institut Pertanian Bogor, Bogor.

Syamsudin, R. aldizal mahendra riziko, Perdana, F., Mutiaz, firly suci, Galuh, V., Rina, apriliani putry ayu, Cahyani, novia dwi, Apriliya, S., Yanti, R., & Khendri, F. (2019). Review: Tanaman Temulawak (*Curcuma xanthorrhiza* Roxb) sebagai Obat Tradisional. Jurnal Ilmiah Farmako Bahari, 10(1), 51–65.

Tambekar, D. H., & Bhutada, S. A. (2010). An evaluation of probiotic potential of Lactobacillus sp. from milk of domestic animals and commercial available probiotic preparations in prevention of enteric bacterial infections. *Recent Research in Science and Technology*, *2*(10), 82-88.

Tapsell, L. C., Hemphill, I., Cobiac, L., Sullivan, D. R., Fenech, M., Patch, C. S., ... & Inge, K. E. (2006). Health benefits of herbs and spices: the past, the present, the future.

Tiwari, P., Kumar, B., Kaur, M., Kaur, G., & Kaur, H. (2011). Phytochemical screening and extraction: a review. *Internationale pharmaceutica sciencia*, *1*(1), 98-106.

Urmann, K., Arshavsky-Graham, S., Walter, J. G., Scheper, T., & Segal, E. (2016). Whole-cell detection of live lactobacillus acidophilus on aptamer-decorated porous silicon biosensors. *Analyst*, *141*(18), 5432-5440.

Vermerris, W. And Nicholson R. (2006). Phenolic Compound Biochemistry. Springer. Dordrecht.

Vignolo, G. M., Suriani, F., Holgado, A. P. D. R., & Oliver, G. (1993). Antibacterial activity of Lactobacillus strains isolated from dry fermented sausages. *Journal of Applied Bacteriology*, *75*(4), 344-349.

Wakhidah, N., Jati, G., & Utami, R. (2017). Yoghurt susu sapi segar dengan penambahan ekstrak ampas jahe dari destilasi minyak atsiri. In *Proceeding Biology Education Conference: Biology, Science, Enviromental, and Learning* (Vol. 14, No. 1, pp. 278-284).

Widodo. 2003. Bioteknologi Industri Susu. Lacticia Press. Yogyakarta.

Widyastuti, Y., & Sofarianawati, E. (1999). Karakter bakteri asam laktat Enterococcus sp. yang diisolasi dari saluran pencernaan ternak. *Jurnal Mikrobiologi Indonesia*, *4*(2), 50-53.

Wollowski, I., Rechkemmer, G., & Pool-Zobel, B. L. (2001). Protective role of probiotics and prebiotics in colon cancer. *The American journal of clinical nutrition*, *73*(2), 451s-455s.

Yamin, M, Ayu, D.F, dan Hamzah F. (2017). Lama Pengeringan terhadap Aktivitas Antioksidan dan Mutu Teh Herbal Daun Ketepeng Cina (Cassia alata L.). Jom Faperta. Vol. 4. No. 2. 2017. Hal 9-12

Yang G. H., J. Guan, J. S. Wang, H. C. Yi, F. D. Qiao, dan F. Jia. 2012. Physicochemical and sensory characterization of ginger-juice yoghurt during fermentation. Food Science Biotechnology. 21(1): 1541--1548.

Yeni. (2016). Pengembangan starter bakteri asam laktat menggunakan substrat whey tahu. [Tesis]. Bogor: Institut Pertanian Bogor.

Yuliana, N., Sumardi, S., Jatmiko, E., Rosaline, M., & Iqbal, M. (2020). Potentially Lactic Acid Bacteria as An EPS Producing Starter from Yellow Sweet Potato Fermentation. Biodiversitas Journal of Biological Diversity, 21(9), 4269- 4275.

Yoon, K.Y., E.E. Woodams and Y.D. Hang. 2004. Probiotication of Tomato Juice by Lactic Acid Bacteria. J. Microbiol. 42 (4) : 315-318

Zain, W. N., & Kuntoro, B. (2017). Karakteristik Mikrobiologis Dan Fisik Yogurt Susu Kambing Dengan Penambahan Probiotik *Lactobacillus Acidophilus. Jurnal Ilmiah Ilmu-ilmu Peternakan*, *20*(1), 1-8.

Zahro, L., Cahyono, B., & Hastuti, R. B. (2009). Profil tampilan fisik dan kandungan kurkuminoid dari simplisia temulawak (*Curcuma xanthorrhiza* Roxb) pada beberapa metode pengeringan. *Jurnal Sains & Matematika*, *17*(1), 24-32.

Zakaria, Y. 2003. Pengaruh Total Solid dan Lama Penyimpanan terhadap Kualitas Yoghurt. Agripet. J. 4 (1) : 1—5.

Zakaria, Y. 2009. Pengaruh Jenis Susu dan Persentase Starter yang Berbeda terhadap Kualitas Kefir. Agripet. J. 9 (1) : 26—30.